9-2300-378-35 P/2-1

TM 9-2300-378-35P/2-1

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS LISTS
FOR
TURRET

TANK, COMBAT, FULL TRACKED: 105-MM GUN, M60A1 W/E
(NSN 2350-00-756-8497)

TANK, COMBAT, FULL TRACKED: 105-MM GUN, M60 W/E
(NSN 2350-00-678-5773)

VEHICLE, COMBAT, ENGINEER, FULL TRACKED: M728 W/E
(NSN 2350-00-795-1797)

TANK, COMBAT, FULL TRACKED: 90-MM GUN, M48A3, W/E
(NSN 2350-00-895-9154)

This copy is a reprint which includes current pages from Changes 1 through 4.

HEADQUARTERS, DEPARTMENT OF THE ARMY
FEBRUARY 1970

D 101.11:

WARNING

CARBON MONOXIDE POISONING CAN BE DEADLY

CARBON MONOXIDE IS A COLORLESS, ODORLESS, DEADLY POISONOUS GAS, WHICH, WHEN BREATHED, DEPRIVES THE BODY OF OXYGEN AND CAUSES SUFFOCATION. EXPOSURE TO AIR CONTAMINATED WITH CARBON MONOXIDE PRODUCES SYMPTOMS OF HEADACHE, DIZZINESS, LOSS OF MUSCULAR CONTROL, APPARENT DROWSINESS, COMA. PERMANENT BRAIN DAMAGE OR DEATH CAN RESULT FROM SEVERE EXPOSURE.

IT OCCURS IN THE EXHAUST FUMES OF FUEL-BURNING HEATERS AND INTERNAL-COMBUSTION ENGINES AND BECOMES DANGEROUSLY CONCENTRATED UNDER CONDITIONS OF INADEQUATE VENTILATION. THE FOLLOWING PRECAUTIONS MUST BE OBSERVED TO INSURE THE SAFETY OF PERSONNEL WHENEVER THE PERSONNEL HEATER, MAIN, OR AUXILIARY ENGINE OF ANY VEHICLE IS OPERATED FOR MAINTENANCE PURPOSES OR TACTICAL USE.

1. **DO NOT** OPERATE HEATER OR ENGINE OF VEHICLE IN AN ENCLOSED AREA UNLESS IT IS **ADEQUATELY VENTILATED.**
2. **DO NOT** IDLE ENGINE FOR LONG PERIODS WITHOUT MAINTAINING **ADEQUATE VENTILATION** IN PERSONNEL COMPARTMENTS.
3. **DO NOT** DRIVE ANY VEHICLE WITH INSPECTION PLATES, COVER PLATES, ENGINE COMPARTMENT DOORS REMOVED UNLESS NECESSARY FOR MAINTENANCE PURPOSES.
4. **BE ALERT** AT ALL TIMES DURING VEHICLE OPERATION FOR EXHAUST ODORS AND EXPOSURE SYMPTOMS. IF EITHER ARE PRESENT, **IMMEDIATELY VENTILATE** PERSONNEL COMPARTMENTS. IF SYMPTOMS PERSIST, REMOVE AFFECTED PERSONNEL FROM VEHICLE AND TREAT AS FOLLOWS: EXPOSE TO FRESH AIR; KEEP WARM; **DO NOT PERMIT PHYSICAL EXERCISE;** IF NECESSARY, ADMINISTER ARTIFICIAL RESPIRATION.

THE BEST DEFENSE AGAINST CARBON MONOXIDE POISONING IS ADEQUATE VENTILATION.

Change No. 4 }

HEADQUARTERS
DEPARTMENT OF THE ARMY
Washington, DC, *7 September 1979*

Direct Support, General Support, and Depot Maintenance Repair Parts and Special Tools Lists
For
TURRET
TANK, COMBAT, FULL TRACKED: 105-MM GUN, M60A1, W/E (NSN 2350-00-756-8497)
TANK, COMBAT, FULL TRACKED: 105-MM GUN, M60, W/E (NSN 2350-00-678-5773)
VEHICLE, COMBAT, ENGINEER, FULL TRACKED: M728, W/E (NSN 2350-00-795-1797)
TANK, COMBAT, FULL TRACKED: 90-MM GUN, M48A3, W/E (NSN 2350-00-895-9154)

TM 9-2300-378-35P/2-1, 20 February 1970, is changed as follows:

1. Remove old pages and inserts new pages as indicated below.
2. New or changed material is indicated by a vertical bar in the margin of the page.
3. Added or revised illustrations are indicated by a vertical bar adjacent to the illustration identification number.

Remove pages	*Insert pages*
vii (viii blank)	vii (viii blank)
xv/(xvi blank)	xv/(xvi blank)
06-109 and 06-110/06-198	06-109 and 06-110/06-198
None	06-198.1/(06-198.2 blank)
06-269 and 06-270	06-269 and 06-270
None	06-270.1/(06-270.2 blank)
06-411 and 06-412	06-411 and 06-412
06-435 through 06-468	06-435 through 06-468

4. File this change sheet in front of the publication for reference purposes.

By Order of the Secretary of the Army:

E. C. MEYER
General, United States Army
Chief of Staff

Official:

J. C. PENNINGTON
Major General, United States Army
The Adjutant General

DISTRIBUTION:

To be distributed in accordance with DA Form 12-37, Direct and General Support maintenance requirements for 105mm, M60, M60A1, Combat Engineer, Full Track, M728 and Tank, Combat, Full Tracked: 90MM, M48A3.

TM 9-2300-378-35P/2-1
C 3

CHANGE No. 3

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, DC, *29 November 1977*

Direct Support, General Support, and Depot Maintenance Repair Parts and Special Tools Lists
For
TURRET
TANK, COMBAT, FULL TRACKED: 105-MM GUN, M60A1, W/E (NSN 2350-00-756-8497)
TANK, COMBAT, FULL TRACKED: 105-MM GUN, M60, W/E (NSN 2350-00-678-5773)
VEHICLE, COMBAT, ENGINEER, FULL TRACKED: M728, W/E (NSN 2350-00-795-1797)
TANK, COMBAT, FULL TRACKED: 90-MM GUN, M48A3, W/E (NSN 2350-00-895-9154)

TM 9-2300-378-35P/2-1, 20 February 1970, is changed as follows:

1. Remove old pages and insert new pages as indicated below. New or changed material is indicated by a vertical bar in the margin of the page. Added or revised illustrations are indicated by a vertical bar adjacent to the illustration identification number.

Remove pages	*Insert pages*
v through vii/(viii blank)	v through vii/(viii blank)
xiii and xiv	xiii and xiv
06-109 and 06-110/06-198	06-109 and 06-110/06-198
06-269 through 06-310	06-269 through 06-310
06-371 through 06-412	06-371 through 06-412
06-435 through 06-468	06-435 through 06-468

2. File this change sheet in front of the publication for reference purposes.

By Order of the Secretary of the Army:

BERNARD W. ROGERS
General, United States Army
Chief of Staff

Official:

J. C. PENNINGTON
Brigadier General, United States Army
The Adjutant General

Distribution:

To be distributed in accordance with DA Form 12-37, direct and general support maintenance requirements for tanks, combat, full tracked, 105-mm, M60, M60A1, 90-mm, M48A3, combat engineer, full tracked, M728.

TECHNICAL MANUAL
NO. 9-2300-378-35P/2

HEADQUARTERS,
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., 20 February 1970

DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS

FOR TURRET

TANK; COMBAT, FULL TRACKED: 152-MM GUN-LAUNCHER, M60A1E2 W/E (2350-930-3590)

TANK, COMBAT, FULL TRACKED: 105-MM GUN, M60A1 W/E (2350-756-8497)

TANK, COMBAT, FULL TRACKED: 105-MM GUN, M60 W/E (2350-678-5773)

VEHICLE, COMBAT, ENGINEER, FULL TRACKED: M728 W/E (2350-795-1797)

TANK, COMBAT, FULL TRACKED: 90-MM GUN, M48A3, W/E (2350-895-9154)

This manual supersedes TM 9-2350-215-35P.2, dated August 1960, including changes and those portions of: TM 9-2350-215-35P.1, dated November 1962, including changes; TM 9-2350-222-25P, dated 21 October 1965, including changes; and TM 9-2350-224-25P, dated 13 January 1966; that pertain to the turret.

SECTION I INTRODUCTION

	Paragraph	Page
Scope	1	ix
General	2	ix
Explanation of Columns	3	ix
Special Information	4	xi
How to Locate Repair Parts	5	xiii
Abbreviations and Symbols	6	xiv
Federal Supply Codes for Manufacturers	7	xiv
Recommendations for Maintenance Publication Improvements	8	xv

SECTION II REPAIR PARTS

ELECTRICAL SYSTEM — (Group 06)

	Figure	Page of RPL
0609 - Dome Light Assembly (96906 MS51073-1), Variable Resistor and Mounting Parts (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W	06-1	06-1
0609 - Dome Light Assembly (96906 MS51073-1) (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W)	06-2	06-3
(Figures 06-3 and 06-4 Deleted)		
0614 - Turret Electrical Slipring Assembly (10951695) (M60), (10951664) (M60A1) and Attaching Parts	06-5	06-12
0614 - Turret Electrical Slipring Assembly (10951695) (M60), (10951664) (M60A1)	06-6	06-12
0614 - Turret Electrical Slipring (7389389) (M48A3, M48A3 Ser. No. 601W thru 726W), (10941083) (M60, M60A1) (Sheet 1 of 5)	06-7	06-14
0614 - Turret Electrical Slipring (7389389) (M48A3, M48A3 Ser. No. 601W thru 726W), (10941083) (M60, M60A1) (Sheet 2 of 5)	06-8	06-17
0614 - Turret Electrical Slipring (7389389) (M48A3, M48A3 Ser. No. 601W thru 726W), (10941083) (M60,M60A1) (sheet 3 of 5)	06-9	06-19.1
0614 - Turret Electrical Slipring (7389389) (M48A3, M48A3 Ser. No. 601W thru 726W), (10941083) (M60,M60A1) (Sheet 4 of 5)	06-10	06-21
0614 - Turret Electrical Slipring (7389389) (M48A3, M48A3 Ser. No. 601W thru 726W), (10941083) (M60,M60A1) (Sheet 5 of 5)	06-11	06-23

		Figure	Page of RPL
0614 -	Turret Electrical Slipring Receptacle Assembly (7716587) (M48A3, M48A3 Ser. No. 601W thru 726W), (10887359) (M60, M60A1).	06-12	06-25
0614 -	Turret Electrical Slipring Receptacle Assembly (7389392) (M60, M60A1, M48A3, M48A3 Ser. No. 601W thru 726W)	06-13	06-26
0614 -	Turret Electrical Slipring Receptacle Assembly (7389508) (M48A3, M48A3 Ser. No. 601W thru 726 W), (10893697) (M60, M60A1).	06-14	06-27
0614 -	Turret Electrical Slipring Receptacle Assembly (7716636) (M60,M60A1, M48A3, M48A3 Ser. No. 601W thru 726W	06-15	06-28
0614 -	Turret Electrical Slipring Switch and Actuator Assembly (10940852), Cam (10940866), Bracket (10940851) and Ground Straps (7407956) (M728).	06-16	0629
0614 -	Turret Electrical Slipring Assembly (10940555) (M728).	06-17	06-31
0614 -	Turret Electrical Slipring Assembly (10941028) (Sheet 1 of 3) (M728)	06-18	06-32
0614 -	Turret Electrical Slipring Assembly (10941028) (Sheet 2 of 3) (M728)	06-19	06-34
0614 -	Turret Electrical Slipring Assembly (10941028) (Sheet 3 of 3) (M728)	06-20	06-35
0614 -	Turret Electrical Slipring Harness Assembly (10940952) (M728)	06-21	06-36
0614 -	Turret Electrical Slipring Harness Assembly (10940847) (M728)	06-22	06-36
0614 -	Turret Electrical Slipring Assembly (10926046) and Attaching Parts (M48A3).	06-23	06-37
0614 -	Turrent Electrical Slipring Assembly (M48A3, M48A3 Ser. No. 601W thru 726W)	06-24	06-37
	(Figures 06-25 thru 06-44 Deleted)		
0616 -	Turret Ventilating Blower Control Box (8335333) and Attaching Parts (Sheet 1 of 2) (M60, M48A3, M48A3 Ser. No. 601W thru 726W)	06-45	06-58
0616 -	Turret Ventilating Blower Control Box (8335333) and Attaching Parts (Sheet 2 of 2) (M60, M48A3, M48A3 Ser. No 601W thru 726W)	06-46	06-59
0616 -	Turret Ventilating Blower Control Box (10905697) and Attaching Parts (M60A1, M728)	06-47	06-61
0616 -	Turret Ventilating Blower Control Box Harness Assembly (8733964) (M60, M48A3, M48A3 Ser. No. 601W thru 726W)	06-48	06-63

		Figure	Page of RPL
0616 -	Turret Ventilating Blower Control Box Cable Assemblies (M60, M48A3 M48A3 Ser. No. 601W thru 726W)	06-49	06-64
0616 -	Turret Ventilating Blower Control box Cable Assembly (8335304) (M60, M48A3, M48A3 Ser. No. 601W thru 726W)	06-50	06-66
0616 -	Turret Ventilating Blower Control Box Cable Assemblies (M60A1, M728)	06-51	06-68
0616 -	Turret Ventilating Blower Assembly (7974293) and Related Parts (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W)	06-52	06-69
0616 -	Turret Ventilating Blower Assembly (7974293) (All Vehicles)	06-53	06-72
0616 -	Turret Ventilating Blower Motor Assembly (7727524) (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601w thru 726w)	6-54	06-73
0618 -	Control Selector Assembly (11608361) and Mounting Parts (M60A1 W/Stab)	06-55	06-77
0618 -	Control Selector Assembly (11608361) (M60A1 W/Stab)	06-55.1	06-77
0618 -	Controller Unit Assembly (11608300) (M60A1 W/Stab)	06-55.2	06-77.1
0618 -	Controller Unit Assembly (11608300) (M60A1 W/Stab)	06-55.3	06-77.2
0618 -	Controller Unit Assembly (11608300) (M60A1 W/Stab)	06-55.4	06.77.4
0618 -	Rate Sensor Assembly (11608331) and Related Parts (M60A1 W/Stab)	06-55.5	06-77.6
0618 -	Rate Sensor Assembly (11608331) (M60A1 W/Stab)	06-55.6	06-77.6
0618 -	Stabilization Shut-Off Box (11655086) and Related Parts (M60A1 W/Stab)	06-55.7	06-77.8
0618 -	Power Pack Blower Assembly (11675940) and Related Parts (M60A1 W/Stab)	06-55.8	06-77.9
0618	Gunner's Control Box Assembly (11645222) and Attaching Parts (M60, M48A3, M48A3 Ser. No. 601W thru 726W)	06-56	06-78
0618 -	Gunner's Control Box Assembly (11645185) and Attaching Parts (M60A1, M728)	06-57	06-79
0618 -	Gunner's Control Box Wiring and Component Assembly (11645223) (M60, M48A3, M48A3 Ser. No. 601W thru 726W)	06-58	06-82
0618 -	Gunner's Control Box Wiring Harness Assembly (10924086) (M60A1, M728)	06-59	06-83
0618 -	Turret Power and Searchlight Relay Assemblies (7972802) and Mounting Parts (M60, M48A3, M48A3 Ser. No. 601W thru 726W)	06-60	06-84

	Figure	Page of RPL
0618 - Turret Power and Searchlight Relay Assembly (7972802) (M60, M48A3, M48A3 Ser. No. 601W thru 726W)	06-61	06-85
0618 - Stabilization System Wiring Harness Assembly (11636867) (M60A1 W/Stab)	06-61.1	06-88.1
0618 - Elevation Shut-Off Electrical Lead Assembly (11654868) (M60A1 W/Stab)	06-61.2	06-88.1
0618 - Turret Power and Searchlight Relay Assembly (10905722) (M728), (11590881) (M60A1) and Mounting Parts	06-62	06-89
0618 - Turret Power and Searchlight Relay Assembly (10905722) (M728), (11590881) (M60A1) (Sheet 1 of 2)	06-63	06-89
0618 - Turret Power and Searchlight Relay Assembly (10905722) (M728), (11590881) (M60A1) (Sheet 2 of 2)	06-64	06-91
0618 - Turret Power and Searchlight Relay Lead Assembly (10924261) (M60A1, M728)	06-65	06-95
0618 - Turret Power and Searchlight Relay Harness Assembly (10924260) (M60A1, M728)	06-66	06-96
0618 - Gun Firing Harness Assembly (11676327) (M60A1 W/Stab)	06-66.1	06-96.1
0618 - Turret Electrical Searchlight Connector Assembly and Control Box Mounting Hardware (M60,M60A1,M728,M48A3, M48A3 Ser. No. 601W thru 726W)	06-67	06-97
0618 - Blasting Machine (11599606) and Attaching Parts (M60, M60A1, M728)	06-68	06-98
0618 - Turret Gun Firing Relay Assembly (8338636) and Attaching Parts (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W)	06-69	06-100
0618 - Gun Elevation Interference Switch Assembly (10864130) and Related Parts (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W)	06-70	06-100
0618 - Loader's Safety Switch Assembly (11676323) (M60A1 W/Stab)	06-70.1	06-102.1
0618 - Turret Electrical Mounting Brackets and Hardware (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W)	06-71	06-103
0618 - Stabilization System Electrical Harness Clamps and Mounting Hardware (M60A1 W/Stab)	06-71.3	06-104
0618 - Turret Electrical System Harness Clamps-Locator View (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W)	06-72	
0618 - Turret Electrical System Harness Clamps (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W)	06-73	06-104.3

		Figure	Page of RPL
0618 -	Turret Electrical System Harness Clamps-Locator View (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W)	06-74	
0618 -	Turret Electrical System Harness Clamps (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W)	06-75	06-106
0618 -	Turret Electrical System Harness Clamps-Locator View (M60, M60A1, M48A3, M48A3 Ser. No. 601W thru 726W)	06-76	
0618 -	Turret Electrical System Harness Clamps (M60, M60A1, M48A3, M48A3 Ser. No. 601W thru 726W)	06-77	06-108
0618 -	Gunner's Particulate Filter Jumper Lead Assembly (M60A1 W/Stab)	06-77.1	06-109
0618 -	Smoke Grenade Push-button Unit (FV861135) (M60A1)	06-78	06-109
0618 -	Smoke Grenade Discharger Power Box (12257456) (M60A1) (Figures 06-80 thru 06-125 Deleted)	06-79	06-110/06-198
0620	Turret Searchlight Ground Lead Assembly (10884268) (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W)	06-126	06-200
0620 -	Turret Power Relay Box to Hydraulic Pump Motor Lead Assembly (10864133) (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W)	06-127	06-201
0620 -	Turret Searchlight Wiring Harness (10952232) (M60)	06-128	06-203
0620 -	Turret Searchlight Wiring Harness (10952232) (M60)	06-129	06-203
0620 -	Turret Control Wiring Harness (10934299) and Turret Power Wiring Harness (10864091) (M60)	06-130	06-207
0620 -	Turret Power Wiring Harness (10864091) (M60)	06-131	06-207
0620 -	Turret Control Wiring Harness (10934299) (Sheet 1 of 2) (M60)	06-132	06-208
0620 -	Turret Control Wiring Harness (10934299) (Sheet 2 of 2) (M60)	06-133	06-212
0620 -	Turret Heater Cable Assembly (10923809) (M60)	06-134	06-216
0620 -	Turret Power Pack Pump Motor Ground Strap (10915454) (M60, M60A1, M728)	06-135	06-216
0620 -	Turret Machine Gun Firing Harness (11599716) (M60, M60A1, M728), Control Box to Ventilating Motor Lead (10864134) and Interphone Slave Wiring Harness (10870485) (M60, M48A3, M48A3 Ser. No. 601W thru 726W)	06-136	06-217

		Figure	Page of RPL
0620 -	Turret Machine Gun Firing Harness (11599716) (M60, M60A1, M728)	06-137	06-217
0620 -	Turret Control Box to Ventilating Motor Lead (10864134) (M60, M48A3, M48A3 Ser. No. 601W thru 726W)	06-138	06-219
0620 -	Turret Interphone Slave Wiring Harness (10870485) (M60, M48A3, M48A3 Ser. No. 601W thru 726W)	06-139	06-221
0620 -	Turret Slipring to Interphone Slave Cable Assembly (108707483) (M60, M48A3, M48A3 Ser. No. 601W thru 726W)	06-140	06-223
0620 -	Turret Slipring to Interphone Slave Cable Assembly (10870483) (M60, M48A3, M48A3 Ser. No. 601W thru 726W)	06-141	06-223
0620 -	Turret Control Wiring Harness (10941059) (M60A1)	06-142	06-225
0620 -	Turret Control Wiring Harness (10941059) (Sheet 1 of 2) (M60A1)	06-143	06-225
0620 -	Turret Control Wiring Harness (10941059) (Sheet 2 of 2) (M60A1)	06-144	06-228
0620 -	Turret Power Wiring Harness (10905864) and Turret Control Wiring Harness (10924467) (M60A1)	06-145	06-232
0620 -	Turret Power Wiring Harness (10905864) (M60A1)	06-146	06-232
0620 -	Turret Control Wiring Harness (10924467) (Sheet 1 of 2) (M60A1)	06-147	06-234
0620 -	Turret Control Wiring Harness (10924467) (Sheet 2 of 2) (M60A1)	06-148	06-236
0620 -	Turret Switch Box to Power Relay Box Lead (10924271) and Turret Blower Assembly to Blower Switch Box Lead (10924270) (M60A1, M728)	06-149	06-240
0620 -	Turret Searchlight Relay Box to Searchlight Receptacle Lead (10911297) (M60A1, M728)	06-150	06-240
0620 -	Turret Switch Box to Power Relay Box Lead (10924271) (M60A1, M728)	06-151	06-242
0620 -	Turret Blower Assembly to Turret Blower Switch Box Lead (10924270) (M60A1, M728)	06-152	06-243
0620 -	Turret Interphone Cable Assembly (10911298) (M60A1, M728)	06-153	06-244
0620 -	Turret Interphone Cable Assembly (10911298) (M60A1, M728)	06-154	06-245
0620 -	Turret Power Feed Wiring Harness (10951575) (M728)	06-155	06-246
0620 -	Turret Power Feed Wiring Harness (10951575) (M728)	06-156	06-246
0620 -	Turret Control Wiring Harness (10951615) (M728)	06-157	06-248

	Figure	Page of RPL
0620 - Gun Firing Relay and Ground Switch and Mounting Parts (M60, M60A1, M728)	06-157.1	06-248
0620 - Turret Control Wiring Harness (10951615) (M728)	06-158	06-248
0620 - Turret Searchlight Wiring Harness (10916918) (M48A3, M48A3 Ser. No. 601W thru 726W)	06-159	06-253
0620 - Turret Power Relay Box to Slipring and Searchlight Relay Box Wiring Harness (10916838) (M48A3, M48A3 Ser. No. 601W thru 726W)	06-160	06-258
0620 - Turret Branched Wiring Harness (10916855) (M48A3), (11616151) (M48A3 Ser. No. 601W thru 726W) (Sheet 1 of 2)	06-161	06-260
0620 - Turret Branched Wiring Harness (10916855) (M48A3), (11616151) (M48A3 Ser. No. 601W thru 726W) (Sheet 2 of 2)	06-162	06-265
0620 - Turret Firing Circuit Wiring Harness (10916839) (M48A3, M48A3 Ser. No. 601W thru 726W)	06-163	06-268
0620 - Turret Firing Circuit Wiring Harness (10916839) (M48A3, M48A3 Ser. No. 601W thru 726W)	06-164	06-268
0620 - Smoke Grenade Launcher Cable Assembly, Left (12257603) (12257445) And Related Parts (M60A1)	06-165	06-270
0620 - Smoke Grenade Launcher Cable Assembly, Right (12257447) (12257602) And Related Parts (M60A1)	06-166	06-270
0620 - Smoke Grenade Launcher Housing Assembly And Related Parts (M60A1)	06-167	06-271
0620 - Smoke Grenade Launcher Housing Assembly Wiring Harness (12257429) And Related Parts (M60A1)	06-168	06-271

(Figures 06-169 thru 06-199 Deleted)

TURRET - (Group 19, see TM 9-2300-378-35-P/2-2)

HOIST, WINCH, CAPSTAN, WINDLASS, POWER CONTROL UNIT, AND POWER TAKE-OFFS- (Group 20, see TM 9-2300-378-35P/2-2)

BODY CHASSIS OR HULL AND ACCESSORY ITEMS- (Group 22, see TM 9-2300-378-35P/2-2)

ARMAMENT AND SIGHTING AND FIRE CONTROL (ELECTRIC/ELECTRONIC) (MATERIEL- (Group 34, see TM 9-2300-378-35P/2-2)

GROUP 39 DELETED

SECTION III TOOLS AND TEST EQUIPMENT (Group 26, see TM 9-2300-378-35P/2-2)

SECTION IV FEDERAL STOCK NUMBER AND PART NUMBER INDEX (See TM 9-2300-378-35P/2-2)

DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS

Section I. INTRODUCTION

1. Scope.

This manual lists turret repair parts and special tools required for the performance of direct support, general support, and depot maintenance of the Full-Tracked Combat Tanks 105-mm Gun M60A1 W/Stabilization, 105-mm Gun M60A1, 105-mm Gun M60, 90-mm Gun M48A3 and Combat Engineer Vehicle M728.

2. General.

This Repair Parts and Special Tools List is divided into the following sections:

a. Repair Parts—Section II. A list of repair parts authorized for the performance of maintenance at the direct support, general support and depot level in figure and item number sequence.

b. Special Tools, Test and Support Equipment—Section III. A list of special tools, test and support equipment authorized for the performance of maintenance at the direct support, general support and depot level.

c. Federal Stock Number and Part Number Index—Section IV. A list of Federal stock numbers in ascending numerical sequence followed by a list of part numbers in ascending alpha-numeric sequence, cross-referenced to the illustration figure number and item number.

3. Explanation of Columns.

The following provides an explanation of columns in the tabular lists in Sections II and III:

a. Source, Maintenance, and Recoverability Codes (SMR), Column 1.

(1) Source code, indicates the selection status and source for the listed item. Source codes are:

Code		*Explanation*
"P"	....	Repair parts which are stocked in or supplied from the GSA / DSA, or Army supply system and authorized for use at indicated maintenance categories.
"P2"	....	Repair parts which are procured and stocked for insurance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system.
"P9"	....	Assigned to items which are NSA design controlled: unique repair parts, special tools, test, measuring and diagnostic equipment, which are stocked and supplied by the Army COMSEC logistic system, and which are not subject to the provisions of AR 380-41.
"P10"	....	Assigned to items which are NSA design controlled: special tools, test, measuring and diagnostic equipment for COMSEC support, which are accountable under the provisions of AR 380-41, and which are stocked and supplied by the Army COMSEC logistic system.
"M"	....	Repair parts which are not procured or stocked, but are to be manufactured in indicated maintenance levels.
"A"	....	Assemblies which are not procured or stocked as such, but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly at indicated maintenance categories.

Code		*Explanation*
"X"	....	Parts and assemblies which are not procured or stocked and the mortality of which normally is below that of the applicable end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system.
"X1"	....	Repair parts which are not procured or stocked. The requirement for such items will be filled by use of the next higher assembly or component.
"X2"	....	Repair parts which are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain same through cannibalization. Where such repair parts are not obtainable through cannibalization, requirements will be requisitioned, with accompanying justification, through normal supply channels.
"C"	....	Repair parts authorized for local procurement. Where such repair parts are not obtainable from local procurement, requirements will be requisitioned through normal supply channels accompanied by a supporting statement of nonavailability from local procurement.
"G"	....	Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DSU and GSU level. These assemblies will not be stocked above DS and GS level or returned to depot supply level.

(2) Maintenance code, indicates the lowest category of maintenance authorized to install the listed item. The maintenance level codes are:

Code	*Explanation*
C	Crew or operator maintenance
O	Organizational maintenance
F	Direct support maintenance
H	General support maintenance
D	Depot maintenance

(3) Recoverability code, indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are:

Code		*Explanation*
"R"	....	Repair parts and assemblies which are economically repairable at DSU and GSU activities and normally are furnished by supply on an exchange basis.
"T"	....	High dollar value recoverable repair parts which are subject to special handling and are issued on an exchange basis. Such repair parts normally are repaired or overhauled at depot maintenance activities.
"U"	....	Repair parts specifically selected for salvage by reclamation units because of precious metal content, critical materials, or high dollar value reusable casings or castings.
"S"	....	Repair parts and assemblies which are economically repairable at DSU and GSU activities and normally are furnished on an exchange basis. When determined to be uneconomically repairable by DSU and GSU activities, they will be returned to the depot for evaluation and analysis prior to final disposition.
"E"	....	Repair parts which are expendable.
"N"	....	Item other than repair parts which are determined to be nonexpendable.
"X"	....	Any item not coded R, T, U, S, N, and E above to indicate the item is expendable.

b. Federal Stock Number, Column 2. This column indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description, Column 3. This column indicates the Federal item name and any additional description of the item required. A part number or other reference number is preceded by the applicable five-digit Federal supply code for manufacturers in parentheses. All reference numbers that are not preceded by a Federal supply code are to be construed as 19207 items (Army Tank-Automotive Command, Warren, Michigan). Repair parts quantities included in kits, sets, and assemblies are shown in front of the repair part name. Material required for manufacture or fabrication is identified.

d. Unit of Measure, Column 4. A 2-character alphabetic abbreviation indicating the amount or quantity of the item upon which the allowances are based, e.g., Ft, Ea, Pr, etc.

e. Quantity Incorporated in Unit, Column 5.

(1) This column indicates the quantity of the items used in the functional description.

(2) If an assembly is used more than once in the same functional group, the quantities and allocations reflect that multiple of the components in the assembly. When an assembly explode requires more than one illustration, all functions of identical parts are indicated in the initial listing of these parts and the quantity incorporated in unit column indicates the total quantities used in the assembly. Subsequent entries of these parts for the other illustrations, reference the initial entries.

(3) A "*" or "V" symbol appearing in this column, in lieu of a quantity, indicates that a definite quantity cannot be indicated, e.g., shims, spacers, etc.

f. 30-Day DS/GS Maintenance Allowances, Columns 6, and 7.

NOTE: *Allowances in GS column are for GS maintenance only.*

(1) The allowance columns are divided into three subcolumns. Indicated in each subcolumn, opposite the first appearance of each item, is the total quantity of items authorized for the number of equipments supported. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for DS/GS levels of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

(3) Determination of the total quantity of parts required for maintenance of more than 100 of these equipments can be accomplished by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51-100 allowance column. For example, the authorized allowance for 51-100 equipments is 40; for 150 equipments, multiply 40 by 1.50, which indicates that 60 parts are required.

g. 1-Year Allowances Per 100 Equipments/Contingency Planning Purposes, Column 8.

This column indicates opposite the first appearance of each item the total quantity required for distribution and contingency planning purposes. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year.

h. Depot Maintenance Allowance Per 100 Equipments, Column 9.

This column indicates opposite the first appearance of each item, the total quantity authorized for depot maintenance of 100 equipments. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

i. Illustration, Column 10.

This column is divided as follows:

(1) Figure Number, Column 10a. Indicates the figure number of the illustration in which the item is shown.

(2) Item Number, Column 10b. Indicates the callout number used to reference the item in the illustration.

4. Special Information.

a. Identifications of the useable on codes included in Column 3 of Sections II and III of this publication are:

Code	*Used on*
(A)	**—All vehicles listed below**
(BA)	**—M60**
(CA)	**—M60A1**
(CA W/Stab)	**—M60A1 with Stabilization**
(CC)	**—M728**
(DA)	**—M48A3**
(DA Ser. No. 601W thru 726W)	**—M48A3 Ser. No. 601W thru 726W**

NOTE: *Any M48A3 tanks with serial numbers followed by the letter W are supported with parts identified as DA Serial Number 601w thru 726w.*

NOTE: *All parts for the M60A1E2 vehicle have been deleted from this manual.*

NOTE: *All added parts coded CA W/Stab in this manual are for M60A1 vehicles with stabilization.*

b. All illustrations for a major functional group follow the parts lists of that functional group.

c. Illustrations and pages are numbered consecutively within each functional group with a hyphenated two-part number. The first number indicates the major functional group and the second number indicates the sequence within the functional group, e.g., Figure 06-5 indicates that the illustration is in functional group 06, electrical system, and is the 5th figure in that group.

d. Certain special tools listed in Section III authorized for organizational maintenance are designated authorized for battalion only. Tools that do not carry this designation and are authorized for organizational maintenance are to be construed to be authorized for both company and battalion.

e. When items of one parts kit appear on more than one illustration, the entire kit is listed in the text for the initial illustration. All parts carry their respective figure and item numbers. In the text for subsequent figures, items of the kit are listed by noun name and a reference to the figure and item number of the parts kit is given.

f. The following publications pertain to the M60, M60A1, M728, M48A3, and M48A3 Ser. No. 601w thru 726w vehicles and their components:

LO 9-2350-215-12	Lubrication Order for Tank, Combat, Full Tracked: 105-MM Gun, M60A1 W / E, and Tank, Combat, Full Tracked: 105-MM Gun, M60 W / E
LO 9-2350-222-12	Lubrication Order for Vehicle, Combat Engineer, Full Tracked: M728 W / E
LO 9-2350-224-12	Lubrication Order for Tank, Combat, Full Tracked; 90-MM Gun, M48A3 W / E
TM 9-2350-215-10	Operator's Manual for Tank, Combat, Full Tracked: 105-MM Gun, M60A1 W / E, and Tank, Combat, Full Tracked: 105-MM Gun, M60 W / E
TM 9-2350-222-10	Operator's Manual for Vehicle, Combat Engineer, Full Tracked: M728 W / E
TM 9-2350-224-10	Operator's Manual for Tank, Combat, Full Tracked: 90-MM Gun, M48A3 W / E
TM 9-2350-215-20	Organizational Maintenance Manual for Tank, Combat, Full Tracked; 105-MM Gun, M60A1 W / E, and Tank, Combat, Full Tracked: 105-MM Gun, M60 W / E
TM 9-2350-222-20	Organizational Maintenance Manual for Vehicle, Combat Engineer, Full Tracked: M728 W / E
TM 9-2350-224-20	Organizational Maintenance Manual for Tank, Combat, Full Tracked: 90-MM Gun, M48A3 W / E
TM 9-2300-378-20P / 1	Organizational Maintenance Repair Parts and Special Tools Lists for Hull, Tank, Combat, Full Tracked: 152-MM Gun-Launcher, M60A1E2 W / E; Tank, Combat, Full Tracked: 105-MM Gun, M60A1 W / E; Tank, Combat, Full Tracked: 105-MM Gun, M60 W / E; Vehicle, Combat Engineer, Full Tracked: M728 W / E: and Tank, Combat, Full Tracked: 90-MM Gun M48A3 W / E

TM 9-2300-378-20P / 2	Organizational Maintenance Repair Parts and Special Tools Lists for Turret, Tank, Combat, Full Tracked: 105-MM Gun, M60A1 W/E; Tank, Combat, Full Tracked: 105-MM Gun, M60 W/E; Vehicle, Combat Engineer, Full Tracked: M728 W/E; and Tank, Combat, Full Tracked: 90-MM Gun, M48A3 W/E
TM 9-2300-378-35 / 1	Direct Support, General Support and Depot Maintenance Manual for Tank, Combat, Full Tracked: 105-MM Gun, M60A1 W / E; Tank, Combat, Full Tracked: 105-MM Gun, M60 W / E; Vehicle, Combat Engineer, Full Tracked: M728 W / E; Hull, Suspension, Final Drive, Slipring Assembly, Turret and Miscellaneous Components
TM 9-2300-378-35 / 2	Direct Support, General Support and Depot Maintenance Manual for Tank, Combat, Full Tracked: 105-MM Gun, M60A1 W / E; Tank, Combat, Full Tracked: 105-MM Gun, M60 W / E; Tank, Combat, Full Tracked: 90-MM Gun, M48A3 W / E; Vehicle, Combat Engineer, Full Tracked: M728 W / E; Tank, Combat, Full Tracked: 90-MM Gun, M48A2 and M48A3, Gun Elevating and Turret Traversing Systems
TM 9-2300-378-35P / 1	Direct Support, General Support, and Depot Maintenance Repair Parts and Special Tools Lists for Hull, Tank, Combat, Full Tracked: 152-MM Gun-Launcher, M60A1E2 W / E; Tank, Combat, Full Tracked: 105-MM Gun, M60A1 W / E; Tank, Combat, Full Tracked: 105-MM Gun, M60 W / E; Vehicle, Combat Engineer, Full Tracked: M728 W / E; and Tank, Combat, Full Tracked: 90-MM Gun, M48A3 W / E
TM 3-1040-266-20&P	Organizational Maintenance Manual (Including Repair Parts and Special Tools Lists) Launcher, Grenade, Smoke: Screening, RP, M239 (NSN 1040-01-015-0874)
TM 3-4240-216-35P	Direct Support, General Support, and Depot Maintenance Repair Parts and Special Tools List: Filter-Unit, Gas-Particulate, Tank, 20 CFM, M13. Mask, Gas, Rocket Propellant, M21
TM 3-4240-236-35P	Field and Depot Maintenance Repair Parts and Special Tools Lists: Filter Unit, Gas-Particulate, Tank, 12 CFM, M8A3

g. Action change codes indicated in the left-hand margin of the listing page denote the following:

N — Indicates an added item.
C — Indicates a change in data.
R — Indicates a change in FSN only.

5. How to Locate Repair Parts.

a. When Federal Stock Number or Part Number is unknown:

(1) *First.* Using the table of contents, determine the functional subgroup, i.e., turret, turret lock assembly, armament, combination gun mount assembly, within which the repair part belongs. This is necessary, since illustrations are prepared for functional subgroups, and listings are divided into the same groups.

(2) *Second.* Find the illustration covering the functional subgroup to which the repair part belongs.

(3) *Third.* Identify the repair part on the illustration and note the illustration figure and item number of the repair part.

(4) *Fourth.* Using the Repair Parts Listing, find the functional subgroup to which the repair part belongs and locate the illustration-figure and item number noted on the illustration.

b. When Federal Stock Number or Part Number is known:

(1) *First.* Using the Index of Federal Stock Numbers and Part Numbers, find the pertinent Federal stock number or part number. This index is in ascending FSN sequence, followed by a list of part numbers in alpha-numeric sequence, cross-referenced to the illustration-figure number and item number.

(2) *Second.* Using the Repair Part and Special Tools Listing in Section II and Section III, find the functional subgroup of the repair part and the illustration-figure number and item number referenced in the Index of Federal Stock Number and Part Numbers.

6. Abbreviations and Symbols.

Abbreviations	*Explanation*
BN	battalion
I.D.	inside diameter
O.D.	outside diameter
WA	wall

Symbol	*Explanation*
≠ or V	As required
*	Indicates items which are to be requisitioned as required for immediate use only. (Not authorized for stockage in prescribed load).

7. Federal Supply Codes for Manufacturers.

Code	*Manufacturer*
K6897	Ministry of Defense/Army/ Directorate Of Sales/Sales 3/ St. Christopher House Southwark St., London SE1, England
00000	Ordnance Corps
03481	Goodrich BF Co. Akron, Ohio
04939	Martin Marietta Corp. Martin Co. Division Orlando, Florida
05147	Smith A.O. Corp. 531 N. 4th Tipp City, Ohio 45371
07860	Bogue Electric Mfg. Co. 100 Pennsylvania Ave. Paterson, N.J.
10001	Naval Ordnance Systems Command Washington, D.C. 20360
10237	Cadillac Gage Co. Parkgrove Station P.O. Box 3806, Detroit, Michigan
12204	Chrysler Corp. 341 Massachusetts Ave. Detroit, Michigan 48231
18876	Army Missile Command Redstone Arsenal, Ala.
19204	Rock Island Arsenal Rock Island, Ill.
19206	Watervliet Arsenal Watervliet, N.Y.
19207	Army Tank-Automotive Command Warren, Michigan
21450	Ordnance Corps Engineering Standards Rock Island Arsenal Rock Island, Ill.
24454	General Electric Co. Electronics Components Div. of Defense Systems Syracuse, N.Y.
24617	General Motors Corp. Detroit, Michigan
33525	Kidde Walter and Co. Inc. Belleville, N.J.
38597	Martin Marietta Corp. Baltimore Division P.O. Box 988 Baltimore, Md. 21203
41625	Morse Instrument Co. 21 Clinton St. Hudson, Ohio 44236
46522	Hupp Corporation Cleveland Division 1135 Ivanhoe Rd. Cleveland, Ohio 44110
51064	Robbins and Myers Inc. 1930 Clark Blvd. Springfield, Ohio
56232	Sperry Gyroscope Co. Division of Sperry Rand Corp. Great Neck, N.Y. 11020
57733	Stewart-Warner Corp. 1826 Diversey Parkway Chicago, Ill. 60614
60380	Torrington Co. 59 Field Torrington, Conn.
65054	Westinghouse Electric Corp. Braddock Ave. Pittsburgh, Pa. 15112
70470	Astrup Company 2937 W. 25th Cleveland, Ohio 44113

Code	Manufacturer
71724	Crane Packing Co. 6400 Oakton St. Morton Grove, Ill 60053
77970	Smith AO Corp. Milwaukee, Wis.
78570	Titeflex, Inc. Newark, N.J.
80205	National Aerospace Standards Committee Aeronautical Industries Association of America Washington, D.C.
80244	General Services Administration Federal Supply Service Washington, D.C.
81336	Chief of Engineers Gravelly Point, Va.
81344	Insulated Power Cable Engineers Association 283 Valley Rd. Montclair, N.J.
81348	Federal Specifications Promulgated By General Services Administration
81349	Military Specifications Promulgated By Standardization Div. Directorate of Logistic Services DSA
81361	Edgewood Arsenal, Edgewood Arsenal, MD 21018
82722	Westinghouse Air Brake Co. P.O. Box 36 Wilmerding, Pa. 15148
88044	Aeronautical Standards Group Dept. of Navy and Air Force
95138	Perfecting Service Co. Charlotte, N.C.
96906	Military Standards Promulgated By Standardization Div. Directorate of Logistic Services DSA
97084	Gibson Good Tools Inc. 75 Pearl St. Sidney, N.Y. 13838
97403	Army Engineer Research and Development Laboratories Fort Belvoir, VA.

REPORTING OF ERRORS

You can help improve this manual by recommending improvements using DA Form 2028 (Recommended Changes to Publications and Blank Forms), and mail the form direct to Commander, US Army Armament Materiel Readiness Command, ATTN: DRSAR-MAS, Rock Island, IL 61299. A reply will be furnished direct to you.

SECTION II. REPAIR PARTS

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		GROUP 06 - ELECTRICAL SYSTEM (ENGINE AND VEHICULAR, ETC.)												
		0609 - DOME LIGHT ASSEMBLY (96906-MS51073-1), VARIABLE RESISTOR AND MOUNTING PARTS (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)												
P-O-	6220-337-7463	DOMELIGHT: 24 volt-dc, lamp (red) 6cp lamp (white) 15cp turret (96906-MS51073-1)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	30	06-1	1
		(BA, DA, DA Ser No. 601w thru 726w)	EA	2	*	1	1	*	1	1	12	20	06-1	1
P-O-	5310-209-0786	WASHER, LOCK: domelight (96906-MS35335-33)												
		(CA, CC)	EA	12							10	1200	06-1	2
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	8	*	*	1	*	*	1	8	800	06-1	2
P-O-	5310-550-1130	**WASHER, LOCK: domelight (96906-MS35335-40)**												
		(CA, CC)	EA	12	*	*	1	*	*	1	10	1200	06-1	3
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	8	*	*	1	*	*	1	8	800	06-1	3
P-O-	5305-068-0502	SCREW CAP, HEXAGON HEAD: domelight (96906-MS90725-6)												
		(CA, CC)	EA	9	*	*	1	*	*	1	10	270	06-1	4
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	8	*	*	1	*	*	1	8	240	06-1	4
P-O-	5930-823-0482	BOOT, DUST AND MOISTER SEAL: variable resistor (81349-MILB5423C Size 2) (BA, DA)	EA	2	*	1	1	*	1	1	12	200	06-1	5
P-O-	5310-595-7237	WASHER, LOCK: variable resistor (96906-MS35333-42)												
		(DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	10	200	06-1	6
		(CA, CC)	EA	3	*	*	1	*	*	1	8	300	06-1	6
P-O-	5310-850-9199	NUT, PLAIN HEXAGON: variable resistor (96906-MS25082-B7)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	90	06-1	7
		(DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-1	7
P-O-	5355-579-1210	KNOB: variable resistor (96906-MS91528-3F2B)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	30	06-1	8
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	20	06-1	8
P-O-	2590-302-1281	BRACKET ASSEMBLY: domelight and variable resistor (10911615) (BA)	EA	1	*	*	*	*	*	*	3	*	06-1	9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0609 - DOME LIGHT ASSEMBLY (96906-MS51073-1), VARIABLE RESISTOR AND MOUNTING PARTS (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	2510-937-2533	BRACKET ASSEMBLY: domelight (10887220) (BA)	EA	1	*	*	*	*	*	*	3	*	06-1	9
P-O-	5340-792-8123	BRACKET ASSEMBLY: domelight (10911358) (CA, CC)	EA	3	*	*	*	*	*	*	5	*	06-1	9
P-O-	5305-225-3840	SCREW, CAP, HEXAGON HEAD: domelight (96906-MS90725-7) (CA, CC)	EA	3	*	*	1	*	*	1	8	90	06-1	10
X1-		RESISTOR, VARIABLE: domelight (10887194)												
		(CA, CC)		3									06-1	11
		(BA, DA, DA Ser. No. 601w thru 726w)		2									06-1	11
P-O-	5970-296-6078	INSULATION, SLEEVING, ELECTRICAL: variable resistor (2 pieces 1 inch long) (80244-17-1-1725-56)												
		(CA, CC)	FT	≠	*	*	*	*	*	*	6	20	06-1	12
		(BA, DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	6	10	06-1	12
A-O-	5905-933-1132	RESISTOR ASSEMBLY: domelight (10893854)												
		(CA, CC)		3									06-1	13
		(BA, DA, DA Ser. No. 601w thru 726w)		2									06-1	13
P-O-	5935-833-8561	SHELL, ELECTRICAL CONNECTOR: variable resistor (8338561)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	60	06-1	14
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	40	06-1	14
P-O-	5970-833-8562	INSULATOR, BUSHING: variable resistor (8338562)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	60	06-1	15
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	40	06-1	15
P-O-	5940-399-6676	TERMINAL, LUG: variable resistor (8338564)												
		(CA, CC)	EA	3	*	*	1	*	*	1	12	90	06-1	16
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-1	16
P-O-	5940-057-2929	FERRULE, ELECTRICAL CONNECTOR: variable resistor (96906-MS27148-2)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	60	06-1	17
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	40	06-1	17

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0609 - DOME LIGHT ASSEMBLY (96906-MS51073-1), VARIABLE RESISTOR AND MOUNRING PARTS (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) Cont'd												
P-O-	5310-833-8567	WASHER, SLOTTED: variable resistor (8338567)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	90	06-1	18
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-1	18
P-O-	5935-572-9180	SHELL, ELECTRICAL CONNECTOR: variable resistor (8338566)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	60	06-1	19
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	40	06-1	19
P-O-	6145-772-0853	WIRE, ELECTRICAL: variable resistor (2 pieces 5 inches long) (81349-M13486 / 1-5) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w	FT	≠	*	*	*	*	*	*	6	90	06-1	20
P-O-	5905-933-9206	RESISTOR ASSEMBLY: domelight (10893853)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	150	06-1	21
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	100	06-1	21
		0609 - DOMELIGHT ASSEMBLY (96906-MS51073-1) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w												
P-O-	5305-633-0785	SCREW: domelight lampholder mounting (8335233)												
		(CA, CC)	EA	6	*	*	1	*	*	1	10	180	06-2	1
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	8	120	06-2	1
P-O-	5310-045-3299	WASHER, LOCK: domelight lampholder mounting (96906-MS35338-42)												
		(CA, CC)	EA	12	*	*	1	*	*	1	8	300	06-2	2
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	8	*	*	1	*	*	1	8	200	06-2	2
P-O-	6240-295-2668	LAMP, INCANDESCENT: domelight (96906-MS35478-1691)												
		(CA, CC)	EA	3	3	5	8	3	5	8	30	300	06-2	3
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	2	3	5	2	3	5	20	200	06-2	3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0609 - DOMELIGHT ASSEMBLY (96906-MS51073-1) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	6220-337-7465	SOCKET, PLATE, AND WIRING ASSEMBLY: domelight red lens (7064962)												
		(CA, CC)	EA	3	*	*	1	*	*	1	12	90	06-2	4
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	2	2	*	2	2	8	60	06-2	4
P-O-	6145-055-1752	WIRE ASSEMBLY: domelight socket (8386496)												
		(CA, CC)	EA	3	*	*	1	*	*	1	6	120	06-2	5
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	6	80	06-2	5
X1-	5940-079-8324	TERMINAL: wire assembly (2), lampholder assembly (1) (96906-MS35430-5)												
		(CA, CC)		9									06-2	6
		(BA, DA, DA Ser. No. 601w thru 726w)		6									06-2	6
P-O-	5320-639-0451	RIVET: wire assembly to socket plate (96906-MS16535-112)												
		(CA, CC)	EA	3	*	*	*	*	*	*	4	90	06-2	7
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	*	4	60	06-2	7
P-O-	5940-881-2377	TERMINAL: socket, plate and wiring assembly (1), lamp holder assembly (1) (24617-200125)												
		(CA, CC)	EA	6	*	*	*	*	*	*	4	180	06-2	8
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	10	120	06-2	8
P-O-	5325-623-0928	ISOLATOR: socket, plate and wiring assembly (7064900)												
		(CA, CC)	EA	6	*	*	1	*	*	1	12	300	06-2	9
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	10	200	06-2	9
X1-		PLATE: domelight socket support (7064896)												
		(CA, CC)		3									06-2	10
		(BA, DA, DA Ser. No. 601w thru 726w)		2									06-2	10
P-O-	5305-889-3002	SCREW, MACHINE: socket plate support to body (96906-MS35206-242)												
		(CA, CC)	EA	6	*	*	*	*	*	*	4	180	06-2	11
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	10	120	06-2	11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(b) Item No.
		0609 - DOME LIGHT ASSEMBLY (96906-MS51073-1) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	6240-019-3093	LAMP, INCANDESCENT: domelight (96906-MS15570-623)												
		(CA, CC)	EA	3	3	5	8	3	5	8	30	300	06-2	12
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	2	3	5	2	3	5	20	200	06-2	12
P-O-	5305-984-4980	SCREW, MACHINE: domelight pad and plate to lampholder assembly (96906-MS35206-223)												
		(CA, CC)	EA	6	*	*	1	*	*	1	8	180	06-2	13
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	8	120	06-2	13
X1-		PLATE: Domelight socket support (8335242)												
		(CA, CC)		3									06-2	14
		(BA, DA, DA Ser. No. 601w thru 726w)		2									06-2	14
X1-		PAD: domelight socket support (8335240)												
		(CA, CC)		3									06-2	15
		(BA, DA, DA Ser. No. 601w thru 726w)		2									06-2	15
P-O-	6250-112-0475	LAMPHOLDER ASSEMBLY: domelight (10942115)												
		(CA, CC)	EA	3	*	*	*	*	*	*	4	120	06-2	16
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	80	06-2	16
P-O-	5310-132-1438	WASHER: lampholder to door (8744897)												
		(CA, CC)	EA	6	*	*	1	*	*	1	8	180	06-2	17
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	8	120	06-2	17
P-O-	5305-274-3154	SCREW: lampholder to door (24617-7320687)												
		(CA, CC)	EA	6	*	*	1	*	*	1	8	180	06-2	18
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	8	120	06-2	18
P-O-	6220-796-2254	SEAL, RUBBER ROUND SECTION: domelight body to door (7962254)												
		(CA, CG)	EA	3	*	1	1	*	1	1	14	300	06-2	19
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	10	200	06-2	19
X1-		BODY: domelight (8744898)												
		(CA, CC)		3									06-2	20
		(BA, DA, DA Ser. No. 601w thru 726w)		2									06-2	20

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0609 - DOME LIGHT ASSEMBLY (96906-MS51073-1) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5940-681-9713	TERMINAL: feed wire assembly (96906-MS20659-4)												
		(CA, CC)	EA	3	*	*	*	*	*	*	4	90	06-2	21
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	4	60	06-2	21
P-O-	5970-577-1630	INSULATOR: feed wire assembly, ¾ inch long (81349-MIL-I-631, Type F, Form U, Grade B, Class 1, .166 ID, .020 WA) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	6	6	06-2	22
P-O-	6145-772-2204	WIRE, ELECTRICAL: feed wire assembly (approximately 4 inches long) (81349-M13486/1-3) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	6	10	06-2	23
P-O-	6145-055-1751	WIRE ASSEMBLY: domelight feed (7064899)												
		(CA, CC)	EA	3	*	*	1	*	*	1	6	30	06-2	24
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	6	20	06-2	24
P-O-	5970-811-3312	INSULATOR: feed wire assembly, 7/8 inch long (81349-MIL-I-631, .208 I.D. x .020 wall) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	6	6	06-2	25
P-O-	5940-399-6676	TERMINAL: feed wire assembly (8338564)												
		(CA, CC)	EA	3	*	*	1	*	*	1	6	90	06-2	26
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	6	60	06-2	26
P-O-	5330-796-2251	GASKET: connector plate (7962251)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	300	06-2	27
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	200	06-2	27
P-O-	5935-622-4948	PLATE AND CONNECTOR ASSEMBLY: domelight (7064961)												
		(CA, CC)	EA	3	*	*	*	*	*	*	5	*	06-2	28
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	5	*	06-2	28
P-O-	5305-984-6189	SCREW, MACHINE: connector plate to body (96906-MS35206-241)												
		(CA, CC)	EA	6	*	*	1	*	*	1	8	180	06-2	29
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	6	120	06-2	29

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0609 - DOMELIGHT ASSEMBLY (96906-MS51073-1) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) Cont'd												
P-O-	5305-984-4983	SCREW, MACHINE: partition to door assembly, lens retaining plate to door assembly, (96906-MS35206-226)												
		(CA, CC)	EA	33	*	1	1	*	1	1	14	990	06-2	30
		(BA, DA. DA Ser. No. 601w thru 726w)	EA	22	*	1	1	*	1	1	14	660	06-2	30
P-O-	5310-514-6738	WASHER, LOCK: partition to door assembly, dome light knob to switch, (96906-MS35335-16)												
		(CA, CC)	EA	15	*	1	1	*	1	1	12	1500	06-2	31
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	10	*	*	1	*	*	1	8	1000	06-2	31
X1-	6220-087-9667	PARTITION: domelight (7962247)												
		(CA, CC)		3									06-2	32
		(BA, DA, DA Ser. No. 601w thru 726w)		2									06-2	32
P-O-	1025-087-9668	PLATE: lens retaining (7962246)												
		(CA, CC)	EA	3	*	*	*	*	*	*			06-2	33
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*			06-2	33
P-O-	6220-796-2244	LENS: domelight white (7962244)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	150	06-2	34
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	100	06-2	34
P-O-	6220-796-2242	SEAL, RUBBER STRIP: white lens (7962242)												
		(CA, CC)	EA	3	*	1	1	*	1	1	12	300	06-2	35
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	1	1	*	1	1	12	200	06-2	35
P-O-	6220-796-2245	LENS: domelight red (7962245)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	150	06-2	36
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	100	06-2	36
P-O-	5330-796-2243	SEAL, RUBBER STRIP: red lens (7962243)												
		(CA, CC)	EA	3	*	1	1	*	1	1	12	300	06-2	37
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	200	06-2	37
P-O-	5930-732-0651	SWITCH: domelight (730651)												
		(CA, CC)	EA	3	*	*	1	*	1	1	12	90	06-2	38
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	1	1	*	1	1	12	60	06-2	38

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0609 - DOMELIGHT ASSEMBLY (96906-MS51073-1) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) -Cont'd												
P-O-	6220-796-2241	DOOR: domelight (7962241)												
		(CA, CC)	EA	3	*	*	*	*	*	*			06-2	39
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*			06-2	39
P-O-	5365-732-0642	RING: domelight door (7320642)												
		(CA, CC)	EA	24	*	1	1	*	1	1	12	720	06-2	40
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	16	*	*	1	*	*	1	10	480	06-2	40
P-O-	5305-737-5694	SCREW: domelight door (7320641)												
		(CA, CC)	EA	24	*	1	1	*	1	1	12	720	06-2	41
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	16	*	*	1	*	*	1	10	480	06-2	41
P-O-	6220-732-0655	GASKET, SYNTHETIC RUBBER: domelight switch mounting (7320655)												
		(CA, CC)	EA	3	*	1	1	*	1	1	12	300	06-2	42
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	1	1	*	1	1	12	200	06-2	42
P-O-	5310-732-0654	WASHER: domelight switch mounting (7320654)												
		(CA, CC)	EA	3	*	1	1	*	1	1	12	90	06-2	43
		(BA, DA, DA Ser. No. 601 w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-2	43
P-O-	5310-732-0652	NUT ASSEMBLY: domelight switch (7320652)												
		(CA, CC)	EA	3	*	1	1	*	1	1	12	90	06-2	44
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-2	44
P-O-	5305-732-0657	SETSCREW: switch stop (7320657)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	90	06-2	45
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-2	45
P-O-	5930-705-7187	PLUNGER: switch knob (7057187)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	90	06-2	46
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-2	46
P-O-	5340-705-7189	SPRING: switch knob (7057189)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	60	06-2	47
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	40	06-2	47
P-O-	5355-732-0656	KNOB: domelight switch (7320656)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	24	06-2	48
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	16	06-2	48

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0609 - DOME LIGHT ASSEMBLY (96906-MS51073-1) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) Cont'd												
		SCREW MACHINE: domelight knob to switch (24617-173010)												
		(CA, CC)	EA	3	*	*	1	*	*	1	8	90	06-2	49
		(BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-2	49
		Figure 06-3 deleted												
		Figure 06-4 deleted												

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0614 - TURRET ELECTRICAL SLIPRING ASSEMBLY (10951695) (BA), (10951664) (CA), AND ATTACHING PARTS												
A-O-		RING ASSEMBLY, ELECTRICAL CONTACT: mounting bracket (10951695) (BA)		1									06-5	1
A-O-		RING ASSEMBLY, ELECTRICAL CONTACT: mounting bracket (10951664) (CA)		1									06-5	1
P-O-	5306-042-5389	SCREW, LOCKWASHER: ring assembly mounting bracket (4), ring assembly (4) (24617-425389) (BA, CA)	EA	8	*	*	*	*	*	*	4	240	06-5	2
P2-O-	2590-023-5616	BRACKET ASSEMBLY, MOUNTING: tank hull, ring assembly (10873897) (BA, CA)	EA	1	*	*	*	*	*	*	3	*	06-5	3
P-O-	2590-740-7957	STRAP, GROUND: electrical ring assembly (7407957) (BA, CA)	EA	1	*	*	1	*	*	1	8	25	06-5	4
P-O-	5310-889-2527	WASHER, LOCK: ground strap (96906-MS45904-72) (BA, CA)	EA	2	*	*	*	*	*	*	6	60	06-5	5
P-O-	5305-019-1676	SCREW, MACHINE: ground strap (7520725) (BA, CA)	EA	2	*	*	*	*	*	*	6	60	06-5	6
		0614 - TURRET ELECTRICAL SLIPRING ASSEMBLY (10951695) (BA), (10951664) (CA)												
P-O-	5930-908-6349	SWITCH ASSEMBLY: slipring switch bracket (10940837) (BA, CA)	EA	1	*	*	1	*	*	1	8	20	06-6	1
P-O-	5930-494-4949	SWITCH ASSEMBLY: slipring traverse limit sensitive (7354622-1) (BA, CA)	EA	1	*	*	*	*	*	*	5	*	06-6	2
P-O-	5975-660-5962	SHELL, CONNECTOR, ELECTRICAL: slipring switch assembly (8724494) (BA, CA)	EA	1	*	*	1	*	*	1	8	20	06-6	3
P-O-	5970-833-8562	SLEEVE, CONNECTOR, ELECTRICAL: slipring switch assembly (8338562) (BA, CA)	EA	1	*	*	1	*	*	1	8	20	06-6	4
P-O-	5940-399-6676	TERMINAL ASSEMBLY: slipring switch assembly (8338564) (BA, CA)	EA	1	*	*	1	*	*	1	8	20	06-6	5
P-O-	5935-691-5591	SHELL, CONNECTOR, ELECTRICAL: slipring switch assembly (8724495) (BA, CA)	EA	1	*	*	1	*	*	1	8	20	06-6	6
P-O-	5310-656-0067	WASHER, SLOTTED: slipring switch assembly (8724497) (BA, CA)	EA	1	*	*	1	*	*	1	8	20	06-6	7

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614 - TURRET ELECTRICAL SLIPRING ASSEMBLY (10951695) (BA), (10915360) (CA) - Cont'd												
P-O-	5935-926-3144	CONTACT, ELECTRICAL: slipring switch assembly (96906-MS27148-3) (BA, CA)	EA	1	*	*	*	*	*	*	*	*	06-6	8
P-O-	5340-809-1490	CLAMP, LOOP: slipring switch cable (96906-MS21333-98) (BA, CA)	EA	1	*	*	*	*	*	*	*	*	06-6	9
P-O-	5306-043-1953	SCREW, LOCKWASHER: slipring switch cable clamp (21450-431953) (BA, CA)	EA	1	*	*	*	*	*	*	*	*	06-6	10
P-O-R-	2590-522-1162	RING ASSEMBLY, SLIPRING. slipring assembly (10941083) (BA. CA)	EA	1	*	*	*	*	*	*	*	*	06-6	11
P-O-	5306-695-6189	BOLT, HEXAGON HEAD: cam follower arm (8387315) (BA, CA)	EA	1	*	*	*	*	*	*	*	*	06-6	12
P-O-		BUSHING, CAM FOLLOWER ARM: slipring switch bracket (8365032) (BA, CA)	EA	1	*	*	*	*	*	*	*	*	06-6	13
P-O-	2590-522-1164	SPRING, CAM FOLLOWER ARM: slipring switch bracket (10886851) (BA, CA)	EA	1	*	*	*	*	*	*	*	*	06-6	14
C P-O-	3110-198-1116	CAM FOLLOWER: cam follower arm (8364660) (BA, CA)	EA	1	*	*	*	*	*	*	*	*	06-6	15
P-O-	5310-045-3296	WASHER, LOCK: cam follower arm (96906-MS35338-43) (BA, CA)	EA	1	*	*	*	*	*	*	*	*	06-6	16
P-O-	5310-934-9751	NUT, HEXAGON: cam follower arm (1), activating screw (1) (96906-MS35650-302 (BA, CA)	EA	2	*	*	*	*	*	*	*	*	06-6	17
P-O-	5310-177-7667	WASHER, FLAT: cam follower arm (10886862) (BA, CA)	EA	1	*	*	*	*	*	*	*	*	06-6	18
P-O-	5310-880-7744	NUT, HEXAGON: cam follower arm (96906-MS51967-5) (BA, CA)	EA	1	*	*	*	*	*	*	*	*	06-6	19
P-O-	5310-514-6674	WASHER, LOCK: cam follower arm (96906-MS35335-34) (BA, CA)	EA	1	*	*	*	*	*	*	*	*	06-6	20
P-O-	5305-206-7369	SCREW, MACHINE: slipring cam follower arm (BA, CA) (81348-FFS103TY3ST3)	EA	1	*	*	*	*	*	*	*	*	06-6	21
P-O-	2590-522-1163	ARM, CAM FOLLOWER: slipring cam follower arm bracket (10886840) (BA, CA)	EA	1	*	*	*	*	*	*	*	*	06-6	22
C P-O-	5305-042-0496	SCREW ASSEMBLED WASHER: slipring switch assembly (24617-420496) (BA, CA)	EA	2	*	*	*	*	*	*	*	*	06-6	23

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614 - TURRET ELECTRICAL SLIPRING ASSEMBLY (10951695) (BA), (10951664) CA) - Cont'd												
P2-O-	2590-105-6127	BRACKET, SWITCH MOUNTING: slipring assembly (10886842) (BA)	EA	1	*	*	*	*	*	*	*	*	06-6	24
P2-O-	2590-221-4816	BRACKET, SWITCH MOUNTING: slipring assembly (10915441) (CA)	EA	1	*	*	*	*	*	*	*	*	06-6	24
P-O-	5305-042-0478	SCREW, LOCKWASHER: slipring switch mounting bracket (24617-420478)												
		(BA)	EA	3	*	*	*	*	*	*	*	*	06-6	25
		(CA)	EA	1	*	*	*	*	*	*	*	*	06-6	25
P-O-	5305-088-8332	SCREW, MACHINE: slipring switch mounting bracket (96906-MS35190-272) (CA)	EA	2	*	*	*	*	*	*	*	*	06-6	26
P-O-	5310-194-9209	WASHER, LOCK: slipring switch mounting bracket (96906-MS35336-21) (CA)	EA	2	*	*	*	*	*	*	*	*	06-6	27
P-O-	2590-179-7069	CAM, SLIPRING: slipring assembly housing (10886838) (BA, CA)	EA	1	*	*	*	*	*	*	*	*	06-6	28
P-O-	5310-407-9566	WASHER, LOCK: slipring cam (96906-MS35338-45) (BA, CA)	EA	3	*	*	*	*	*	*	*	*	06-6	29
P-O-	5305-225-8494	SCREW, CAP, HEXAGON HEAD: slipring cam (96906-MS90725-29) (BA, CA)	EA	3	*	*	*	*	*	*	*	*	06-6	30
		0614 - TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA)												
P-F-	5305-225-8500	SCREW, CAP, HEXAGON HEAD: slipring upper housing inner cover (4), lower housing (5) (BA, CA, DA, DA Ser. No. 601w thru 726w), slipring outer cover (4) (BA, CA) (96906-MS90725-35)												
		(BA, CA)	EA	13	*	*	*	*	*	*	*	390	06-7	1
		(DA, DA Ser. No. 601w thru 726w)	EA	9	*	*	*	*	*	*	*	270	06-7	1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0614 - TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA) - Cont'd												
P-F-	5310-167-0721	WASHER, LOCK, slipring upper housing cover (4), signal circuit ring stack (2), lower housing (5), brush assembly terminal (1), lead assembly (1) (BA, CA, DA, DA Ser. No. 601w thru 726w), slipring outer cover (4), (BA, CA) (96906-MS35333-41)												
		(BA, CA)	EA	17	*	1	1	*	1	1	14	510	06-7	2
		(DA, DA Ser. No. 601w thru 726w)	EA	13	*	*	1	*	*	1	10	390	06-7	2
P2-F-	2590-078-4712	COVER, HOUSING: slipring upper housing (10911820) (BA, CA)	EA	1	*	*	*	*	*	*	3	*	06-7	3
P2-F-	2510-771-8085	COVER, HOUSING: slipring upper housing (7718085) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	3	*	06-7	3
P-F-	2590-771-8084	SEAL, RUBBER ROUND: slipring upper housing (7718084) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	1	1	*	1	1	12	100	06-7	4
P-F-	5310-934-9763	NUT, HEXAGON: terminal block assembly terminal (96906-MS35649-265) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	24	1	2	4	1	2	4	14	720	06-7	5
P-F-	5310-579-0079	WASHER, LOCK: terminal block assembly, terminal (96906-MS35333-37) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	24	*	1	1	*	1	1	14	720	06-7	6
P-F-	5305-042-3435	SCREW, LOCKWASHER: slipring upper housing (1), lower housing (1) (00000-423435) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-7	7
P-F-	5330-641-4336	GASKET, CONNECTOR: slipring upper housing (2), lower housing (2) (96906-MS52000-8) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	4	1	2	4	1	2	4	48	400	06-7	8
P-F-	2590-221-4819	CABLE ASSEMBLY, POWER: slipring upper housing (10887359) (BA, CA)	EA	1	*	*	*	*	*	*	6	20	06-7	9
P-F-	2590-771-6587	RECEPTACLE ASSEMBLY, ELECTRICAL: slipring upper housing (7716587) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-7	9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614 - TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA) - Cont'd												
P-F-	2590-221-4818	WIRING HARNESS: slipring upper housing (10893697) (BA, CA)	EA	1	*	*	*	*	*	*	6	20	06-7	10
P-F-	2590-738-9508	HARNESS ASSEMBLY, WIRING: slipring upper housing (7389508) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-7	10
P-F-	5310-045-3299	WASHER, LOCK: slipring receptacle assemblies (96906-MS35338-42) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	16	*	1	1	*	1	1	14	480	06-7	11
P-F-	5305-054-6670	SCREW, PAN HEAD, SLOTTED: slipring receptacle assemblies (96906-MS51957-45) (BA, CA DA, DA Ser. No. 601w thru 726w)	EA	16	1	2	3	1	2	3	14	480	06-7	12
P-F-	2590-771-3461	SEAL, RUBBER ROUND: slipring lower housing (7713461) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	1	1	*	1	1	12	100	06-7	13
P2-F-	2510-771-3323	COVER, HOUSING: slipring lower housing (7713323) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	3	*	06-7	14
P-F-	5310-903-3996	NUT, PLAIN, HEXAGON: contact ring studs (2), brush terminal (1), terminal post (2), (96906-MS51969-2) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	5	*	*	1	*	*	1	10	150	06-7	15
P-F-	2590-771-6636	CONNECTOR AND LEAD: slipring lower housing (7716636) (BA, CA, DA DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-7	16
P-F-	2590-738-9392	RECEPTACLE ASSEMBLY: slipring lower housing (7389392) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-7	17
P-F-	2590-522-1165	GASKET, OUTER COVER: slipring upper housing (10886841) (BA, CA)	EA	1	*	1	1	1	*	1	12	100	06-7	18
P-F-	5310-522-2564	COVER: slipring upper housing outer (10886861) (BA, CA)	EA	1	*	*	*	*	*	*	5	8	06-7	19
P-F-	4730-223-9260	PLUG: slipring assembly (96906-MS20913-8D) BA, CA)	EA	7	*	*	1	*	*	1	8	70	06-7	20

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614–TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA) - Cont'd												
P-F-	5940-204-8966	TERMINAL: slipring box circuit signal (96906-MS25036-102) (BA, CA)	EA	12	*	1	1	*	1	1	12	24	06-7	21
P-F-	5940-113-3137	TERMINAL: slipring box circuit signal (96906-MS20659-101) (DA, DA Ser. No. 601w thru 726w)	EA	12	*	*	1	*	*	1	12	24	06-7	21

(THIS PAGE LEFT BLANK INTENTIONALLY)

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614—TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA)												
P-F-	2590-039-7687	RING: signal number 11, circuit ring stack (7398414) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	0	0	06-8	1
P-F-	2510-704-9975	SEPARATOR ASSEMBLY: ring assembly (7049975) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	•	1	1	•	1	1	12	30	06-8	2
		RING ASSEMBLY: signal number 12, circuit ring stack (7398415) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	0	0	06-8	3
P-F-	2590-735-1451	RING: ring assembly (7351451) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	12	•	1	1	•	1	1	14	240	06-8	4
P-F-	6145-578-7519	WIRE, ELECTRICAL: ring assembly (12 pieces approximately 7½ inches long) brush assembly (12 pieces approximately 3¾ inches long) (04939-MIL-W-5086AN20, Type 1) (BA, CA, DA, DA Ser. No. 601w thru 726w)	FT	≠	•	•	•	•	•	•	5	•	06-8	5
P-F-	7510-835-1247	TAPE, MARKER: ring assembly (24 pieces approximately ½ inch long) (81349-MIL-T14379, Type I) (BA, CA, DA, DA Ser. No. 601w thru 726w)	FT	≠	•	•	•	•	•	•	5	•	06-8	6
P-F-	5970-577-1631	INSULATOR, SLEEVING: ring assembly (12 pieces 1¼ inches long) (80244-1711725-11) (BA, CA, DA, DA Ser. No. 601w thru 726w)	FT	≠	•	•	•	•	•	•	5	•	06-8	7
P-F-	5940-113-3137	TERMINAL, LUG: ring assembly (96906-MS20659-101) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	12	•	•	1	•	•	1	8	240	06-8	8
P-F-	5970-735-1475	INSULATOR: signal circuit (7351475) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	6	•	1	2	•	1	2	24	120	06-8	9
P-F-	2590-739-8427	BRUSH ASSEMBLY: signal circuit number 12, ring stack (7398427) (DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	0	0	06-8	10
A-F-		BRUSH ASSEMBLY: signal circuit number 12, ring stack (10933960-12) (BA, CA)		1									06-8	10
P-F-	5975-302-1044	BRUSH: brush assembly (7718082) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	12	•	1	1	•	1	1	14	240	06-8	11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(b) Item No.
		0614 - TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA) - Cont'd												
P-F-	5940-314-0256	TERMINAL ASSEMBLY: brush assembly (8377791) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	12	*	1	1	*	1	1	14	240	06-8	12
X1-		TERMINAL, LUG: terminal assembly of brush assembly (7962545) (BA, CA, DA, DA Ser. No. 601w thru 726w)		12									06-8	13
P-F-	5305-206-1288	SCREW, MACHINE: terminal assembly of brush assembly (96906-MS35214-27) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	12	*	*	1	*	*	1	8	360	06-8	14
P-F-	5970-735-1476	INSULATOR: signal circuit (7351476) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	12	1	2	3	1	2	3	36	240	06-8	15
P-F-	5970-735-1474	INSULATOR, FLAT: signal circuit brush holder (7351474) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	7	*	*	*	*	*	*	6	140	06-8	16
P-F-	2590-771-8039	PLATE, CLAMPING, SLIPRING: signal circuit ring stack (7718039) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	12	06-8	17
P-F-	5130-045-5212	WASHER, FLAT: signal circuit ring stack (96906-MS15795-912) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	8	60	06-8	18
P-F-	5330-735-1536	INSULATOR, NONMETALLIC: signal circuit ring stack (7351356) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	6	20	06-8	19
P-F-		WASHER, LOCK: (see Figure 06-7, Item 2)		REF	REF	REF	REF	REF	REF	REF	REF	REF	06-8	20
P-F-	5310-735-1450	WASHER, FLAT: signal circuit ring stack (7351450) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	30	06-8	21
P-F-		NUT, PLAIN, HEXAGON: (see Figure 06-7, Item 15)		REF	REF	REF	REF	REF	REF	REF	REF	REF	06-8	22
P-F-	5310-595-7237	WASHER, LOCK: signal circuit ring stack (96906-MS35333-42) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	30	06-8	23
P-F-	5310-903-3994	NUT, PLAIN, HEXAGON: signal circuit ring stack (96906-MS51969-3) (BA, CA, DA, DA, Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	30	06-8	24

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614–TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA) - Cont'd												
P-F-	2510-039-7685	RING: signal number 9, circuit ring stack (7398412) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-8	25
P-F-	2510-704-9974	SEPARATOR ASSEMBLY: ring assembly (7049974) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	1	1	*	1	1	12	40	06-8	26
P-F-	2590-735-1457	RING: signal number 10, circuit ring stack (7398413) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-8	27
P-F-	2590-735-1452	SHIM: signal circuit ring spacer (7351452) (DA, DA Ser. No. 601w thru 726w)	EA	≠	*	*	1	*	*	1	10	100	06-8	28
P-F-	5365-432-2145	SHIM: signal circuit ring spacer (10933945) (BA, CA)	EA	≠	*	*	1	*	*	1	10	100	06-8	28
P-F-	2590-739-8426	BRUSH ASSEMBLY: signal circuit number 10, ring stack (7398426) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-8	29
A-F-		BRUSH ASSEMBLY: signal circuit number 10, ring stack (10933960-11) (BA, CA)		1									06-8	29
P-F-	2590-739-8421	BRUSH ASSEMBLY: signal circuit number 11, ring stack (7398421) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-8	30
A-F-		BRUSH ASSEMBLY: signal circuit number 11, ring stack (10933960-6) (BA, CA)		1									06-8	30
P-F-	5970-735-1537	INSULATOR, SLIPRING: signal circuit ring stack (7351537) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	5	*	1	2	*	1	2	30	100	06-8	31
P-F-	5970-482-3780	INSULATOR: slipring signal circuit (10924466) (BA, CA)	EA	6	*	*	1	*	*	1	14	180	06-8	31
P-F-	2590-735-1451	RING: signal number 7, circuit ring stack (7398410) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-8	32
P-F-	2520-735-1428	SEPARATOR ASSEMBLY: ring assembly (7351428) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	1	1	*	1	1	12	40	06-8	33
P-F-	2590-039-7684	RING: signal number 8, circuit ring stack (7398411) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-8	34
		BRUSH ASSEMBLY: signal circuit number 8, ring stack (7398425) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-8	35
A-F-		BRUSH ASSEMBLY: signal circuit number 8, ring stack (10933960-10) (BA, CA)		1									06-8	35
P-F-	2590-739-8420	BRUSH ASSEMBLY: signal circuit number 9, ring stack (7398420) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-8	36
A-F-		BRUSH ASSEMBLY: signal circuit number 9, ring stack (10933960-5) (BA, CA)		1									06-8	36

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614–TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA)												
P-F-		INSULATOR: (see Figure 06-8, Item 31)			REF	REF	REF	REF	REF	REF	REF	REF	06-9	1
		BRUSH ASSEMBLY: signal circuit number 5, ring stack (7398418) (DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	0	0	06-9	2
A-F-		BRUSH ASSEMBLY: signal circuit number 5, ring stack (10933960-3) (BA, CA)		2									06-9	2
P-F-		BRUSH: (see Figure 06-8, Item 11)			REF	REF	REF	REF	REF	REF	REF	REF	06-9	3
P-F-		WIRE ELECTRICAL: (see Figure 06-8, Item 5)			REF	REF	REF	REF	REF	REF	REF	REF	06-9	4

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

	(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
			0614– TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA) - Cont'd												
	P-F-		TAPE, MARKER: (see Figure 06-8, Item 6)			REF	REF	REF	REF	REF	REF	REF	REF	06-9	5
	P-F-		TERMINAL ASSEMBLY: (see Figure 06-8, Item 12)			REF	REF	REF	REF	REF	REF	REF	REF	06-9	6
	X1-		TERMINAL, LUG: (see Figure 06-8, Item 13)			REF	REF	REF	REF	REF	REF	REF	REF	06-9	7
	P-F-		SCREW, MACHINE: (see Figure 06-8, Item 14)			REF	REF	REF	REF	REF	REF	REF	REF	06-9	8
	P-F-		INSULATOR: (see Figure 06-8, Item 9)			REF	REF	REF	REF	REF	REF	REF	REF	06-9	9
C	P-F-		RING ASSEMBLY: signal number 5, circuit ring stack (7398408) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-9	10
	P-F-		RING: (see Figure 06-8, Item 4)			REF	REF	REF	REF	REF	REF	REF	REF	06-9	11
	P-F-		INSULATOR, SLEEVING: (see Figure 06-8, Item 7)			REF	REF	REF	REF	REF	REF	REF	REF	06-9	12
	P-F-		TERMINAL, LUG: (see Figure 06-8, Item 8)			REF	REF	REF	REF	REF	REF	REF	REF	06-9	13
	P-F-		SEPARATOR ASSEMBLY: (see Figure 06-8, Item 33)			REF	REF	REF	REF	REF	REF	REF	REF	06-9	14
	P-F-	2590-039-7682	RING ASSEMBLY: signal number 6, circuit ring stack (7398409) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-9	15
C	P-F-		BRUSH ASSEMBLY: signal circuit number 6, ring stack (7398424) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-9	16
	A-F-		BRUSH ASSEMBLY: signal circuit number 6, ring stack (10933960-9) (BA, CA)		1									06-9	16
	P-F-		INSULATOR: (see Figure 06-8, Item 15)			REF	REF	REF	REF	REF	REF	REF	REF	06-9	17
	P-F-		SEPARATOR: (see Figure 06-8, Item 16)			REF	REF	REF	REF	REF	REF	REF	REF	06-9	18
	P-F-	2590-739-8419	BRUSH ASSEMBLY: signal circuit number 1, ring stack (7398419) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-9	19
	A-F-		BRUSH ASSEMBLY: signal circuit number 7, ring stack (10933960-4) (BA, CA)		1									06-9	19
	P-F-	2590-739-8417	BRUSH ASSEMBLY: signal circuit number 3, ring stack (7398417) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-9	20
	A-F-		BRUSH ASSEMBLY: signal circuit number 3, ring stack (10933960-2) (BA, CA)		1									06-9	20
C	P-F-		RING ASSEMBLY: signal number 3, circuit ring stack (7398406) (BA, CA, DA, DA Ser. NO. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-9	21
	P-F-		SEPARATOR ASSEMBLY: (see Figure 06-8, Item 26)			REF	REF	REF	REF	REF	REF	REF	REF	06-9	22
C	P-F-	2590-039-7680	RING ASSEMBLY: signal number 4, circuit ring stack (7398407) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-9	23
	P-F-	2590-739-8423	BRUSH ASSEMBLY: signal circuit number 4, ring stack (7398423) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-9	24

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0614–TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA) - Cont'd												
A-F-		BRUSH ASSEMBLY: signal circuit number 4, ring stack (10933960-8) (BA, CA)		1									06-9	24
P-F-	5970-735-1535	INSULATOR, WASHER: signal circuit ring stack spacer (7351535) (BA, CA, DA, DA Ser No. 601w thru 726w)	EA	1	•	•	•	•	•	•	6	15	06-9	25
		RING ASSEMBLY: signal number 1, circuit ring stack (7398404) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	0	0	06-9	26
P-F-		SEPARATOR ASSEMBLY: (see Figure 06-8, Item 2)			REF	REF	REF	REF	REF	REF	REF	REF	06-9	27

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(b) Item No.
		0614–TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA) - Cont'd												
		RING ASSEMBLY: signal number 2, circuit ring stack (7398405) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-9	28
P-F-	2590-739-8422	BRUSH ASSEMBLY: signal circuit number 2, ring stack (7398422) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-9	29
A-F-		BRUSH ASSEMBLY: signal circuit number 2, ring stack (10933960-7) (BA, CA)	EA	1									06-9	29
		0614–TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA)												
P-F-	2590-771-3459	BRUSH ASSEMBLY: power circuit slipring lower housing (7713459) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	1	1	*	1	1	8	20	06-10	1
P-F-	5977-471-5353	BRUSH ASSEMBLY POWER: power circuit slipring lower housing (10924494) (BA, CA)	EA	1	*	*	1	*	*	1	8	20	06-10	1
P-F-	5970-317-3127	INSULATOR, BUSHING: slipring power circuit brush assembly (2), ground brush assembly (2) (7351456) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	8	80	06-10	2
P-F-	5340-707-2301	SPRING ASSEMBLY: slipring power circuit brush assembly (2), ground brush assembly (2) (7072301) (DA, DA Ser. No. 601w thru 726w)	EA	4	*	1	1	*	1	1	14	80	06-10	3
P-F-	5360-482-8960	SPRING ASSEMBLY: slipring power brush assembly (2), ground brush assembly (2) (10924490) (DA, DA Ser. No. 601w thru 726w)	EA	4	*	1	1	*	1	1	14	80	06-10	3
P-F-	5305-954-8151	SCREW, MACHINE: slipring power circuit brush assembly (96906-MS35215-51) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	4	1	2	3	1	2	3	32	120	06-10	4
P-F-	5310-576-5752	WASHER, LOCK: slipring power circuit brush assembly (4), ground brush assembly (4) (96906-MS35333-39) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	8	*	1	1	*	1	1	14	240	06-10	5
X1-		FRAME ASSEMBLY: slipring power circuit brush assembly (7713460) (BA, CA, DA, DA Ser. No. 601w thru 726w)		1									06-10	6
P-F-	5977-735-1453	BRUSH, ELECTRICAL: slipring power circuit brush assembly (4), ground brush assembly (4) (7351453) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	8	3	8	16	3	8	16	200	400	06-10	7

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614–TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA) - Cont'd												
P-F-	5970-735-1497	INSULATOR, DISK: power circuit feed ring spacer (7351497) (CA, DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	6	20	06-10	8
P-F-	2590-735-1477	SHIM: signal circuit brush holder spacer (7351477) (DA, DA Ser. No. 601w thru 726w)	EA	≠	•	1	1	•	1	1	12	48	06-10	9
P-F-	5365-482-5991	SHIM: signal circuit brush holder spacer (10933947) (BA, CA)	EA	≠	•	1	2	•	1	2	24	48	06-10	9
P-F-	5970-735-1478	INSULATOR: signal circuit brush holder frame (7351478) (DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	6	20	06-10	10
P-F-	5970-242-3526	INSULATOR, BUSHING: signal circuit brush holder frame (10934128) (BA, CA)	EA	1	•	•	•	•	•	•	6	20	06-10	10

(THIS PAGE LEFT BLANK INTENTIONALLY)

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614–TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA) - Cont'd												
P-F-		SEPARATOR: (see Figure 06-8, Item 16)			REF	REF	REF	REF	REF	REF	REF	REF	06-10	11
P-F-		INSULATOR: (see Figure 06-8, Item 15)			REF	REF	REF	REF	REF	REF	REF	REF	06-10	12
P-F-	2590-739-8416	BRUSH ASSEMBLY: signal circuit number 1, ring stack (7398416) (DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	0	0	06-10	13
A-F-		BRUSH ASSEMBLY: signal circuit number 1, ring stack (10933960-1) (BA, CA)	EA	1									06-10	13
P-F-		BRUSH: (see Figure 06-8, Item 11)			REF	REF	REF	REF	REF	REF	REF	REF	06-10	14
P-F-		WIRE, ELECTRICAL: (see Figure 06-8, Item 5)			REF	REF	REF	REF	REF	REF	REF	REF	06-10	15
P-F-		TAPE, MARKER: (see Figure 06-8, Item 6)			REF	REF	REF	REF	REF	REF	REF	REF	06-10	16
P-F-		TERMINAL ASSEMBLY: (see Figure 06-8, Item 12)			REF	REF	REF	REF	REF	REF	REF	REF	06-10	17
P-F-		TERMINAL LUG: (see Figure 06-8, Item 13)			REF	REF	REF	REF	REF	REF	REF	REF	06-10	18
P-F-		SCREW, MACHINE: (see Figure 06-8, Item 14)			REF	REF	REF	REF	REF	REF	REF	REF	06-10	19
P-F-	5977-735-1511	BRUSH ASSEMBLY, GROUND: slipring lower housing (7351511) (DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	1	•	•	1	8	20	06-10	20
P-F-	5977-244-1320	BRUSH ASSEMBLY, GROUND: slipring lower housing (10924492) (BA, CA)	EA	1	•	•	1	•	•	1	8	20	06-10	20
XI-		FRAME ASSEMBLY: ground brush (7351493) (BA, CA, DA, DA Ser. No. 601w thru 726w)		1									06-10	21
P-F-	5305-954-8989	SCREW, MACHINE: ground brush assembly (96906-MS35214-51) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	4	1	2	3	1	2	3	32	120	06-10	22
P-F-	2590-735-1459	SHIM: power circuit ground and feed brusl assembly spacer (7351459) (DA, DA Ser. No. 601w thru 726w)	EA	≠	•	1	1	•	1	1	12	96	06-10	23
P-F-	5365-426-0810	SHIM: power circuit ground and feed brush assembly spacer (10933944) (BA, CA)	EA	≠	•	1	1	•	1	1	12	96	06-10	23
P-F-	5330-141-2420	WASHER: power circuit ground and feed brush assembly spacer (7049984) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	•	•	1	•	•	1	12	60	06-10	24
P-F-	2920-735-1495	RING, GROUND: slipring lower housing (7351495) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	•	1	1	•	1	1	12	20	06-10	25
P-F-	5907-735-1496	INSULATOR, POWER FEED: slipring lower housing (7351496) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	6	12	06-10	26
P-F-	2590-735-1541	SHIM: power circuit ground ring spacer (7351541) (DA, DA Ser. No. 601w thru 726w)	EA	≠	•	1	1	•	1	1	12	24	06-10	27
P-F-	5365-431-6650	SHIM: power circuit ground ring spacer (10933946) (BA, CA)	EA	≠	•	1	1	•	1	1	12	24	06-10	27

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M 63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0614–TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA) - Cont'd												
P-F-	5330-704-9987	INSULATOR, RING: power circuit ground (7049987) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	6	12	06-10	28
P-F-	2510-771-8099	RING ASSEMBLY POWER CIRCUIT: power ring stack (7718099) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	•	1	1	•	1	1	12	20	06-10	29
X1-		HOUSING: center slipring case (10886848) (BA, CA)		1									06-10	30

(THIS PAGE LEFT BLANK INTENTIONALLY)

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614–TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA) - Cont'd												
P2-F-	2590-039-7676	HOUSING: center slipring case (7398403) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	3	*	06-10	31
P-F-	2920-735-1512	RINGS, CIRCUIT RING: circuit ring stack bearing to housing (7351512) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	10	06-10	31
P-F-	5307-735-1460	STUD, SHOULDER: circuit brush stack mounting (7351460) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	1	1	*	1	1	12	40	06-10	32
P-F-	5970-735-1461	SLEEVE: circuit brush stack mounting stud (7351461) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	1	1	*	1	1	12	40	06-10	33
P-F-	2920-735-1457	SPACER: circuit brush stack stud (7351457) (DA, DA Ser. No. 601w thru 726w)	EA	2	*	1	1	*	1	1	12	20	06-10	34
P-F-	5365-299-0073	SPACER, SLEEVE: circuit brush stack stud (10924465) (BA, CA)	EA	2	*	1	1	*	1	1	12	20	06-10	34
P-F-	2920-735-1514	SHAFT, CIRCUIT STACK: circuit brush stack (7351514) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	15	06-10	35
P-F-	5315-735-1462	KEY: circuit brush ring stack (7351462) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	12	06-10	36
		0614–TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA)												
P-F-	5330-952-3519	SEAL, OIL: electrical slipring lower housing (10922140) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	1	1	*	1	1	12	100	06-11	1
P-F-	5330-735-1468	GASKET: electrical slipring lower housing (7351468) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	1	1	*	1	1	12	100	06-11	2
P-F-	5970-771-8098	SLEEVE, STUD: ring assembly (7718098) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-11	3
P-F-	5940-739-8431	BLOCK, SIGNAL CIRCUIT: ring assembly (7398431) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	15	06-11	4
P-F-	5310-579-0079	WASHER, LOCK: lower terminal block (96906-MS35333-37) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	24	*	1	1	*	1	1	14	720	06-11	5
P-F-	5310-934-9763	NUT, PLAIN, HEXAGON: lower terminal block (96906-MS35649-265) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	24	*	1	1	*	1	1	14	720	06-11	6
P-F-	5310-576-5752	WASHER, LOCK: lower terminal block (4), upper terminal block (3) (96906-MS35333-39) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	7	*	*	1	*	*	1	8	210	06-11	7

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0614—TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA)—Cont'd												
P-F-	5305-614-0273	SCREW, MACHINE: lower terminal block (4), upper terminal block (3) (96906-MS35265-62) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	7	*	*	1	*	*	1	8	210	06-11	8
P-F-	2590-739-8436	BLOCK ASSEMBLY: electrical ring assembly upper terminal (7398436) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	4	8	06-11	9
P-F-	5310-934-9763	NUT, PLAIN, HEXAGON: terminal block assembly (96906-MS35649-265) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	12	*	*	1	*	*	1	8	360	06-11	10
P-F-	5310-019-0669	WASHER, LOCK: terminal block assembly (96906-MS35333-105) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	12	*	*	1	*	*	1	8	360	06-11	11
X1-		BLOCK, TERMINAL: terminal block assembly (7398432) (BA, CA, DA, DA Ser. No. 601w thru 726w)		1									06-11	12
P-F-	5305-637-1125	SCREW, MACHINE: terminal block assembly (96906-MS35214-29) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	12	*	*	1	*	*	1	8	360	06-11	13
P-F-	5310-897-6082	NUT, PLAIN, HEXAGON: electrical slipring shaft (96906-MS35691-36) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	30	06-11	14
P-F-	5310-194-1483	WASHER, LOCK: electrical slipring shaft (96906-MS35333-44) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	30	06-11	15
A-F-		HOUSING ASSEMBLY: electrical slipring, upper housing (10886860) (BA, CA)		1									06-11	16
P2-F-	2520-739-8434	HOUSING ASSEMBLY: electrical slipring, upper housing (7398434) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	3	*	06-11	16
P2-F-	2590-891-4049	HOUSING, UPPER: electrical slipring assembly (10886847) (BA, CA)	EA	1	*	*	*	*	*	*	3	*	06-11	17
X1-		HOUSING, UPPER: electrical slipring assembly (7398402) (DA, DA Ser. No. 601w thru 726w)		1									06-11	17
P-F-	2590-771-8089	GASKET, HOUSING: electrical slipring upper housing (7718089) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	1	1	*	1	1	12	100	06-11	18
P-F-	3120-410-9800	BEARING, HOUSING ASSEMBLY: electrical slipring upper housing (10886843) (BA, CA)	EA	1	*	*	1	*	*	1	8	12	06-11	19
P-F-	3120-771-8090	BEARING, HOUSING ASSEMBLY: electrical slipring upper housing (7718090) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-11	19
A-F-	2590-794-8176	SEAL ASSEMBLY: electrical slipring upper housing (10886845) (BA, CA, DA, DA Ser. No. 601w thru 726w)		1									06-11	20

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614 - TURRET ELECTRICAL SLIPRING (7389389) (DA, DA Ser. No. 601w thru 726w), (10941083) (BA, CA) - Cont'd												
P-F-	5330-403-9498	SEAL: seal assembly (10886846) (BA, CA, DA DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-11	21
P-F-	2590-522-2570	RETAINER: seal assembly (10886844) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-11	22
P-F-	5305-225-8500	SCREW, MACHINE: electrical slipring retainer (96906-MS90725-35) (BA, CA)	EA	4	*	*	*	*	*	*	*	*	06-11	23
P-F-	5305-702-4523	SCREW, MACHINE: electrical slipring retainer (96906-MS35307-306) (DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-11	23
P-F-	5310-550-1130	WASHER, LOCK: electrical slipring retainer (96906-MS35333-40) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-11	24
P2-F-	2590-522-2569	RETAINER, SEAL: electrical slipring assembly (10886839) (BA, CA)	EA	1	*	*	*	*	*	*	*	*	06-11	25
P2-F-	2510-771-8083	RETAINER, SEAL: electrical slipring assembly (7718083) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-11	25
		0614 - TURRET ELECTRICAL SLIPRING RECEPTACLE ASSEMBLY (7716587) (DA, DA Ser. No. 601w thru 726w), (10887359) (BA, CA)												
P-F-	5935-771-6835	CONNECTOR, RECEPTACLE, ELECTRICAL: slipring upper housing (1), lower housing (1) (7388320) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-12	1
P-F-	5935-498-3895	SHELL, CONNECTOR, ELECTRICAL: slipring connector upper housing (1), lower housing (1) (8701330) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-12	2
X1-		INSERT, CONNECTOR, ELECTRICAL: slipring connector upper housing (1), lower housing (1) (7716668) (BA, CA, DA, DA, Ser. No. 601w thru 726w)		2									06-12	3
P-F-	5999-368-4852	CONTACT, ELECTRICAL: slipring connector upper housing (1), lower housing (1) (7716522) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-12	4
C P-F-	5970-899-6664	INSULATION, SLEEVE: slipring receptacle assembly upper housing (2 pieces 7 / 8 inch long) (81349-MIL-I-631, Type F, Grade B, Form U, Class 1, Category 1, transparent, .500 ID, .025 wall) (BA, CA, DA, DA Ser. No. 601w thru 726w)	FT	V	*	*	*	*	*	*	*	*	06-12	5

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614 - TURRET ELECTRICAL SLIPRING RECEPTACLE ASSEMBLY (7716587) (DA, DA Ser. No. 601w thru 726w), (10887359) (BA, CA)—Cont'd												
C P-F-	6145-578-6601	WIRE, ELECTRICAL: slipring receptacle assembly upper housing (81349-M-5086-2-01-9)(1 piece approximately 3½ inches long) (DA, DA Ser. No. 601w thru 726w) (1 piece approximately 3¾ inches long) (BA, CA)	FT	V	*	*	*	*	*	*	*	*	06-12	6
P-F-	5940-115-2683	TERMINAL, LUG: slipring receptacle assemblies, upper housing (1), lower housing (1) (96906 MS20659-151) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-12	7
		0614 - TURRET ELECTRICAL SLIPRING RECEPTACLE ASSEMBLY (7389392) (BA, CA, DA, DA Ser. No. 601w thru 726w)												
P-F-	5305-942-8431	SCREW, MACHINE: slipring receptacle assemblies (96906-MS35275-245) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	8	*	*	*	*	*	*	*	*	06-13	1
P-F-	5310-559-0070	WASHER, LOCK: slipring receptacle assemblies (96906-MS35333-38) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	8	*	*	*	*	*	*	*	*	06-13	2
P-F-	5935-738-8324	CONNECTOR, RECEPTACLE, ELECTRICAL: slipring lower housing (1), upper housing (1) (7388324) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-13	3
P-F-	5935-498-3895	SHELL, CONNECTOR, ELECTRICAL: slipring connectors: (8701330) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-13	4
X1-		INSERT, CONNECTOR, ELECTRICAL: slipring connectors (8701328) (BA, CA, DA, DA Ser. No. 601w thru 726w)		2									06-13	5
X1-		CONTACT, ELECTRICAL: slipring connectors (7716659) (BA, CA, DA, DA Ser. No. 601w thru 726w)		28									06-13	6
C P-F-	5970-284-8468	INSULATOR, SLEEVING: slipring harness (26 pieces, ¾-inch long) (96906 MIL744SIZE 8) (BA, CA, DA, DA Ser. No. 601w thru 726w)	FT	V	*	*	*	*	*	*	*	*	06-13	7

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0614 - TURRET ELECTRICAL SLIPRING RECEPTACLE ASSEMBLY (7389392) (BA, CA, DA, DA Ser. No. 601w thru 726w) - Cont'd.												
P-F-	5940-113-3137	TERMINAL, LUG: slipring harnesses (96906-MS20659-101) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	24	*	*	*	*	*	*	*	*	06-13	8
P-F-	5940-113-3143	TERMINAL, LUG: slipring harness (96906-MS20659-103) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-13	9
P-F-	5330-641-4336	GASKET, CONNECTOR RECEPTACLE: slipring receptacle assemblies (96906-MS52000-8) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-13	10
P-F-	5935-647-2092	ELBOW, CONNECTOR: slipring box connectors (7716690) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-13	11
C P-F-	7510-835-1247	TAPE, MARKER: slipring box harnesses (26 pieces, approximately ½ inch long) (81349-MILT14379, Type 1) (BA, CA, DA, DA Ser. No. 601w thru 726w)	FT	V	*	*	*	*	*	*	*	*	06-13	12
C P-F-	6145-578-7519	WIRE, ELECTRICAL: slipring box harness (approximately 80 inches) (04939-MILW5086 AN20, Type 1) (BA, CA, DA, DA Ser. No. 601w thru 726w)	FT	V	*	*	*	*	*	*	*	*	06-13	13
		0614—TURRET ELECTRICAL SLIPRING RECEPTACLE ASSEMBLY (7389508) (DA, DA Ser. No. 601w thru 726w), (10893697) (BA, CA)												
P-F-		CONNECTOR, RECEPTACLE, ELECTRICAL: (see Figure 06-13, Item 3)		REF	REF	REF	REF	REF	REF	REF	REF	REF	06-14	1
X1-		SHELL, CONNECTOR, ELECTRICAL: (see Figure 06-13, Item 4)		REF	REF	REF	REF	REF	REF	REF	REF	REF	06-14	2
X1-		INSERT, CONNECTOR, ELECTRICAL: (see Figure 06-13, Item 5)		REF	REF	REF	REF	REF	REF	REF	REF	REF	06-14	3
X1-		CONTACT ELECTRICAL: (see Figure 06-13, Item 6)		REF	REF	REF	REF	REF	REF	REF	REF	REF	06-14	4

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614–TURRET ELECTRICAL SLIPRING RECEPTACLE ASSEMBLY (7389508) (DA, DA Ser. No. 601w thru 726w), (10893697) (BA, CA) - Cont'd												
P-F-		INSULATOR, SLEEVING: (see Figure 06-13, Item 7)			REF	REF	REF	REF	REF	REF	REF	REF	06-14	5
P-F-		TERMINAL, LUG: (see Figure 06-13, Item 9)			REF	REF	REF	REF	REF	REF	REF	REF	06-14	6
C P-F-	6145-578-7519	WIRE, ELECTRICAL: slipring harness (approximately 55 inches long) (04939-MIL W5086AN20, Type 1) (BA, CA, DA, DA Ser. No. 601w thru 726w)	FT	V	*	*	*	*	*	*	*	*	06-14	7
C P-F-	6145-578-7519	WIRE, ELECTRICAL: receptacle slipring box opening (81349-MIL-W-5086-1-20-9) (DA, DA Ser. No. 601w thru 726w)	FT	V	*	*	*	*	*	*	*	*	06-14	7
P-F-		TERMINAL, LUG: (see Figure 06-13, Item 8)			REF	REF	REF	REF	REF	REF	REF	REF	06-14	8
P-F-		TAPE, MARKER: (see Figure 06-13, Item 12)			REF	REF	REF	REF	REF	REF	REF	REF	06-14	9
		0614–TURRET ELECTRICAL SLIPRING RECEPTACLE ASSEMBLY (7716636) (BA, CA, DA, DA Ser. No. 601w thru 726w)												
P-F-		SCREW, MACHINE: (see Figure 06-13, Item 1)			REF	REF	REF	REF	REF	REF	REF	REF	06-15	1
P-F-		WASHER, LOCK: (see Figure 06-13, Item 2)			REF	REF	REF	REF	REF	REF	REF	REF	06-15	2
P-F-		CONNECTOR, RECEPTACLE, ELECTRICAL: (see Figure 06-12, Item 1)			REF	REF	REF	REF	REF	REF	REF	REF	06-15	3
X1-		SHELL, CONNECTOR, ELECTRICAL: (see Figure 06-12, Item 2)			REF	REF	REF	REF	REF	REF	REF	REF	06-15	4
P-F-		INSERT, CONNECTOR, ELECTRICAL: (see Figure 06-12, Item 3)			REF	REF	REF	REF	REF	REF	REF	REF	06-15	5
P-F-		CONTACT, ELECTRICAL: (see Figure 06-12, Item 4)			REF	REF	REF	REF	REF	REF	REF	REF	06-15	6
C P-F-	6145-578-6601	WIRE, ELECTRICAL: slipring receptacle assembly, lower housing (1 piece approximately 5¾ inches long) (04939-M5086-2-01-9) (BA, CA, DA, DA Ser. No. 601w thru 726w)	FT	V	*	*	*	*	*	*	*	*	06-15	7
P-F-		INSULATOR, SLEEVING: (see Figure 06-12, Item 5)			REF	REF	REF	REF	REF	REF	REF	REF	06-15	8
P-F-		TERMINAL, LUG: (see Figure 06-12, Item 7)			REF	REF	REF	REF	REF	REF	REF	REF	06-15	9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614—TURRET ELECTRICAL SLIPPING RECEPTACLE ASSEMBLY (7716636) (BA, CA, DA, DA Ser. No. 601w thru 726w) —Cont'd												
P-F-		GASKET, CONNECTOR, RECEPTACLE: (see Figure 06-13, Item 10)			REF	REF	REF	REF	REF	REF	REF	REF	06-15	10
P-F-		ELBOW, CONNECTOR, ELECTRICAL: (see Figure 06-13, Item 11)			REF	REF	REF	REF	REF	REF	REF	REF	06-15	11
		0614—TURRET ELECTRICAL SLIPRING SWITCH AND ACTUATOR ASSEMBLY (10940852), CAM (10940866) BRACKET (10940851), AND GROUND STRAPS (7407956) (CC)												
P-O-	5340-182-9831	CLAMP: traverse limit switch leads to slipring (7735224) (CC)	EA	1	*	*	1	*	*	1	8	20	06-16	1
P-O-	5306-042-5379	SCREW, LOCK WASHER: traverse limit switch clamp to slipring (21450-425379) (CC)	EA	1	*	*	1	*	*	1	8	30	06-16	2
A-O-		SWITCH AND ACTUATOR ASSEMBLY: turret slipring (10940852) (CC)		1									06-16	3
P-O-	5935-926-3144	CONTACT, ELECTRICAL: slipring traverse limit switch (96906-MS27148-3) (CC)	EA	1	*	*	1	*	*	1	8	20	06-16	4
P-O-	5310-656-0067	WASHER, SLOTTED: slipring traverse limit switch (8724497) (CC)	EA	1	*	*	1	*	*	1	8	20	06-16	5
P-O-	5935-691-5591	SHELL, CONNECTOR, ELECTRICAL: slipring traverse limit switch (8724495)(CC)	EA	1	*	*	1	*	*	1	8	20	06-16	6
P-O-	5940-399-6676	TERMINAL ASSEMBLY: slipring traverse limit switch (8338564) (CC)	EA	1	*	*	1	*	*	1	8	20	06-16	7
P-O-	5970-833-8562	SLEEVE, CONNECTOR ELECTRICAL: slipring traverse limit switch (8338562) (CC)	EA	1	*	*	1	*	*	1	8	20	06-16	8
P-O-	5975-660-5962	SHELL, CONNECTOR, ELECTRICAL: slipring traverse limit switch (874494) (CC)	EA	1	*	*	1	*	*	1	8	20	06-16	9
XI-	5930-494-4949	SWITCH ASSEMBLY: slipring traverse limit (7354622-1) (CC)		1									06-16	10
P-O-	5930-908-6349	SWITCH ASSEMBLY: slipring traverse limit (10940837) (CC)	EA	1	*	*	1	*	*	1	8	25	06-16	11
P-O-	5305-267-8976	SCREW, CAP, HEXAGON HEAD: arm assembly to bracket (96906-MS90726-11) (CC)	EA	1	*	*	1	*	*	1	8	30	06-16	12

best copy available

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614—TURRET ELECTRICAL SLIPRING SWITCH AND ACTUATOR ASSEMBLY (10940852), CAM (10940866), BRACKET (10940851), AND GROUND STRAPS (7407956) (CC)— Cont'd												
P-O-	5310-809-4058	WASHER, FLAT: arm assembly to bracket (96906-MS27183-10) (CC)	EA	2	*	*	1	*	*	1	8	60	06-16	13
P-O-	3120-438-1848	BUSHING: arm assembly (10940836) (CC)	EA	1	*	*	1	*	*	1	8	30	06-16	14
P-O-	5310-934-9751	NUT, PLAIN, HEXAGON: follower to arm assembly (1), adjusting screw to arm assembly (1) (96906-MS35650-302) (CC)	EA	2	*	*	1	*	*	1	8	60	06-16	15
P-O-	5310-045-3296	WASHER, LOCK: follower to arm assembly (96906-MS35338-43) (CC)	EA	1	*	*	1	*	*	1	8	100	06-16	16
P-O-	5305-206-7369	SCREW, SET: arm assembly adjusting (00000-FFS103TY3ST3) (CC)	EA	1	*	*	1	*	*	1	8	30	06-16	17
P-O-	2590-403-9450	ARM ASSEMBLY: switch and actuator (10940831) (CC)	EA	1	*	*	1	*	*	1	8	10	06-16	18
X1-		ARM: arm assembly (10940868) (CC)		1									06-16	19
P-O-	3120-902-2892	BEARING: arm assembly (96906-MS35771-25) (CC)	EA	1	*	*	*	*	*	*	0	0	06-16	20
P-O-	3110-906-7223	FOLLOWER: switch and actuator arm assembly (60380-CR8) (CC)	EA	1	*	*	1	*	*	1	8	10	06-16	21
P-O-	5310-045-3299	WASHER, LOCK: traverse limit switch to bracket (96906-MS35338-42) (CC)	EA	2	*	*	1	*	*	1	8	200	06-16	22
P-O-	5305-984-6191	SCREW, MACHINE: traverse limit switch to bracket (96906-MS35206-243) (CC)	EA	2	*	*	1	*	*	1	8	60	06-16	23
P-O-	5310-582-5965	WASHER, LOCK: switch and actuator assembly to slipring (96906-MS35338-44) (CC)	EA	2	*	*	1	*	*	1	8	200	06-16	24
P-O-	5305-068-0501	SCREW, CAP, HEXAGON HEAD: switch and actuator assembly to slipring (96906-MS90725-5) (CC)	EA	2	*	*	1	*	*	1	8	60	06-16	25
P-O-	5310-768-0319	NUT, PLAIN HEXAGON: arm assembly to bracket (96906-MS51968-2) (CC)	EA	1	*	*	1	*	*	1	8	30	06-16	26
P-O-	5315-810-3701	PIN, STRAIGHT: arm assembly retaining (96906-MS16562-36) (CC)	EA	1	*	*	1	*	*	1	8	30	06-16	27
P2-O-	2590-403-9448	BRACKET: switch and actuator assembly (10940846) (CC)	EA	1	*	*	*	*	*	*	3	*	06-16	28

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614 - TURRET ELECTRICAL SLIPRING SWITCH AND ACTUATOR ASSEMBLY (10940852), CAM (10940866), Bracket (10940851), AND GROUND STRAPS (7407956) (CC) - Cont'd												
P-O-	5305-177-5281	SCREW, CAP, HEXAGON HEAD: slipring retaining bracket (96906-MS51097-65) (CC)	EA	1	*	*	*	*	*	*	*	*	06-16	29
C P-O-	9505-186-9170	WIRE, LOCK: slipring retaining bracket screw (8134-22-W1630) (CC)	FT	V	*	*	*	*	*	*	*	*	06-16	30
P2-O-	5365-480-7598	TUBE: slipring retaining bracket (11590945) (CC)	EA	1	*	*	*	*	*	*	*	*	06-16	31
P2-O-	2590-403-9446	BRACKET: slipring retaining (10940851) (CC)	EA	1	*	*	*	*	*	*	*	*	06-16	32
P-O-	5310-407-9566	WASHER, LOCK: bracket to slipring (96906-MS35338-45) (CC)	EA	2	*	*	*	*	*	*	*	*	06-16	33
P-O-	5306-225-8496	SCREW, CAP, HEXAGON HEAD: bracket to slipring (96906-MS90725-31) (CC)	EA	2	*	*	*	*	*	*	*	*	06-16	34
P-O-	2590-403-9449	CAM: slipring (10940866) (CC)	EA	1	*	*	*	*	*	*	*	*	06-16	35
P-O-	5305-984-7361	SCREW, MACHINE: cam to slipring (96906-MS35191-270) (CC)	EA	3	*	*	*	*	*	*	*	*	06-16	36
P-O-	5305-269-3209	SCREW, CAP, HEXAGON HEAD: ground straps mounting (96906-MS90725-58) (CC)	EA	4	*	*	*	*	*	*	*	*	06-16	37
P-O-	5310-627-6128	WASHER, LOCK: ground straps mounting (96906-MS35335-35) (CC)	EA	8	*	*	*	*	*	*	*	*	06-16	38
P-O-	2590-740-7956	STRAP: slipring ground (7047956) (CC)	EA	2	*	*	*	*	*	*	*	*	06-16	39
		0614—TURRET ELECTRICAL SLIPRING ASSEMBLY (10940555) (CC) AND ATTACHING PARTS												
P-F-R	2590-871-7195	RING ASSEMBLY, ELECTRICAL CONTACT: tank hull (10940555) (CC)	EA	1	*	*	*	*	*	*	*	*	06-17	1
P-F-	5310-407-9566	WASHER, LOCK: electrical slipring mounting plate (96906 MS35338-45) (CC)	EA	4	*	*	*	*	*	*	*	*	06-17	2
P-F-	5305-225-8499	SCREW, CAP, HEXAGON HEAD: electrical slipring mounting plate (996906-MS90725-34) (CC)	EA	4	*	*	*	*	*	*	*	*	06-17	3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
		0614–TURRET ELECTRICAL SLIPRING ASSEMBLY (10941028) (CC)												
P-F-	2590-909-2473	RING ASSEMBLY, ELECTRICAL CONTACT: turret slipring (10941028) (CC)	EA	1	*	*	*	*	*	*	*	*	20-13	4
P-F-	5305-614-3423	SCREW, MACHINE: ring assembly upper housing connector (12), ring assembly lower housing connector (12) (96906-MS 35265-43) (CC)	EA	24	*	*	*	*	*	*	*	*	06-18	1
P-F-	5310-045-3299	WASHER, LOCK: ring assembly upper housing connector (12), ring assembly lower housing connector (12) (96906-MS35338-42) (CC)	EA	24	*	*	*	*	*	*	*	*	06-18	2
P-F-	5340-660-3716	COVER, CONNECTOR, ELECTRICAL: ring assembly upper housing connector (3), ring assembly lower housing connector (3) (96906-MS25178-22) (CC)	EA	6	*	*	*	*	*	*	*	*	06-18	3
P-F-	1025-907-6947	CONNECTOR, RECEPTACLE ELECTRICAL: ring assembly upper housing (10940940) (CC)	EA	2	*	*	*	*	*	*	*	*	06-18	4
P-F-	5330-641-4336	GASKET, CONNECTOR, ELECTRICAL: ring assembly upper housing connector (3), ring assembly lower housing connector (3) (96906-MS52000-8) (CC)	EA	6	*	*	*	*	*	*	*	*	06-18	5
P-F-	5310-907-6942	NUT, PLAIN, ROUND: ring assembly (11637663) (CC)	EA	1	*	*	*	*	*	*	*	*	06-18	6
N P-F-		WASHER, TAB: (11637664) (CC)	EA	1	*	*	*	*	*	*	*	*	06-18	6A
X1-		COVER, RING ASSEMBLY: ring assembly upper housing assembly (11637665) (CC)		1									06-18	7
P-F-	1025-907-6945	WASHER, THRUST: ring assembly upper housing (10940842) (CC)	EA	2	*	*	*	*	*	*	*	*	06-18	8
P-F-	5305-071-2505	SCREW, CAP, HEXAGON HEAD: contact assembly cover (96906-MS90728-7) (CC)	EA	6	*	*	*	*	*	*	*	*	06-18	9
P-F-	5310-582-5965	WASHER, LOCK: contact assembly cover (96906-MS35338-44) (CC)	EA	6	*	*	*	*	*	*	*	*	06-18	10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614—TURRET ELECTRICAL SLIPRING ASSEMBLY (10941028) (CC) —Cont'd												
C X1-		COVER, CONTACT ASSEMBLY: ring assembly lower housing (10940958) (CC)		1									06-18	11
C P-F-	5330-907-6944	GASKET, CONTACT ASSEMBLY COVER: ring assembly lower housing (10940841) (CC)	EA	1	*	*	*	*	*	*	*	*	06-18	12
C X1-		BRACKET, MOUNTING: electrical contact ring assembly (10940979) (CC)		1									06-18	13
C P-F-	5305-207-7178	SCREW, MACHINE, FLAT HEAD: ring assembly mounting bracket (96906-MS24667-28) (CC)	EA	4	*	*	*	*	*	*	*	*	06-18	14
C P-F-	1025-907-6943	CONNECTOR, RECEPTACLE, ELECTRICAL: ring assembly lower housing (10940840) (CC)	EA	2	*	*	*	*	*	*	*	*	06-18	15
C P-F-	5310-853-9336	NUT, PLAIN, HEXAGON: lower housing connector receptacle (96906-MS35691-24) (CC)	EA	4	*	*	*	*	*	*	*	*	06-18	16
C P-F-	5310-045-5214	WASHER, FLAT: lower housing connector receptacle (96906-MS15795-914) (CC)	EA	2	*	*	*	*	*	*	*	*	06-18	17
C P-F-	5310-022-8847	WASHER, LOCK: lower housing connector receptacle (96906-MS35333-110) (CC)	EA	2	*	*	*	*	*	*	*	*	06-18	18
C P-F-	1025-907-6948	HARNESS ASSEMBLY: ring assembly lower housing (10940952) (CC)	EA	1	*	*	*	*	*	*	*	*	06-18	19
C P-F-	4730-018-9566	PLUG, PIPE: ring assembly lower housing (96906-MS49005-2) (CC)	EA	1	*	*	*	*	*	*	*	*	06-18	20
C P-F-	1025-907-6946	HARNESS ASSEMBLY: ring assembly upper housing (10940847) (CC)	EA	1	*	*	*	*	*	*	*	*	06-18	21
C P-F-	5310-193-7577	WASHER, LOCK: upper housing electrical slipring harness (96906-MS35333-36) (CC)	EA	14	*	*	*	*	*	*	*	*	06-18	22
C P-F-	5305-637-5884	SCREW, MACHINE: upper ring assembly (7), lower ring assembly (7) (96906-MS35214-12) (CC)	EA	14	*	*	*	*	*	*	*	*	06-18	23
C P-F-	5340-080-9853	CLAMP, LOOP: upper housing slipring harness (96906-MS21333-97) (CC)	EA	1	*	*	*	*	*	*	*	*	06-18	24
C P-F-	5306-043-1953	SCREW, LOCK WASHER: upper housing slipring harness clamp (21450-431953) (CC)	EA	1	*	*	*	*	*	*	*	*	06-18	25

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614—TURRET ELECTRICAL, SLIP-RING ASSEMBLY (10941028) (CC)												
P-F-	5330-618-5905	PACKING, PREFORMED: electrical slipring lower housing (96906-MS9021-152) (CC)	EA	1	*	*	*	*	*	*	*	*	06-19	1
P-F-	5365-464-4766	SPACER: upper electrical contact ring assembly and lower electrical contact ring assembly (10940951-2) (CC)	EA	1	*	*	*	*	*	*	*	*	06-19	2
P-F-	1025-945-4794	RING ASSEMBLY, GROUND BRUSH: ground ring assembly to upper electrical contact ring assembly (10940950) (CC)	EA	1	*	*	*	*	*	*	*	*	06-19	3
P-F-	5365-464-4765	SPACER, RING ASSEMBLY: ground ring upper electrical ring assembly (10940951-1) (CC)	EA	1	*	*	*	*	*	*	*	*	06-19	4
P-F-	1025-945-4768	RING ASSEMBLY, UPPER, ELECTRICAL CONTACT: lower housing assembly (10940878) (CC)	EA	1	*	*	*	*	*	*	*	*	06-19	5
P-F-	5365-410-2332	RING, SPACER, SLOTTED: electrical contact assembly (10940978) (CC)	EA	1	*	*	*	*	*	*	*	*	06-19	6
P-F-	2590-909-2474	CONTACT ASSEMBLY, ELECTRICAL: upper ring assembly to lower ring assembly (10940956) CC)	EA	1	*	*	*	*	*	*	*	*	06-19	7
P-F-	6150-462-0387	BUS-BAR: electrical slipring lower housing assembly (10940832) (CC)	EA	4	*	*	*	*	*	*	*	*	06-19	8
C P-F-	5310-913-9776	WASHER, LOCK: electrical slipring bus-bar (96906-MS35335-91)(CC)	EA	4	*	*	*	*	*	*	*	*	06-19	9
C P-F-	5305-989-3149	SCREW, CAP, HEXAGON HEAD: electrical slipring bus-bar (96906 MS35310-360) (CC)	EA	4	*	*	*	*	*	*	*	*	06-19	10
P-F-	1025-945-4808	RING ASSEMBLY, LOWER, ELECTRICAL CONTACT: lower housing assembly (10940968) (CC)	EA	1	*	*	*	*	*	*	*	*	06-19	11
P-F-	5365-484-3662	SPACER, LOWER RING ASSEMBLY: lower housing assembly (10940844) (CC)	EA	1	*	*	*	*	*	*	*	*	06-19	12
P-F-	5305-984-6193	SCREW, MACHINE, PAN HEAD, SLOTTED: ground brush assembly to lower housing (96906-MS35206-245) (CC)	EA	5	*	*	*	*	*	*	*	*	06-19	13
P-F-	5310-576-0545	WASHER, LOCK: ground brush assembly to lower housing (96906-MS35338-99) (CC)	EA	5	*	*	*	*	*	*	*	*	06-19	14

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
		06-14–TURRET ELECTRICAL, ELECTRICAL SLIP-RING ASSEMBLY (10941028) (CC)–Cont'd												
P-F-	2590-909-2475	CONTACT ASSEMBLY, GROUND BRUSH: electrical slipring lower housing (10941022) (CC)	EA	5	•	•	•	•	•	•	•	•	06-19	15
P-F-	5365-634-7465	RING, RETAINING: bracket assembly (2), connector (2) (96906-MS16633-1014) (CC)	EA	4	•	•	•	•	•	•	•	•	06-19	16
P-F-	5310-045-3299	WASHER, LOCK: bracket assembly to lower housing (96906-MS35338-42) (CC)	EA	2	•	•	•	•	•	•	•	•	06-19	17
P-F-	5305-889-3002	SCREW, MACHINE, PAN HEAD, SLOTTED: bracket assembly to lower housing (96906-MS35206-242) (CC)	EA	2	•	•	•	•	•	•	•	•	06-19	18
P2-F-	1025-908-4686	BRACKET ASSEMBLY: connector receptacle to contact ring assembly (10940833) (CC)	EA	1	•	•	•	•	•	•	•	•	06-19	19
P-F-	1025-907-6941	SPRING, HELICAL, COMPRESSION: ground brush assembly to lower housing assembly (10940830) (CC)	EA	5	•	•	•	•	•	•	•	•	06-19	20
X1-		HOUSING ASSEMBLY, SLIPRING: turret electrical slipring assembly (11637666) (CC)		1									06-19	21
P-F-	1025-855-5823	GUIDE: ground brush contact (10940829) (CC)	EA	5	•	•	•	•	•	•	•	•	06-19	22
N P-F-		PIN, STRAIGHT, HEADLESS (10940825) (CC)	EA	2	•	•	•	•	•	•	•	•	06-19	23
		0614–TURRET ELECTRICAL, ELECTRICAL SLIPRING ASSEMBLY (10941028) (CC)												
P-F-	5305-543-4718	SCREW, CAP, HEXAGON HEAD: bus-bar to electrical slipring upper housing (96906-MS35309-358) (CC)	EA	1	•	•	•	•	•	•	•	•	06-20	1
P-F-	5310-184-8971	WASHER, LOCK: bus-bar to housing (1), bus-bar to slipring (2) (96906-MS35338-103) (CC)	EA	3	•	•	•	•	•	•	•	•	06-20	2
P-F-	6150-462-0386	BUS-BAR: electrical slipring upper housing (10940948) (CC)	EA	1	•	•	•	•	•	•	•	•	06-20	3
P-F-	1025-904-9299	RING, PACKING: electrical slipring upper housing (10895046) (CC)	EA	2	•	•	•	•	•	•	•	•	06-20	4
P-F-	5330-904-4125	PACKING: electrical slipring upper housing (96906-MS9021-443) (CC)	EA	2	•	•	•	•	•	•	•	•	06-20	5
X1-		HOUSING, UPPER: electrical slipring (10940959) (CC)		1									06-20	6
P-F-	5305-727-1281	SCREW, CAP, HEXAGON HEAD: upper housing bus-bar (96906-MS35310-358) (CC)	EA	2	•	•	•	•	•	•	•	•	06-20	7

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

	(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
			0614—TURRET ELECTRICAL SLIPRING HARNESS ASSEMBLY (10940952) (CC)												
	P-F-	5935-738-8324	CONNECTOR, RECEPTACLE, ELECTRICAL: ring assembly lower housing (7388324) (CC)	EA	1	*	*	*	*	*	*	*	*	06-21	1
	X1-	5935-498-3895	SHELL, CONNECTOR ELECTRICAL: ring assembly lower housing (8701330) (CC)		1									06-21	2
	X1-		INSERT, CONNECTOR ELECTRICAL: ring assembly lower housing (8701328) (CC)		1									06-21	3
	X1-		CONTACT, CONNECTOR, ELECTRICAL: ring assembly lower housing (7716659) (CC)		14									06-21	4
C	P-F-		INSULATION, CABLE: ring assembly lower housing harness (28 pieces ½ inch long) (81349-MIL-I-631, Type F, Form U, Grade B, Class 1, Catagory 1, .095 I.D., .016 wall) (CC)	FT	V	*	*	*	*	*	*	*	*	06-21	5
C	P-F-	6145-999-9644	WIRE, ELECTRICAL: ring assembly lower housing harness (14 pieces 3¼ inches long) (81349-MIL-W-76, Type LW-C-22-74) (color optional) (CC)	FT	V	*	*	*	*	*	*	*	*	06-21	6
	P-F-	2590-462-0345	CONNECTOR, PLUG, ELECTRICAL: ring assembly lower housing harness (10940953) (CC)	EA	1	*	*	*	*	*	*	*	*	06-21	7
			0614—TURRET ELECTRICAL SLIPRING HARNESS ASSEMBLY (10940847) (CC)												
C	P-F-		CONNECTOR, RECEPTACLE, ELECTRICAL: ring assembly upper housing (7388324) (CC)	EA	1	*	*	*	*	*	*	*	*	06-22	1
	P-F-	5935-498-3895	SHELL, CONNECTOR ELECTRICAL: ring assembly upper housing connector (8701330) (CC)	EA	1	*	*	*	*	*	*	*	*	06-22	2
	X1-		INSERT, CONNECTOR ELECTRICAL: ring assembly upper housing connector (8701328) (CC)		1									06-22	3
	X1-		CONTACT, CONNECTOR, ELECTRICAL: ring assembly upper housing connector (7716659) (CC)		14									06-22	4
C	P-F-	5970-644-2586	INSULATION, CABLE: ring assembly upper housing harness (14 pieces 3⅛ inches long) (81349-MIL-I-631), Type F, Form U, Grade B, Class 1, Category 1, .095 I.D., .016 wall) (CC)	FT	V	*	*	*	*	*	*	*	*	06-22	5

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614 - TURRET ELECTRICAL SLIPRING HARNESS ASSEMBLY (10940847) (CC) - Cont'd												
C P-F-	6145-999-9644	WIRE, ELECTRICAL: ring assembly upper housing harness (approximately 91 inches long) (81349-MIL-W-76, Type LW-C-22-7-4, color optional) (CC)	FT	V	*	*	*	*	*	*	*	*	06-22	6
P-F-	7510-835-1247	BAND, IDENTIFICATION: ring assembly upper housing harness (81349-MIL-T-14379, Type 1) (CC)	FT	V	*	*	*	*	*	*	*	*	06-22	7
P-F-	5940-113-9828	TERMINAL, ELECTRICAL: ring assembly upper housing harness (96906-MS25036-148) (CC)	EA	14	*	*	*	*	*	*	*	*	06-22	8
		0614—TURRET ELECTRICAL SLIPRING ASSEMBLY AND ATTACHING PARTS (DA)												
A-O-		RING ASSEMBLY, ELECTRICAL CONTACT: tank hull (10926046) (DA)		1									06-23	1
C P-O-	5306-727-4578	BOLT MACHINE: electrical slipring mounting plate (96906-MS35307-339) (DA)	EA	3	*	*	*	*	*	*	*	*	06-23	2
P-O-	5310-407-9566	WASHER. LOCK: electrical slipring mounting plate (96906-MS35338-45) (DA)	EA	3	*	*	*	*	*	*	*	*	06-23	3
P-O-	5310-209-1962	WASHER. FLAT: electrical slipring mounting plate (96906-61-0542-1) (DA)	EA	3	*	*	*	*	*	*	*	*	06-23	4
P-O-	2590-740-7905	STRAP, GROUND: electrical slipring assembly (7407905) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-23	5
P-O-	**5310-889-2527**	WASHER, LOCK: ground strap (96906-MS45904-72) (DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-23	6
P-O-	**5306-225-8496**	SCREW, CAP, HEXAGON HEAD: ground strap (96906-MS90725-31) (DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-23	7
		0614—TURRET ELECTRICAL SLIPRING ASSEMBLY (DA, DA Ser. No. 601w thru 726w)												
P-O-	5930-908-6349	SWITCH, ASSEMBLY: slipring switch bracket (109040837) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	1
P-O-	5930-494-4949	SWITCH ASSEMBLY: slipring traverse limit sensitive switch assembly (7354622-1) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	2
P-O-	5975-660-5962	SHELL, CONNECTOR, ELECTRICAL: slipring switch assembly (8724494) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0614 - TURRET ELECTRICAL SLIPRING ASSEMBLY (DA, DA Ser. No. 601w thru 726w) Cont'd												
P-O-	5970-833-8562	SLEEVE, CONNECTOR, ELECTRICAL: slipring switch assembly (8338562) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	4
P-O-	5940-399-6676	TERMINAL ASSEMBLY: slipring switch assembly (8338564) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	5
P-O-	5935-691-5591	SHELL, CONNECTOR, ELECTRICAL: slipring switch assembly (8724495) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	6
P-O-	5310-656-0067	WASHER, SLOTTED: slipring switch assembly (8724497) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	7
P-O-	5935-926-3144	CONTACT, ELECTRICAL: slipring switch assembly (96906-MS27148-3) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	8
P-O-	2590-693-3552	BRACKET: slipring assembly to turret floor (8364663) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	9
P-O-	5310-407-9566	WASHER, LOCK: slipring switch mounting bracket (3), cam (3) (DA, DA Ser. No. 601w thru 726w), slipring mounting bracket (8) (DA Ser. No. 601w thru 726w) (96906-MS35338-45)												
		(DA)	EA	6	*	*	*	*	*	*	*	*	06-24	10
		(DA Ser. No. 601w thru 726w)	EA	14	*	*	*	*	*	*	*	*	06-24	10
P-O-	5910-225-8498	SCREW, CAP, HEXAGON HEAD: slipring switch mounting bracket (96906-MS90725-33) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	*	*	*	*	*	*	06-24	11
P-O-R	2510-738-9389	RING ASSEMBLY, SLIPRING: slipring assembly (7389389) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	12
P-O-	5306-225-8496	SCREW, CAP, HEXAGON HEAD: slipring cam (96906-MS90725-31) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	*	*	*	*	*	*	06-24	13
P-O-	2590-087-0210	CAM, SLIPRING: slipring assembly housing (8335384) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	14

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(b) Item No.
		0614—TURRET ELECTRICAL SLIPRING ASSEMBLY (DA, DA Ser. No. 601w thru 726w) — Cont'd												
P2-O-	2590-221-4815	PAD, MOUNTING: slipring assembly (10916621) (DA)	EA	1	*	*	*	*	*	*	*	*	06-24	15
P-O-	5306-042-5389	SCREW, LOCKWASHER: slipring mounting pad (24617-425389) (DA)	EA	4	*	*	*	*	*	*	*	*	06-24	16
P-O-	5305-225-9081	SCREW, CAP, HEXAGON HEAD: cam follower arm bracket (96906-MS90725-36) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	17
P-O-	3110-198-1116	CAM FOLLOWER: cam follower arm (96906-MS993-71051-0000) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	18
P-O-	5310-407-9566	WASHER, LOCK: cam follower arm (96906-MS35338-45) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	19
P-O-	5310-934-9751	NUT, PLAIN, HEXAGON: cam follower arm (1), activating screw (1) (96906-MS35650-302) (DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-24	20
P-O-	2540-992-8881	ARM, CAM FOLLOWER: slipring cam follower arm bracket (8364664) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	21
C P-O	5305-206-7369	SCREW, MACHINE: slipring cam follower arm (81349-FFS103 Type 3, Style 3) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	22
C P-O-		BUSHING, CAM FOLLOWER ARM: slipring switch bracket (8365032) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	23
P-O-	5310-880-7744	NUT, PLAIN, HEXAGON: cam follower arm bracket (96906-MS51967-5) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	1	*	*	06-24	24
C P-O-	5305-042-0464	SCREW, MACHINE: slipring switch assembly (24617-420464) (DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-24	25
P-O-	5306-225-8497	SCREW, CAP, HEXAGON HEAD: slipring mounting bracket (96906-MS90725-32) (DA Ser. No. 601w thru 726w)	EA	8	*	*	*	*	*	*	*	*	06-24	26
P2-O-	5340-254-6316	BRACKET: slipring assembly (11616154) (DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-24	27

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No
		Figure 06-25 thru 06-42 deleted												

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		(All data on page 06-57 deleted) Figures 06-43 and 06-44 deleted												

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0616 - TURRET VENTILATION BLOWER CONTROL BOX (8335333) AND ATTACHING PARTS (BA, (DA, DA Ser. No. 601w thru 726w)												
P-O-	1040-675-5071	CONTROL BOX ASSEMBLY VENTILATOR BLOWER: (8335333) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	10	06-45	1
P-O-	5306-042-5591	SCREW, LOCKWASHER: ventilating blower control box mounting (425591) (BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	8	120	06-45	2
P-O-	2590-178-0387	HARNESS ASSEMBLY: circuit breakers ventilating blower control box (8733964) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	6	06-45	3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0616 - TURRET VENTILATING BLOWER CONTROL BOX (8335333) AND ATTACHING PARTS (BA, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	2590-178-0353	CABLE ASSEMBLY: ventilating blower control box to circuit breaker (8734051) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	6	06-45	4
P-O-	5310-045-4007	WASHER, LOCK: receptacles to ventilating blower control box (96906-MS35338-41) (BA, DA, DA Ser. No. 601w thru 726w)	EA	12	*	*	1	*	*	1	8	600	06-45	5
P-O-	5305-984-4989	SCREW, MACHINE, PAN HEAD: receptacles to ventilating blower control box (96906-MS35206-229) (BA, DA, DA Ser. No. 601w thru 726w)	EA	12	*	*	1	*	*	1	8	360	06-45	6
P-O-	2590-178-0365	HARNESS ASSEMBLY: circuit breakers to receptacle ventilating blower control box (8335304) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	6	06-45	7
P-O-	2590-178-0361	CABLE ASSEMBLY: circuit breaker to circuit breaker ventilating blower control box (8733956) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	6	06-45	8
P-O-	5310-934-9747	NUT, HEXAGON: receptacles to ventilating blower control box (96906-MS35649-262) (BA, DA, DA Ser. No. 601w thru 726w)	EA	12	*	*	1	*	*	1	8	360	06-45	9
P-O-	2590-178-0347	CABLE ASSEMBLY: circuit breaker to ventilating blower switch (7972931) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	6	06-45	10
P-F-	2590-891-7820	CABLE ASSEMBLY: ventilating blower switch (8733955) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	6	06-45	11
		0616 - TURRET VENTILATING BLOWER CONTROL BOX (8335333) AND ATTACHING PARTS (BA, DA, DA Ser. No. 601w thru 726w)												
P-O-	5310-934-9757	NUT, PLAIN HEXAGON: circuit breaker to control box (96906-MS35649-282) (BA, DA, DA Ser. No. 601w thru 726w)	EA	8	*	*	1	*	*	1	8	240	06-46	1
P-O-	5310-045-3299	WASHER, LOCK: circuit breaker to control box (96906-MS35338-42) (BA, DA, DA Ser. No. 601w thru 726w)	EA	8	*	*	1	*	*	1	8	400	06-46	2
P-O-	5925-026-4767	CIRCUIT BREAKER: control box (MS39026-1) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	*	1	1	*	1	1	15	45	06-46	3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No	(10) (b) Item No
		0616 - TURRET VENTILATING BLOWER CONTROL BOX (8335333) AND ATTACHING PARTS (BA, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5310-934-9758	NUT, PLAIN HEXAGON: circuit breaker (96906-MS35649-202) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-46	4
P-O-	5310-045-3296	WASHER, LOCK: circuit breaker (96906-MS35338-43) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	100	06-46	5
P-O-	5305-068-0504	SCREW, HEXAGON: circuit breaker (96906-MS90726-3) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-46	6
P-O-	5310-582-5965	WASHER, LOCK: circuit breaker (4), switch to control box (2) (96906-MS35338-44) (BA, DA, DA Ser. No. 601w thru 726w)	EA	6	*	*	1	*	1	6	8	300	06-46	7
P-O-	5925-708-8769	CIRCUIT BREAKER: control box (96906-MS39068-2) (BA, DA, DA Ser. No. 601w thru 726w)	EA	[illegible]	*	2	2	*	2	2	10	20	06-46	8
P-O-	5305-984-6195	SCREW, MACHINE, PAN HEAD: circuit breakers to control box (96906-MS35206-247) (BA, DA, DA Ser. No. 601w thru 726w)	EA	8	*	1	1	*	1	1	12	240	06-46	9
P-O-	5310-823-8804	WASHER, FLAT: bracket to control box (96906-MS27183-9) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	30	06-46	10
P-O-	5305-988-1720	SCREW, MACHINE, PAN HEAD: switch to control box (96906-MS35206-276) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-46	11
P-O-	5305-022-8288	SCREW, ASSEMBLED WASHER: utility outlet to control box (21450-228288) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-46	12
X1-O-	2510-797-6648	PLUG AND CHAIN ASSEMBLY: control box (7976648) (BA, DA, DA Ser. No. 601w thru 726w)		1									06-46	13
X1-O-	5975-102-9947	CONTROL BOX, VENTILATING BLOWER: (8335332 (BA, DA, DA Ser. No. 601w thru 726w)		1									06-46	14
P-O-	6250-563-4462	SOCKET ASSEMBLY: control box (8376359) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	10	06-46	15

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0616 - TURRET VENTILATING BLOWER CONTROL BOX (8335333) AND ATTACHING PARTS (BA, DA, DA Ser. No. 601w thru 726w) - Cont'd												
A-O-		UTILITY OUTLET ASSEMBLY: control box (8734796) (BA, DA, DA Ser. No. 601w thru 726w)		1									06-46	16
P-O-	5305-984-6213	SCREW, MACHINE, PAN HEAD: circuit breaker to control box (96906-MS35206-266) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-46	17
P-O-	9905-752-4649	BAND, MARKER, BLANK: socket cable (96906-MS39020-1) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-46	18
P-O-	5935-399-6676	TERMINAL ASSEMBLY: socket cable (8338564) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-46	19
P-O-	5970-833-8562	INSULATOR, BUSHING: socket cable (8338562) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-46	20
P-O-	5935-833-8561	SHELL, ELECTRICAL CONNECTOR: socket cable (8338561) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-46	21
C X1-		BRACKET, ANGLE: control box (10893862) (BA, DA, DA Ser. No. 601w thru 726w)		1									06-46	22
P-O-	5305-984-6210	SCREW, MACHINE, PAN HEAD: angle bracket to control box (96906-MS35206-263) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-46	23
P-O-	5930-850-3275	SWITCH ASSEMBLY: control box (8366130) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-46	24
P-O-	5310-842-1699	NUT, PLAIN HEXAGON: ventilation blower control switch (96906-MS35691-4) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-46	25
P-O-	5310-022-8834	WASHER, LOCK: ventilation blower control switch (96906-MS35333-108) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-46	26
P-O-	5925-333-1584	CIRCUIT BREAKER: control box (96906-MS39062-4) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-46	27
		0616 - TURRET VENTILATING BLOWER CONTROL BOX (10905697) AND ATTACHING PARTS (CA, CC)												
P-O-	6110-110-1983	CONTROL BOX ASSEMBLY, VENTILATOR BLOWER: turret (10905697) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-47	1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0616 - TURRET VENTILATING BLOWER CONTROL BOX (10905697) AND ATTACHING PARTS (CA, CC) - Cont'd												
C P-O-	5305-267-8973	SCREW, CAP, HEXAGON HEAD: turret ventilating control box mounting (96906-MS90726-4) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-47	2
P-O-	5310-582-5965	WASHER, LOCK: turret ventilating blower control box mounting (4), switch mounting (2) (96906-MS35338-44) (CA, CC)	EA	6	*	*	*	*	*	*	*	*	06-47	3
C X1-	2590-124-1327	CONTROL BOX, VENTILATOR BLOWER: turret (10905693) (CA, CC)		1									06-47	4
P-O-	5305-988-1720	SCREW, MACHINE, PAN HEAD: switch mounting (96906-MS35206-276) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-47	5
P-O-	5305-984-6195	SCREW, MACHINE, PAN HEAD: circuit breaker mounting (96906-MS35206-247) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-47	6
C X1-	2510-797-6648	PLUG AND CHAIN ASSEMBLY: control box (7976648) (CA, CC)		1									06-47	7
P-O-	5305-022-8288	SCREW, ASSEMBLED WASHER: plug and chain assembly mounting (21450-228228) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-47	8
A-O-		UTILITY OUTLET ASSEMBLY: ventilating blower control box (10905682) (CA, CC)		1									06-47	9
P-O-	6250-563-4462	SOCKET ASSEMBLY: ventilating blower control box (8376359) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-47	10
P-O-	9905-752-4649	BAND, MARKER, BLANK: outlet to circuit breaker lead (96906-MS39020-1) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-47	11
P-O-	5935-833-8561	SHELL, CONNECTOR: outlet to circuit breaker lead (8338561) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-47	12
P-O-	5970-833-8562	INSULATOR, BUSHING: outlet to circuit breaker lead (8338562) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-47	13
P-O-	5935-399-6676	TERMINAL: ventilating blower control box outlet lead (8338564) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-47	14
P-O-	5310-934-9757	NUT, PLAIN HEXAGON: circuit breaker to control box (96906-MS35649-282) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-47	15
P-O-	5310-045-3299	WASHER, LOCK: circuit breaker to control box (96906-MS35338-42) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-47	16

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		06-16 - TURRET VENTILATING BLOWER CONTROL BOX (10905697) AND ATTACHING PARTS (CA, CC) - Cont'd												
P-O-	5925-026-4767	CIRCUIT BREAKER: control box (96906-MS39062-1) (CA, CC)	EA	1	*	2	2	*	2	2	10	20	06-47	17
P-O-	5310-934-9747	NUT, HEXAGON: receptacles to ventilation blower control box (96906-MS35649-262) (CA, CC)	EA	8	*	*	1	*	*	1	8	240	06-47	18
P-O-	5310-045-4007	WASHER, LOCK: receptacles to ventilation blower control box (96906-MS35338-41) (CA, CC)	EA	8	*	*	1	*	*	1	8	800	06-47	19
P-O-	5930-850-3275	SWITCH ASSEMBLY: ventilation blower control box (8366130) (CA, CC)	EA	1	*	2	2	*	2	2	10	20	06-47	20
A-O-		LEAD ASSEMBLY, ELECTRICAL: control box (10905683) (CA, CC)		1									06-47	21
P-O-	5310-842-1699	NUT, PLAIN, HEXAGON: ventilating blower control switch (96906-MS35691-4) (CA, CC)	EA	2	*	*	1	*	*	1	8	60	06-47	22
P-O-	5310-022-8834	WASHER, LOCK: switch studs (96906-MS35333-108) (CA, CC)	EA	2	*	*	1	*	*	1	8	100	06-47	23
A-O-		LEAD ASSEMBLY, ELECTRICAL: control box (10905680) (CA, CC)		1									06-47	24
P-O-	5305-984-4989	SCREW, MACHINE, PAN HEAD: receptacles to ventilation blower control box (96906-MS35206-224) (CA, CC)	EA	8	*	*	1	*	*	1	12	240	06-47	25
A-O-		LEAD ASSEMBLY ELECTRICAL: control box (10905681) (CA, CC)		1									06-47	26
		0616—TURRET VENTILATING BLOWER CONTROL BOX HARNESS ASSEMBLY (8733964) (BA, DA, DA Ser. No. 601w thru 726w)												
P-O-	5935-832-8561	SHELL, ELECTRICAL: ventilating blower control box (8338561) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	90	06-48	1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0616 - TURRET VENTILATING BLOWER CONTROL BOX HARNESS ASSEMBLY (8733964) (BA, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5970-833-8562	INSULATOR BUSHING: ventilating blower control box (8338562) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	120	06-48	2
P-O-	5940-399-6676	TERMINAL LUG: ventilating blower control box (8338564) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	120	06-48	3
P-O-	5935-258-7192	CONNECTOR ASSEMBLY: ventilating blower control box harness assembly (8338560) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	*	*	*	*	0	0	06-48	4
P-O-	9905-752-4649	BAND, MARKER: ventilating blower control box harness assembly (96906-MS39020-1) (BA, DA, DA Ser. No. 601w thru 726w)	EA	5	*	*	*	*	*	*	2	100	06-48	5
P-O-	6145-772-0853	CABLE, ELECTRICAL: ventilating blower control box harness assembly (81349-M13486 / 1-5) (BA, DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	6	48	06-48	6
P-O-	5940-660-3634	TERMINAL, LUG: ventilating blower control box harness assembly (MS25036-57) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	40	06-48	7
		0616—TURRET VENTILATING BLOWER CONTROL BOX CABLE ASSEMBLIES (BA, DA, DA Ser. No. 601w thru 726w)												
P-O-	5940-082-4945	TERMINAL, LUG: cable ventilating blower control box (96906-MS35434-7) (BA, DA, DA Ser. No. 601w thru 726w)	EA		*	*	1	*	*	1	8	60	06-49	1
P-O-	9905-752-4649	BAND, MARKER, BLANK: ventilating blower control box cables (96906-MS39020-1 (BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	2	80	06-49	2
P-O-	6145-538-8222	CABLE, ELECTRICAL: ventilation blower control box switch to circuit breaker (approximately 7 1/2 inches long), switch (3 1/2 inches long) (81349-M13486 / 1-9) (BA, DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	6	21	06-49	3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0616 - TURRET VENTILATING BLOWER CONTROL BOX CABLE ASSEMBLIES (BA, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5935-258-7192	CONNECTOR ASSEMBLY: cable assembly ventilating blower control box (8338560) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-49	4
P-O-	5935-399-6676	TERMINAL ASSEMBLY: connector assembly ventilating blower control box (8338564) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-49	5
P-O-	5970-833-8562	INSULATOR, BUSHING: control box cable (8338562) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-49	6
P-O-	5935-833-8561	SHELL, ELECTRICAL CONNECTOR: control box cable (8338561) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-49	7
P-O-	6145-772-0853	CABLE, ELECTRICAL: control box cable assemblies (approximately 7 inches long) (81349-M13486 / 1-5) (BA, DA, DA Ser. No. 601w thru 726w)	EA	≠	*	*	*	*	*	*	5	18	06-49	8
P-O-	5940-082-4938	TERMINAL, LUG: cable assembly (96906-MS35438-20) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-49	9
P-O-	6145-705-6676	CABLE, ELECTRICAL: receptacle to power circuit breaker (approximately 6 1 / 2 inches long) (81349-M13486 / 1-10) (BA, DA, DA, Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	18	06-49	10
P-O-	5935-772-3307	NUT, GROMMET RETAINER: vent blower receptacle (1) , power circuit breaker cable receptacle (1) (7723307) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	6	40	06-49	11
P-O-	5935-752-7630	GROMMET, CONNECTOR: receptacle to ventilator switch cable (7527630) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	12	40	06-49	12
X1-O-		SHELL, RECEPTACLE: switch cable (1), power circuit breaker cable (1) (8344523) (BA, DA, DA Ser. No. 601w thru 726w)		2									06-49	13

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0616 - TURRET VENTILATING BLOWER CONTROL BOX CABLE ASSEMBLIES (BA, DA, DA Ser. No. 601w thru 726w) - Cont'd												
X1-O		INSERT, SOCKET: vent switch cable receptacle (8344516) (BA, DA, DA Ser. No. 601w thru 726w)		1									06-49	14
P-O-	5935-771-6525	CONTACT, SOCKET: vent switch cable receptacle (7716525) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	3	20	06-49	15
P-O-	5935-772-2348	RECEPTACLE ASSEMBLY: ventilator switch cable (7722348) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-49	16
P-O-	5935-771-6524	CONTACT, PIN: power circuit breaker cable receptacle (7716524) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	3	20	06-49	17
P-O-	2590-983-6911	INSERT: power circuit breaker cable receptacle (8701339) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	3	20	06-49	18
P-O-	5935-772-2347	RECEPTACLE ASSEMBLY: power circuit breaker cable (7722347) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-49	19
P-O-	5340-598-5327	GROMMET, CONNECTOR: power circuit breaker cable (7527623) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	12	20	06-49	20
P-O-	5940-660-3634	TERMINAL, LUG: power circuit breaker cable (MS25036-57) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-49	21
		0616—TURRET VENTILATING BLOWER CONTROL BOX CABLE ASSEMBLY (8335304) (BA, DA, DA Ser. No. 601w thru 726w)												
P-O-	5935-772-0485	RECEPTACLE ASSEMBLY: harness assembly ventilating blower control box (7720485) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-50	1
P-O-	5935-485-8954	CONTACT, SOCKET: receptacle assembly ventilating blower control box (7716520) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	*	*	*	*	3	60	06-50	2

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0616 - TURRET VENTILATING BLOWER CONTROL BOX CABLE ASSEMBLY (8335304) (BA, DA, DA Ser. No. 601w thru 726w) - Cont'd												
X1-O-		INSERT: receptacle assembly ventilating blower control box (8344324) (BA, DA, DA Ser. No. 601w thru 726w)		1									06-50	3
X1-O-		SHELL, ELECTRICAL: receptacle assembly ventilating blower control box (8344523) (BA, DA, DA Ser. No. 601w thru 726w)		1									06-50	4
P-O-	5340-559-0283	GROMMET, RETAINER: harness assembly ventilating blower control box (7722344) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	12	40	06-50	5
P-O-	5935-772-3307	NUT, GROMMET RETAINER: harness assembly ventilating blower control box (7723307) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-50	6
P-O-	9905-752-4649	BAND, MARKER: harness assembly ventilating control box (96906-MS39020-1) (BA, DA, DA Ser. No. 601w thru 726w)	EA	7	*	*	1	*	*	1	14	140	06-50	7
P-O-	6145-772-0853	CABLE ELECTRICAL: ventilating blower control box harness (approximately 19 inches long) (81349-M13486 / 1-5) (BA, DA. DA Ser. No. 601w thru 726w)	FT	-	*	*	1	*	*	1	13	48	06-50	8
P-O-	5935-258-7192	CONNECTOR ASSEMBLY: harness assembly (8338560) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	*	*	*	*	0	0	06-50	9
P-O-	5935-833-8561	SHELL, ELECTRICAL CONNECTOR: connector assembly (8338561) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	60	06-50	10
P-O-	5970-833-8562	INSULATOR, BUSHING: connector assembly (8338562) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	60	06-50	11
P-O-	5935-399-6676	TERMINAL, LUG: connector assembly (8338564) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	60	06-50	12

REPAIR PARTS FOR DIRECT SUPPORT GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
		0616—TURRET VENTILATING BLOWER CONTROL BOX CABLE ASSEMBLIES (CA, CC)												
P-O-	5935-399-6676	TERMINAL ASSEMBLY: circuit breaker lead ventilating blower control box (8338564) (CA, CC)	EA	1	*	*	1	*	*	1	8	20	06-51	1
P-O-	5970-833-8562	INSULATOR, BUSHING: circuit breaker lead ventilating blower box (8338562) (CA, CC)	EA	1	*	*	1	*	*	1	8	20	06-51	2
P-O-	5935-833-8561	SHELL, ELECTRICAL CONNECTOR: circuit breaker lead ventilating blower control box (8338561) (CA, CC)	EA	1	*	*	1	*	*	1	8	20	06-51	3
P-O-	9905-752-4649	BAND, MARKER: circuit breaker lead ventilating blower control box (96906-MS39020-1) (CA, CC)	EA	1	*	*	*	*	*	*	4	20	06-51	4
P-O-	6145-772-0853	CABLE, ELECTRICAL: circuit breaker lead ventilating blower control box (81349-M13486 / 1-5) (CA, CC)	FT	≠	*	*	*	*	*	*	6	20	06-51	5
P-O-	5970-894-1117	INSULATOR: circuit breaker lead ventilating blower control box (approximately 1 inch long) (80244-17-I-1726-41) (CA, CC)	FT	≠	*	*	*	*	*	*	2	2	06-51	6
P-O-	5940-660-3632	TERMINAL: circuit breaker lead ventilating blower control box (96906-MS35436-7) (CA, CC)	EA	1	*	*	1	*	*	1	8	20	06-51	7
P-O-	5935-772-2348	RECEPTACLE ASSEMBLY: electrical lead ventilating blower control box (7722348) (CA, CC)	EA	1	*	*	1	*	*	1	8	20	06-51	8
P-O-	5935-771-6525	CONTACT, SOCKET: receptacle assembly ventilating blower control box (7716525) (CA, CC)	EA	1	*	*	*	*	*	*	4	20	06-51	9
X1-O		INSERT, SOCKET: receptacle assembly ventilating blower control box (8344516) (CA, CC)		1									06-51	10
X1-O		SHELL, ELECTRICAL CONNECTOR: receptacle assembly ventilating blower control box (8344523) (CA, CC)		2									06-51	11
P-O-	5340-598-5327	BUSHING, ELECTRICAL CONNECTOR: electrical lead ventilating blower control box (7527623) (CA, CC)	EA	2	*	*	1	*	*	1	12	40	06-51	12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

	(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
			0616—TURRET VENTILATING BLOWER CONTROL BOX CABLE ASSEMBLIES (CA, CC) - Cont'd												
	P-O-	5935-772-3307	NUT, BUSHING RETAINER: electrical lead ventilating blower control box (7723307) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-51	13
C	P-O-	6145-705-6676	CABLE, ELECTRICAL: 11 inch long (1), 6 1/2 inch long (1), ventilating blower control box (81349-M13486/1-10) (CA. CC)	FT	V	*	*	*	*	*	*	*	*	06-51	14
	P-O-	9905-841-4445	BAND, MARKER: electrical lead ventilating blower control box (96906-MS39020-2) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-51	15
C	P-O-	5970-854-6713	INSULATOR: electrical lead ventilating control box (approximately 1.75 inches long) (80244-17-I-1728-401) (CA, CC)	FT	V	*	*	*	*	*	*	*	*	06-51	16
	P-O-	5940-705-6721	TERMINAL, LUG: electrical lead (7056721) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-51	17
	P-O-	5935-772-2347	RECEPTACLE ASSEMBLY: electrical lead ventilating blower control box (7722347) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-51	18
	P-O-	5999-771-6524	CONTACT, PIN: receptacle assembly ventilating blower control box (7716524) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-51	19
	P-O-	2590-983-6911	INSERT: receptacle assembly ventilating blower control box (8701339) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-51	20
			0616—TURRET VENTILATING BLOWER ASSEMBLY (7974293) AND RELATED PARTS (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)												
	P-O-	5390-761-6882	NUT, PLAIN HEXAGON: turret ventilator blower ring (96906-MS51967-2) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-52	1
	P-O-	5310-550-1130	WASHER, LOCK: turret ventilator blower ring (96906-MS35333-40) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	5	*	*	*	*	*	*	*	*	06-52	2
	A-O-	2590-699-9080	BLOWER ASSEMBLY: turret ventilator (7974293) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		1									06-52	3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0616—TURRET VENTILATING BLOWER ASSEMBLY (7974293) AND RELATED PARTS (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) Cont'd												
P-O-	2590-699-9079	SHOCK MOUNT: turret ventilator blower (8734283) (BA, CA. CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-52	4
P-O-	5330-736-4008	GASKET: turret ventilator blower (7364008) BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-52	5
P-O-	5305-978-9381	SCREW, SOCKET HEAD CAP: turret ventilator blower ring (96906-MS16997-63) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-52	6
C P-O-	5970-681-8236	INSULATION, RUBBER TAPE: turret ventilator blower motor (1 piece, 14 inches long) (81348-HHI 553) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	FT	V	*	*	*	*	*	*	*	*	06-52	7
P-O-	4730-784-1273	CLAMP, HOSE: turret ventilator blower motor silencer (96906-MS21920-78) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-52	8
P-O-	2590-229-5721	SILENCER ASSEMBLY: turret ventilator blower motor (8710143) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-52	9
P-O-	1040-675-5114	SILENCER ASSEMBLY: turret ventilator blower motor (8729799) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-52	9
P-O-	2590-963-0833	LEAD ASSEMBLY, ELECTRICAL: turret ventilator blower motor (10924270) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-52	10
P-O-	2590-659-6896	LEAD ASSEMBLY, ELECTRICAL: turret ventilator blower motor (10864134) (BA, CDA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-52	10
P-O-	5975-697-7769	NUT, COUPLING: turret ventilator motor lead (7527645) (BA, CA, CC, DA. DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-52	11
P-O-	5935-771-6525	CONTACT, ELECTRICAL: turret ventilator blower motor lead (7716525) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-52	12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0616 - TURRET VENTILATING BLOWER ASSEMBLY (7974293) AND RELATED PARTS (BA, CA, CC, DA, DA, Ser. No. 601w thru 726w) - Cont'd												
X1-O-		INSERT, ELECTRICAL: turret ventilator blower motor lead (8344516) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		1									06-52	13
X1-O-	5935-462-2913	SHELL, ELECTRICAL: turret ventilator blower motor lead (8344527) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		2									06-52	14
P-O-	5935-686-9957	SHELL ASSEMBLY, PLUG: turret ventilator blower motor lead (8724235) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	12	06-52	15
P-O-	5935-752-7630	GROMMET, ELECTRICAL CONNECTOR: turret ventilator blower motor lead (7527630) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	1	1	*	1	1	12	50	06-52	16
P-O-	5340-598-5327	BUSHING, ELECTRICAL CONNECTOR: turret ventilator blower motor lead (7527623) (CA, CC)	EA	2	*	1	1	*	1	1	12	50	06-52	16
P-O-	5935-772-3307	NUT, BUSHING RETAINER: turret ventilator blower motor lead (7723307) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-52	17
P-O-	9905-841-4445	BAND, MARKER: turret ventilator blower motor lead (96906-MS39020-2) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	*	*	*	*	4	60	06-52	18
P-O-	6145-805-3354	CABLE, ELECTRICAL: turret ventilator blower motor lead (1 piece, 115 inches long) (81349-M13486 / 1-12) (CA, CC)	FT	≠	*	*	*	*	*	*	4	500	06-52	19
P-O-	6145-538-8222	CABLE, ELECTRICAL: turret ventilator blower motor lead (1 piece, 74 inches long) (81349-M13486 / 1-9) (BA, DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	4	350	06-52	19
P-O-	5935-686-9959	SHELL ASSEMBLY, PLUG: turret ventilator blower motor lead (8724234) (BA, CA, CC, DA DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	12	06-52	20

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0616 - TURRET VENTILATING BLOWER ASSEMBLY (7974293) AND RELATED PARTS (BA, CA, CC, DA, DA Ser. No. 601w thru 726w; - Cont'd												
P-O-	2590-983-6911	INSERT, PIN: turret ventilator blower motor lead (8701399) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-52	21
P-O-	5935-771-6524	CONTACT, ELECTRICAL: turret ventilator blower motor lead (7716524) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-52	22
P-O-	5310-595-7237	WASHER, LOCK: turret ventilator blower ring (96906-MS35333-42 (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	6	*	1	1	*	1	1	14	500	06-52	23
P-O-	5305-978-9392	SCREW, SOCKET HEAD: turret ventilator blower ring (96906-MS16997-97) (BA, CA, CC)	EA	6	*	1	1	*	1	1	14	180	06-52	24
P-O-	5305-978-9393	SCREW, SOCKET HEAD: turret ventilator blower ring (96906-MS16997-98) (DA, DA Ser. No. 601w thru 726w)	EA	6	*	1	1	*	1	1	14	180	06-52	24
P-O	5310-576-5752	WASHER, LOCK: turret ventilator blower strap (96906-MS35333-39) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	200	06-52	25
P-O-	5305-984-6206	SCREW, PAN HEAD MACHINE: turret ventilator blower strap (96906-MS35206-259) (BA, CA, CC)	EA	1	*	*	1	*	*	1	8	30	06-52	26
P-O-	5305-964-7529	SCREW, PAN HEAD, MACHINE: turret ventilator blower strap (96906-MS35206-258) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	30	06-52	26
P-O-	2590-732-1359	STRAP: turret ventilator blower (7321359) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	15	06-52	27
		0616—TURRET VENTILATING BLOWER ASSEMBLY (7974293) (BA, CA, CB, CC, DA, DA, Ser. No. 601w thru 726w)												
P-O-	5310-275-2042	NUT, SELF-LOCKING HEXAGON: turret ventilator blower motor impeller (96906-MS20864-820) (BA, CA, CB, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	100	06-53	1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0616 - TURRET VENTILATING BLOWER ASSEMBLY (7974293) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	4140-629-1154	IMPELLER ASSEMBLY: turret ventilator blower motor (7974421) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-53	2
P-O-	5305-068-0502	SCREW, CAP, HEXAGON HEAD: turret ventilator blower motor (96906-MS90725-6) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	8	120	06-53	3
P-O-	5310-582-5965	WASHER, LOCK: turret ventilator blower motor (96906-MS35338-44) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	8	400	06-53	4
P-O-	2540-133-8145	SHROUD, IMPELLER: turret ventilator blower motor (10873076) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	3	*	06-53	5
P-O-	5305-175-3230	SCREW, ROUND HEAD DRIVE: turret ventilator blower identification plate (96906-MS21318-14) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	8	120	06-53	7
P-O-	5315-616-5526	KEY, WOODRUFF: turret ventilator blower motor impeller (21450-124545) (BA, CA, CC, DA DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-53	8
P-O-R	2540-772-7524	MOTOR ASSEMBLY: turret ventilator blower (7727524) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	10	06-53	9
		0616—TURRET VENTILATING BLOWER MOTOR ASSEMBLY (7727524) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)												
P-F-	4730-057-5555	PLUG, PIPE: turret ventilating blower motor head (96906-MS49005-6) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-54	1
P-F-	5305-048-7449	BOLT, MACHINE: turret ventilating blower motor end bracket (7974422) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	8	120	06-54	2
P-F-	5305-984-4989	SCREW, PAN HEAD MACHINE: turret ventilating blower motor receptacle (96906-MS35206-229) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	8	120	06-54	3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0616 - TURRET VENTILATING BLOWER MOTOR ASSEMBLY (7727524) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-F-	5910-612-6829	RECEPTACLE ASSEMBLY: turret ventilating blower motor (8682956) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	10	06-54	4
P-F-	2510-772-9560	CAP, BRUSH: turret ventilating blower motor (7729560) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	8	40	06-54	5
P-F-	5310-772-9564	GASKET, BRUSH: turret ventilating blower motor cap (7729564) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	8	400	06-54	6
P-F-	5977-772-9568	BRUSH, ELECTRICAL CONTACT: turret ventilating blower motor (7729568) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	4	2	5	10	2	5	10	120	200	06-54	7
P-F-	5330-462-4555	WASHER: turret ventilating blower motor end bracket, (4), turret ventilating blower motor cap (4) (07860-BOE-A12736-2) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	8	*	1	1	*	1	1	14	240	06-54	8
P-F-	5330-946-8344	GASKET, SYNTHETIC RUBBER: turret ventilating blower motor receptacle (96906-MS52000-5) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	1	1	*	1	1	14	100	06-54	9
X1-		HEAD ASSEMBLY: turret ventilating blower motor frame (7974423) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		1									06-54	10
P-F-	6150-251-2733	CABLE ASSEMBLY: turret ventilating blower motor head (07860-BOE-A3236) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w	EA	4	*	1	1	*	1	1	16	40	06-54	11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0616 - TURRET VENTILATING BLOWER MOTOR ASSEMBLY (7727524) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-F-	5310-045-3296	WASHER, LOCK: turret ventilating blower motor cable and capacitor (96906-MS35338-43) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	5	*	*	1	*	*	1	8	500	06-54	12
P-F-	5305-993-1849	SCREW, MACHINE, PAN HEAD: turret ventilating blower motor cable and capacitor (96906-MS35207-259) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	5	*	*	1	*	*	1	8	150	06-54	13
P-F-	5910-612-6829	CAPACITOR: turret ventilating blower motor head assembly (8682956) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	1	1	*	1	1	12	20	06-54	14
P-F-	5330-772-9565	GASKET: turret ventilating blower motor frame ends (7729565) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	*	1	1	*	1	1	12	200	06-54	15
P-F-	5305-989-7434	SCREW, MACHINE, PAN HEAD: turret ventilating blower motor frame (96906-MS35207-263) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	8	*	*	1	*	*	1	8	240	06-54	16
P-F-	5310-772-9563	WASHER: turret ventilating blower motor frame (7729563) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	8	*	*	1	*	*	1	8	240	06-54	17
X1-		POLE ASSEMBLY: turret ventilating blower motor frame (07860-BOE-A8335) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		4									06-54	18
X1-		COIL ASSEMBLY: turret ventilating blower motor frame (7974425) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		1									06-54	19
X1-		FRAME: turret ventilating blower motor (07860-BOE-B6920) (BA, CA, CC, DA, DA Ser. No. 601 thru 726w)		1									06-54	20
P-F-	5305-988-1724	SCREW, PAN HEAD MACHINE: turret ventilating blower motor cap (96906-MS35206-280) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	8	120	06-54	21

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0616 - TURRET VENTILATING BLOWER MOTOR ASSEMBLY (7727524) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) - Cont'd												
X1-		CAP: turret ventilating blower motor (07860-BOE-A4316) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		1									06-54	22
P-F-	5330-143-8076	GASKET: turret ventilating blower motor cap (7729562) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	10	100	06-54	23
P-F-	5330-772-9569	SEAL ASSEMBLY: turret ventilating blower motor armature (7729569) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	10	100	06-54	24
X1-	5330-772-9569	SEAL: turret ventilating blower motor armature (71724-CPH-J-SC-P139) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		2									06-54	25
X1-		GASKET: turret ventilating blower motor armature (71724-CPH-1820-21) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		2									06-54	26
X1-		GASKET: turret ventilating blower motor armature (71724-CPH-1820-12) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		2									06-54	27
X1-		SPACER: turret ventilating blower motor armature (71724-CPH-SCSF-62-58) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		1									06-54	28
X1-		HEAD: turret ventilating blower motor (07860-BOE-A12463) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		1									06-54	29
P-F-	3110-108-9247	BEARING: turret ventilating blower motor, armature front (7954926) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	1	1	*	1	1	12	20	06-54	30
P-F-	6105-706-0951	ARMATURE, MOTOR: turret ventilating blower (7974424) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	1	1	*	1	1	12	20	06-54	31
P-F-	3110-108-9198	BEARING: armature, rear turret ventilating blower motor (710225) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	1	1	*	1	1	12	20	06-54	32

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0618–CONTROL SELECTOR ASSEMBLY (11608361) AND MOUNTING PARTS (CA W/STAB)												
N P-O-	5305-068-0502	SCREW: control selector mounting (96906-MS90725-6) (CA w/Stab)	EA	4	*	*	*	*	*	*	*	*	06-55	1
N P-O-	5310-582-5965	WASHER, LOCK: control selector mounting (4), gunner's control bracket (4) (96906-MS35338-44) (CA w/Stab)	EA	8	*	*	*	*	*	*	*	*	06-55	2
N P2-O-	2590-088-2654	BRACKET ASSEMBLY: gunner's control mounting (11676302) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55	3
N P-O-	5305-071-2241	SCREW: gunner's control bracket mounting (96906-MS90725-10) (CA w/Stab)	EA	2	*	*	*	*	*	*	*	*	06-55	4
N P-O-	5945-068-8498	CONTROL SELECTOR ASSEMBLY: gunner's controls (11608361) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55	5
N P-O-	5305-068-0501	SCREW: gunner's control bracket mounting (96906-MS90725-5) (CA w/Stab)	EA	2	*	*	*	*	*	*	*	*	06-55	6
		0618–CONTROL SELECTOR ASSEMBLY (11608361) (CA W/STAB)												
N P-O-	5305-984-6192	SCREW: connector mounting (96906-MS35206-244) (CA w/Stab)	EA	4	*	*	*	*	*	*	*	*	06-55.1	1
N P-O-	5310-045-3299	WASHER, LOCK: connector mounting screw (96906-MS35338-42) (CA w/Stab)	EA	4	*	*	*	*	*	*	*	*	06-55.1	2
N X1-		PLATE, IDENTIFICATION: control selector (11676082) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.1	3
N X1-		CASE: control selector (10924087) (CA w/Stab)		1									06-55.1	4
N P-O-	2590-870-6243	GASKET: case cover (10905685) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.1	5
N P-O-		RESISTOR, ADJUSTABLE: control selector (11608365) (CA w/Stab)	EA	2	*	*	*	*	*	*	*	*	06-55.1	6
N X1-		COVER: case (11608364) (CA w/Stab)		1									06-55.1	7
N P-O-	5310-582-5965	WASHER, LOCK: case cover screw (96906-MS35338-44) (CA w/Stab)	EA	6	*	*	*	*	*	*	*	*	06-55.1	8
N P-O-	5305-988-1723	SCREW: case cover mounting (96906-MS35206-279) (CA w/Stab)	EA	6	*	*	*	*	*	*	*	*	06-55.1	9
N X1		SHAFT, LOCK: resistor (9179208) (CA w/Stab)	EA	2	*	*	*	*	*	*	*	*	06-55.1	10
N P-O-		KNOB: resistor control (96906-MS91528-2D2B) (CA w/Stab)	EA	2	*	*	*	*	*	*	*	*	06-55.1	11
N P-O-	6210-176-4928	HOUSING, LENS AND LAMP: switch indicating lamp (81349-MILL3661-47 LH89-1) (CA w/Stab)	EA	2	*	*	*	*	*	*	*	*	06-55.1	12
N P-O-	6240-155-7836	LAMP: switch indicating (96906-MS25237-327) (CA w/Stab)	EA	2	*	*	*	*	*	*	*	*	06-55.1	13

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

	(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
			0618–CONTROL SELECTOR ASSEMBLY (11608361) (CA W/STAB)–Cont.												
N	P-O-		LENS: switch indicating lamp, green (81349-MILL3661-37 LC37GD2) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.1	14
N	P-O-		LENS: switch indicating lamp, red (81349-MILL3661-37 LC37RD2) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.1	15
N	P-O-	5330-806-8769	SEAL: switch to case cover (96906-MS25196-1) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.1	16
N	P-O-	5930-826-0157	SWITCH: power control (S1) (96906-MS25306-221) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.1	17
N	P-O-		SPACER: stabilization switch (11655186) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.1	18
N	P-O-	5330-599-2934	PACKING: stabilization switch (96906-MS28775-112) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.1	19
N	P-O-	5930-815-6512	SWITCH: stabilization control (S2) (96906-MS25307-231) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.1	20
N	P-F-		INSULATOR: terminal board (11655090) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.1	21
N	P-F-		TERMINAL BOARD: control selector (11655091) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.1	22
N	P-F-	5310-950-1310	WASHER: terminal board mounting screw (96906-MS27183-4) (CA w/Stab)	EA	2	*	*	*	*	*	*	*	*	06-55.1	23
N	P-F-	5310-543-2410	WASHER, LOCK: terminal board mounting screw (96906-MS35338-40) (CA w/Stab)	EA	2	*	*	*	*	*	*	*	*	06-55.1	24
N	P-F-	5305-889-2998	SCREW: terminal board mounting (96906-MS35206-216) (CA w/Stab)	EA	2	*	*	*	*	*	*	*	*	06-55.1	25
N	P-O-	5970-954-1622	INSULATION, TUBING: switch terminal .250 id .50 in lg (81349-MILI23053-5) (CA w/Stab)	FT	V	*	*	*	*	*	*	*	*	06-55.1	26
N	P-O-	4730-985-4139	PLUG: case (96906-MS49005-1) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.1	27
N	P-O-	5330-641-4336	GASKET: connector to case (96906-MS52000-8) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.1	28
N	P-O-		WIRE: type E (81349-MILW16878-4) (CA w/Stab)	FT	V	*	*	*	*	*	*	*	*	06-55.1	29
N	P-O-		CONNECTOR: control selector electrical wiring (11608362) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.1	30
			0618–CONTROLLER UNIT ASSEMBLY (11608300) (CA W/STAB)												
N	P-O-	5905-165-3234	CONTROLLER UNIT ASSEMBLY: turret and gun control (11608300) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.2	1
N	P-O-	2590-088-2538	PLATE: controller unit mounting (11654479) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.2	2

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
		0618–CONTROLLER UNIT ASSEMBLY (11608300) (CA W/STAB)–Cont.												
N P-O-	5310-080-6004	WASHER: controller unit mounting screw (4), controller unit mounting plate (4) (96906-MS27183-14) (CA w/Stab)	EA	8	*	*	*	*	*	*	*	*	06-55.2	3
N P-O-	5310-637-9541	WASHER, LOCK: controller unit mounting screw (4), controller unit mounting plate screw (4) (96906-MS35338-46) (CA w/Stab)	EA	8	*	*	*	*	*	*	*	*	06-55.2	4
N P-O-	5305-269-3212	SCREW: controller unit mounting (4), controller unit mounting plate (4) (96906-MS90725-61) (CA w/Stab)	EA	8	*	*	*	*	*	*	*	*	06-55.2	5
		0618–CONTROLLER UNIT ASSEMBLY (11608300) (CA W/STAB)												
N X1-		COVER: controller unit (11608329) (CA w/Stab)		1									06-55.3	1
N P-O-		SCREW: cover mounting (11608551) (CA w/Stab)	EA	12	*	*	*	*	*	*	*	*	06-55.3	2
N P-O-	5310-809-4058	WASHER: cover mounting screw (96906-MS27183-10) (CA w/Stab)	EA	12	*	*	*	*	*	*	*	*	06-55.3	3
N P-O-	5330-078-8477	SEAL: cover (11608318-1) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.3	4
N P-D-		CAPACITOR: controller unit (81349-CH09A1-NF474K) (CA w/Stab)	EA	1							*	*	06-55.3	5
N P-D-		INSULATION: capacitor (81349-MILI22129) (CA w/Stab)	EA	V							*	*	06-55.3	6
N P-D-		TUBING, RUBBER: capacitor type V, color black, .75 long (81349-MILR46846) (CA w/Stab)		V							*	*	06-55.3	7
N P-D-	5340-943-2041	CLIP: capacitor (96906-MS17160-28) (CA w/Stab)	EA	1							*	*	06-55.3	8
N P-D-		TOROID ASSEMBLY: controller unit (11608311) (CA w/Stab)	EA	1							*	*	06-55.3	9
N P-D-		RELAY: controller unit (11608320) (CA w/Stab)	EA	1							*	*	06-55.3	10
N P-D-	5305-984-4982	SCREW: relay mounting (96906-MS35206-225) (CA w/Stab)	EA	2							*	*	06-55.3	11
N P-D-	5310-045-4007	WASHER, LOCK: relay mounting screw (96906-MS35338-41) (CA w/Stab)	EA	2							*	*	06-55.3	12
N P-D-		RELAY: controller unit (11676586) (CA w/Stab)	EA	1							*	*	06-55.3	13
N P-D-	5935-068-3704	SOCKET: relay (10946970) (CA w/Stab)	EA	1							*	*	06-55.3	14
N P-D-		TERMINAL: controller unit (81349-MILT55155-1) (CA w/Stab)	EA	2							*	*	06-55.3	15
N X1-		PLATE: controller unit (11608323) (CA w/Stab)	EA	1							*	*	06-55.3	16
N P-D-		POTENTIOMETER: controller unit (81349-MILR94-3 RV6LAYSA251A) (CA w/Stab)	EA	1							*	*	06-55.3	17
N P-D-	5340-947-6311	CLIP: capacitor (96906-MS17160-33) (CA w/Stab)	EA	1							*	*	06-55.3	18

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

	(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			0618–CONTROLLER UNIT ASSEMBLY (11608300) (CA W/STAB)–Cont.												
N	P-D-		CAPACITOR: controller unit (11608309) (CA w/Stab)	EA	1							*	*	06-55.3	19
N	P-D-	5310-045-3299	WASHER, LOCK: plate mounting screw (10), transformer mounting (3), reactor mounting (4), toroid mounting (1), (96906-MS35338-42) (CA w/Stab)	EA	18							*	*	06-55.3	20
N	P-D-	5305-984-6191	SCREW: .plate mounting (10), toroid mounting (1) (96906-MS35206-243) (CA w/Stab)	EA	11							*	*	06-55.3	21
N	X1-D-		HOUSING: controller unit (11608324) (CA w/Stab)	EA	1							*	*	06-55.3	22
N	P-D-	5330-805-2966	PACKING, PREFORMED: inspection plug (96906-MS28778-4) (CA w/Stab)	EA	1							*	*	06-55.3	23
N	P-D-	5365-411-5305	PLUG: inspection (10915891) (CA w/Stab)	EA	1							*	*	06-55.3	24
	P-D-	5340-420-1891	INSERT: housing cover screw (96906-MS51831-1026) (CA w/Stab)	EA	12							*	*	06-55.3	25
N	P-D-	5310-934-9739	NUT: relay mounting (96906-MS35649-242) (CA w/Stab)	EA	2							*	*	06-55.3	26
N	P-D-	5310-543-2410	WASHER, LOCK: relay mounting (96906-MS35338-40) (CA w/Stab)	EA	2							*	*	06-55.3	27
N	P-D-	5320-879-5453	RIVET: capacitor clip mounting (96906-MS16535-116) (CA w/Stab)	EA	2							*	*	06-55.3	28
N	P-D-		POTENTIOMETER: controller unit (81349-MILR94-3 RV6LAYSA101A) (CA w/Stab)	EA	1							*	*	06-55.3	29
N	P-D-		CLAMP: harness retaining (96906-MS25281-5) (CA w/Stab)	EA	1							*	*	06-55.3	30
N	P-D-	5310-934-9757	NUT: reactor mounting (4), transformer mounting (4) (96906-MS35649-282) (CA w/Stab)	EA	8							*	*	06-55.3	31
N	P-D-	5940-810-6269	TERMINAL: controller unit (10015051) (CA w/Stab)	EA	18							*	*	06-55.3	32
N	P-D-	5310-952-9645	WASHER, LOCK: connector mounting (96906-MS21083N04) (CA w/Stab)	EA	6							*	*	06-55.3	33
N	P-D-	5935-878-1482	CONNECTOR: controller unit (81349-M21097-1-061) (CA w/Stab)	EA	3							*	*	06.55.3	34
N	P-D-		KEY, POLARIZING: connector (81349-M21097-11-08) (CA w/Stab)	EA	3							*	*	06-55.3	35
N	P-D-	5305-983-6730	SCREW: connector mounting (96906-MS35206-218) (CA w/Stab)	EA	6							*	*	06-55.3	36
N	P-D-		SPACER: power supply mounting (11608301) (CA w/Stab)	EA	6							*	*	06-55.3	37
N	P-D-		POWER SUPPLY: controller unit (11608321) (CA w/Stab)	EA	1							*	*	06-55.3	38
N	P-D-		AMPLIFIER: elevation (11608313) (CA w/Stab)	EA	1							*	*	06-55.3	39
N	P-D-		AMPLIFIER: traverse (11608312) (CA w/Stab)	EA	1							*	*	06-55.3	40
N	P-D-		REACTOR: controller unit (11608319) (CA w/Stab)	EA	1							*	*	06-55.3	41
N	P-D-		TRANSFORMER: controller unit (11608310) (CA w/Stab)	EA	1							*	*	06-55.3	42

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No	(10) (b) Item No
		0618–CONTROLLER UNIT ASSEMBLY (11608300) (CA W/STAB)												
N P-D-	5961-893-9563	TRANSISTOR: controller unit (81349-MILS19500-102 2N1016B) (CA w/Stab)	EA	1							*	*	06-55.4	1
N P-D-		INSULATOR: transistor (11608303-2) (CA w/Stab)	EA	1							*	*	06-55.4	2
N P-D-		INSULATOR: transistor (11608306) (CA w/Stab)	EA	2							*	*	06-55.4	3
N P-D-		INSULATOR: transistor (11608307) (CA w/Stab)	EA	1							*	*	06-55.4	4
N P-D-	5310-945-0521	WASHER: transistor (96906-MS9321-11) (CA w/Stab)	EA	1							*	*	06-55.4	5
N P-D-		TERMINAL: transistor ground (11608308) (CA w/Stab)	EA	1							*	*	06-55.4	6
N P-D-	5310-407-9766	WASHER, LOCK: transistor mounting (96906-MS35338-45) (CA w/Stab)	EA	1							*	*	06-55.4	7
N P-D-	5310-880-7746	NUT: transistor mounting (96906-MS51968-5) (CA w/Stab)	EA	1							*	*	06-55.4	8
N P-D-		INSULATOR: transistor (8), diode (2) (11608305) (CA w/Stab)	EA	10							*	*	06-55.4	9
N P-D-	5310-983-8483	WASHER: diode mounting (2), plate mounting (2), transistor mounting (4), resistor mounting (2) (96906-MS27183-5) (CA w/Stab)	EA	10							*	*	06-55.4	10
N P-D-	5310-045-4007	WASHER, LOCK: transistor mounting (4), resistor mounting (2), diode mounting (2), terminal mounting (3), plate mounting (2) (96906-MS35338-41) (CA w/Stab)	EA	13							*	*	06-55.4	11
N P-D-	5310-934-9747	NUT: plate mounting (2), resistor mounting (2), transistor mounting (4), diode mounting (2) (96906-MS35649-262) (CA w/Stab)	EA	10							*	*	06-55.4	12
N P-D-	5940-050-2308	TERMINAL: resistor (96906-MS35431-3) (CA w/Stab)	EA	4							*	*	06-55.4	13
N P-D-		INSULATOR: transistor (11608303-1) (CA w/Stab)	EA	1							*	*	06-55.4	14
N P-D-		INSULATOR: transistor (11608302-1) (CA w/Stab)	EA	2							*	*	06-55.4	15
N P-D-	5961-245-6530	TRANSISTOR: controller unit (81349-MILS19500-350 JAN2N3868) (CA w/Stab)	EA	1							*	*	06-55.4	16
N P-D-		HEAT SINK: controller unit (11663284) (CA w/Stab)	EA	1							*	*	06-55.4	17
N P-D-		TERMINAL: controller unit (81349-MILT515510 SE10-9D02) (CA w/Stab)	EA	3							*	*	06-55.4	18
N P-D-		PLATE, IDENTIFICATION: controller unit (11676082-1) (CA w/Stab)	EA	1							*	*	06-55.4	19
N P-D-		WIRE, ELECTRICAL: controller unit (81349-MILW16878 Type E, 20 AWG) (CA w/Stab)		V							*	*	06-55.4	20
N P-D-		WIRE, ELECTRICAL: controller unit (81349-MILW16878 Type E, 22 AWG) (CA w/Stab)		V							*	*	06-55.4	20
N P-D-		PLUG: connector (96906-MS3187A20) (CA w/Stab)	EA	5							*	*	06-55.4	21

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
		0618–CONTROLLER UNIT ASSEMBLY (11608300) (CA W/STAB)–Cont.												
N P-D-		CONNECTOR: controller unit (11663120-14) (CA w/Stab)	EA	1							*	*	06-55.4	22
N P-D-	5330-818-4591	PACKING, PREFORMED: connector (96906-MS28775-136) (CA w/Stab)	EA	1							*	*	06-55.4	23
N X1-D-		PLATE: connector mounting (11608550) (CA w/Stab)									*	*	06-55.4	24
N P-D-		SCREW: connector plate mounting (96906-MS35206-337) (CA w/Stab)	EA	4							*	*	06-55.4	25
N P-D-	5310-045-3296	WASHER, LOCK: transistor (1), connector plate screw (4) (96906-MS35338-43) (CA w/Stab)	EA	5							*	*	06-55.4	26
N P-D-		INSULATOR: transistor (3), diode (1) (11676014) (CA w/Stab)	EA	4							*	*	06-55.4	27
N P-D-		TRANSISTOR: controller unit (81349-MILS19500-217 JAN2N458B) (CA w/Stab)	EA	2							*	*	06-55.4	28
N P-D-	5310-209-9788	WASHER, LOCK: transistor (96906-MS35335-30) (CA w/Stab)	EA	4							*	*	06-55.4	29
N P-D-	5305-889-3001	SCREW: controller unit plate (2), diode (2), resistor (2), transistor (4) (96906-MS35206-231) (CA w/Stab)	EA	10							*	*	06-55.4	30
N P-D-		DIODE: controller unit (81349-MILS19500-114) (CA w/Stab)	EA	1							*	*	06-55.4	31
N P-D-	5305-984-4983	SCREW: terminal mounting (96906-MS35206-226) (CA w/Stab)	EA	3							*	*	06-55.4	32
N P-D-		SEAL: controller unit cover (11608318-2) (CA w/Stab)	EA	1							*	*	06-55.4	33
N X1-D-		COVER: controller unit (11608322) (CA w/Stab)	EA	1							*	*	06-55.4	34
N P-D-	5310-809-4058	WASHER, FLAT: cover screw (96906-MS27183-10) (CA w/Stab)	EA	10							*	*	06-55.4	35
N P-D-	5310-582-5965	WASHER, LOCK: cover screw (96906-MS) (CA w/Stab)	EA	10							*	*	06-55.4	36
N P-D-	5305-068-0502	SCREW: cover mounting (96906-MS90725-6) (CA w/Stab)	EA	10							*	*	06-55.4	37
N P-D-		GROMMET: wiring harness (96906-MS35489-35) (CA w/Stab)	EA	1							*	*	06-55.4	38
N P-D-	5310-934-9751	NUT: transistor mounting (96906-MS35650-302) (CA w/Stab)	EA	1							*	*	06-55.4	39
N P-D-	5310-764-2429	WASHER: transistor mounting (96906-MS9321-09) (CA w/Stab)	EA	1							*	*	06-55.4	40
N P-D-		SCREW: resistor mounting (96906-MS35206-204) (CA w/Stab)	EA	4							*	*	06-55.4	41
N P-D-	5310-543-5060	WASHER, LOCK: resistor mounting screw (96906-MS35338-39) (CA w/Stab)	EA	4							*	*	06-55.4	42
N P-D-		RESISTOR: controller unit (81349-MILR18546-1 RE65GR250) (CA w/Stab)	EA	1							*	*	06-55.4	43
N P-D-		RESISTOR: controller unit (81349-MILR18546-1) (CA w/Stab)	EA	1							*	*	06-55.4	44
N P-D		SCREW: resistor mounting (96906-MS35206-216) (CA w/Stab)	EA	2							*	*	06-55.4	45

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
		0618–CONTROLLER UNIT ASSEMBLY (11608300) (CA W/STAB)–Cont.												
N P-D-	5310-543-2410	WASHER, LOCK: resistor mounting (96906-MS35338-40) (CA w/Stab)	EA	2							•	•	06-55.4	46
N P-D-		RESISTOR: controller unit (81349-MILR18546-1 RE70G60RO) (CA w/Stab)	EA	1							•	•	06-55.4	47
N P-D-	5961-946-7633	TRANSISTOR: controller unit (10947488-1) (CA w/Stab)	EA	1							•	•	06-55.4	48
N P-D-		PLATE: transistor retaining (11608315) (CA w/Stab)	EA	1							•	•	06-55.4	49
N P-D-		TRANSISTOR: controller unit (81349-MILS19500-180 JAN2N1486) (CA w/Stab)	EA	1							•	•	06-55.4	50
N P-D-		INSULATOR: transistor (11608304) (CA w/Stab)	EA	1							•	•	06-55.4	51
		0618–RATE SENSOR ASSEMBLY (11608331) AND RELATED PARTS (CA W/STAB)												
N P-O-	5305-269-3211	SCREW: rate sensor mounting (96906-MS90725-60) (CA w/Stab)	EA	3	•	•	•	•	•	•	•	•	06-55.5	1
N P-O-	5310-637-9541	WASHER, LOCK: rate sensor mounting screw (96906-MS35338-46) (CA w/Stab)	EA	3	•	•	•	•	•	•	•	•	06-55.5	2
N P2-O-	2590-088-2558	BRACKET: rate sensor mounting (11654851) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.5	3
N P-O-	6110-068-8409	RATE SENSOR ASSEMBLY: turret and gun control (11608331) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.5	4
N P-O-	5310-584-5272	WASHER, LOCK: bracket mounting screw (96906-MS35338-48) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-55.5	5
N P-O-	5305-719-5241	SCREW: bracket mounting (96906-MS90727-118) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-55.5	6
		0618–RATE SENSOR ASSEMBLY (11608331) (CA W/STAB)												
N X1-D		BASE ASSEMBLY: rate sensor (11615317) (CA w/Stab)		1									06-55.6	1
N P-D-	5305-068-0502	SCREW: rate sensor cover (96906-MS90725-6) (CA w/Stab)	EA	10	•	•	•	•	•	•	•	•	06-55.6	2
N P-D-	5310-582-5965	WASHER, LOCK: rate sensor cover screw (96906-MS35338-44) (CA w/Stab)	EA	10	•	•	•	•	•	•	•	•	06-55.6	3
N P-D-		SEAL: rate sensor cover to base (11608318-3) (CA w/Stab)	V	1	•	•	•	•	•	•	•	•	06-55.6	4
N P-D-		CONNECTOR ASSEMBLY: power supply to amplifier demodulator (11608339) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.6	5
N P-D-	5310-579-0079	WASHER, LOCK: terminal mounting (96906-MS35333-37) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.6	6
N P-D-		SCREW: (96906-MS35225-25) (CA w/stab)	EA	1	•	•	•	•	•	•	•	•	06-55.6	7

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No	(10) (b) Item No
		0618–RATE SENSOR ASSEMBLY (11608331) (CA W/STAB)–Cont.												
N P-D-	5310-914-6176	WASHER, LOCK: amplifier demodulator to base (6), connector mounting (3) (10947272-2) (CA w/Stab)	EA	9	*	*	*	*	*	*	*	*	06-55.6	8
N P-D-	5305-019-3257	SCREW: connector mounting (96906-MS35225-26) (CA w/Stab)	EA	3	*	*	*	*	*	*	*	*	06-55.6	9
N P-D-		GYROSCOPE: rate sensor (11608336) (CA w/Stab)	EA	2	*	*	*	*	*	*	*	*	06-55.6	10
N P-D-		AMPLIFIER DEMODULATOR ASSEMBLY: (11608338) (CA w/Stab)	EA	2	*	*	*	*	*	*	*	*	06-55.6	11
N P-D-	5305-043-6670	SCREW: amplifier mounting (96906-MS35225-35) (CA w/Stab)	EA	6	*	*	*	*	*	*	*	*	06-55.6	12
N P-D-		SCREW: power supply mounting (96906-MS35226-30) (CA w/Stab)	EA	6	*	*	*	*	*	*	*	*	06-55.6	13
N P-D-	5310-045-4007	WASHER, LOCK: power supply mounting (6), connector plate mounting (4) (96906-MS35338-41) (CA w/Stab)	EA	10	*	*	*	*	*	*	*	*	06-55.6	14
N P-D-	5310-933-8483	WASHER: connector clip screw (96906-MS27183-5) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.6	15
N P-D-		POWER SUPPLY: rate sensor (11608337) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.6	16
N XD-		COVER ASSEMBLY: rate sensor (11637135) (CA w/Stab)		1									06-55.6	17
N P-D-	5330-802-5905	PACKING, PREFORMED: connector plate (96906-MS28775-132) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.6	18
N XD-		PLATE: connector mounting (11610784) (CA w/Stab)		1									06-55.6	19
N P-D-	5305-889-3000	SCREW: connector plate mounting (96906-MS35206-230) (CA w/Stab)	EA	4	*	*	*	*	*	*	*	*	06-55.6	20
N P-D-	5365-411-5305	PLUG: cover (10915891) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.6	21
N P-D-	5330-805-2966	PACKING, PREFORMED: cover plug (96906-MS28778-4) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.6	22
N P-D-		PLATE, IDENTIFICATION: rate sensor (11676082-7) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.6	23
N P-D-	5310-990-4232	WASHER, LOCK: gyroscope mounting screw (10947272) (CA w/Stab)	EA	8	*	*	*	*	*	*	*	*	06-55.6	24
N P-D-	5305-068-5414	SCREW: gyroscope mounting (96906-MS16995-11) (CA w/Stab)	EA	8	*	*	*	*	*	*	*	*	06-55.6	25
N P-D-	5305-945-4652	SCREW: connector plate mounting (18876-10121213) (CA w/Stab)	EA	2	*	*	*	*	*	*	*	*	06-55.6	26
N P-D-		NUT: connector plate mounting (11615483) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-55.6	27

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

	(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			0618–STABILIZATION SHUT-OFF BOX (11655086) AND RELATED PARTS (CA W/STAB)												
N	P-O-		BOX ASSEMBLY, STABILIZATION SHUT-OFF: turret and gun control (11655086) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.7	1
N	P-F-		SCREW: connector mounting (96906-MS35206-216) (CA w/Stab)	EA	4	•	•	•	•	•	•	•	•	06-55.7	2
N	P-F-		WASHER, LOCK: connector mounting screw (96906-MS35338-40) (CA w/Stab)	EA	4	•	•	•	•	•	•	•	•	06-55.7	3
N	P-F-		RECEPTACLE: shut-off box (7524938) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.7	4
N	P-F-		WIRE, ELECTRICAL: shut-off box components to connector (81349-MS81044-12-20) (CA w/Stab)		V	•	•	•	•	•	•	•	•	06-55.7	5
N	P-F-		GASKET: connector to case (96906-MS52000-4) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.7	6
N	P-F-		PLUG: case (96906-MS49005-1) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.7	7
N	X1-		CASE: shut-off box (11655078) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.7	8
N	P-F-		GASKET: case cover (11655077) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.7	9
N	P-F-		INSULATION, TUBING: switch connector (81349-MIL123053-5) (CA w/Stab)		V	•	•	•	•	•	•	•	•	06-55.7	10
N	P-F-		SWITCH: shut-off (96906-MS25089-5F) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.7	11
N	X1-		COVER: case (11655076) (CA w/Stab)	EA	1									06-55.7	12
N	P-F-		HOUSING: indicator lamp (LH89-1) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.7	13
N	P-O-	6240-155-7836	LAMP: indicator (96906-MS25237-327) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.7	14
N	P-O-		LENS: indicator lamp (LC37GD2) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.7	15
N	P-F-		BOOT: shut-off switch (81349-MILB5423-07-04) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.7	16
N	P-F-	5305-988-1725	SCREW: cover mounting (96906-MS35206-281) (CA w/Stab)	EA	4	•	•	•	•	•	•	•	•	06-55.7	17
N	P-O-	5310-582-5965	WASHER, LOCK: shut-off box mounting screw (2), cover mounting screw (4) (96906-MS35338-44) (CA w/Stab)	EA	6	•	•	•	•	•	•	•	•	06-55.7	18
N	P-O-	5305-071-2234	SCREW: shut-off mounting (96906-MS90725-17) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-55.7	19
N	P-O-	5310-761-6882	NUT: shut-off box mounting screw (96906-MS51967-2) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-55.7	20

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

	(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			0618–POWER PACK BLOWER ASSEMBLY (11675940) AND RELATED PARTS (CA W/STAB)												
N	P-O-	5305-068-0506	SCREW: blower mounting strap (96906-MS90726-6) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-55.8	1
N	P-O-	5310-582-5965	WASHER, LOCK: blower mounting strap screw (1), tube retaining strap (2) (96906-MS35338-44) (CA w/Stab)	EA	3	•	•	•	•	•	•	•	•	06-55.8	2
N	P-O-	5310-550-1130	WASHER, LOCK: blower mounting strap screw (96906-MS35333-40) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-55.8	3
N	P-O-	5340-073-5969	STRAP: blower mounting (11675945) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-55.8	4
N	P-O-		BLOWER ASSEMBLY: power pack (11675940) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.8	5
N	P-O-	4730-908-3193	CLAMP: blower hose (96906-MS35842-12) (CA w/Stab)	EA	8	•	•	•	•	•	•	•	•	06-55.8	6
N	P-O-		HOSE: blower to tube (11654583-10) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-55.8	7
N	P-O-	4730-087-2077	TUBE: power pack to blower (11676001-2) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.8	8
N	P-O-		TUBE: blower to power pack (11676001-1) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.8	9
N	P-O-		HOSE: blower tube to power pack (11654583-2) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-55.8	10
N	P-O-	2590-088-2640	DUCT: blower hose to power pack (11659756-1) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.8	11
N	P-O-	5310-045-3296	WASHER, LOCK: duct mounting screw (96906-MS35338-43) (CA w/Stab)	EA	8	•	•	•	•	•	•	•	•	06-55.8	12
N	P-O-	5305-983-7429	SCREW: duct mounting (96906-MS16998-28) (CA w/Stab)	EA	8	•	•	•	•	•	•	•	•	06-55.8	13
N	P-O-	5330-078-8596	GASKET: duct mounting (11675948) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-55.8	14
N	P-O-	2590-088-2644	DUCT: blower hose to power pack (11659756-2) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.8	15
N	P-O-	5305-068-0501	SCREW: blower tube strap (96906-MS90725-5) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-55.8	16
N	P-O-		STRAP: blower tube (11675944) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-55.8	17

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0618 - GUNNER'S CONTROL BOX ASSEMBLY (11645222) AND ATTACHING PARTS (BA, DA, DA Ser. No. 601w thru 726w)												
C P-F-	2590-405-9779	WIRING AND COMPONENT ASSEMBLY: gunner's selector switch box assembly (11645223) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	•	•	06-56	1
C P-O-	5305-543-2752	SCREW, MACHINE, DRILLED, FILLISTER HEAD: harness receptacle to box (96906-MS35267-45) (BA, DA, DA Ser. No. 601w thru 726w)	EA	4	•	•	•	•	•	•	•	•	06-56	2
P-O-	5310-045-3299	WASHER, LOCK: harness receptacle to box (4) control box switches (6) (96906-MS35338-42) (BA, DA, DA Ser. No. 601w thru 726w)	EA	10	•	•	•	•	•	•	•	•	06-56	3
C P-O-	5310-934-9757	NUT, PLAIN, HEXAGON: harness receptacle to box (96906-MS35649-82) (BA, DA, DA Ser. No. 601w thru 726w)	EA	4	•	•	•	•	•	•	•	•	06-56	4
P-O-	5930-296-6318	SWITCH, TOGGLE: gunner's selector, switch box turret power switch (96906-MS39061-1) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	•	•	06-56	5
P-O-	5305-889-3001	SCREW, MACHINE, PAN HEAD: gunner's selector switch box harness ground box (96906-MS35206-231) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	•	•	06-56	6
P-O-	5310-209-0788	WASHER, LOCK: gunner's selector switch box harness ground to box (96906-MS35335-30) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	•	•	•	•	•	•	•	•	06-56	7
P-O-	5310-934-9747	NUT, PLAIN, HEXAGON: gunner's selector switch box harness ground box (96906-MS35649-262) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	•	•	06-56	8
P-O-	5310-579-0079	WASHER, LOCK: indicator lamps to box (96906-MS35333-37) (BA, DA, DA Ser. No. 601w thru 726w)	EA	6	•	•	•	•	•	•	•	•	06-56	9
C P-O-	5305-984-4988	SCREW, MACHINE: indicator lamps to box (96906-MS35206-228) (BA, DA, DA Ser. No. 601w thru 726w)	EA	6	•	•	•	•	•	•	•	•	06-56	10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0618 - GUNNER'S CONTROL BOX ASSEMBLY (11645222) AND ATTACHING PARTS (BA, DA, DA Ser. No. 601w thru 726w) Cont'd												
C P-O-	5305-984-6192	SCREW, MACHINE: gun switch to box (96906-MS35206-244) (BA, DA, DA Ser. No. 601w thru 726w)	EA	6	*	*	*	*	*	*	*	*	06-56	11
P-O-	2590-938-8209	BOX: gunner's selector switch (10887508) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-56	12
P-O-	1025-925-9855	SEAL: indicator lamp variable resistor knob (10885487) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-56	13
P-O-	5355-685-4688	KNOB: indicator lamp variable resistor (96906-MS91528-1D1B) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-56	14
-O-	5310-209-0786	WASHER, LOCK: gunner's selector switch to bracket (96906-MS35335-33) (BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-56	15
P-O-	5310-582-5965	WASHER, LOCK: gunner's selector switch to bracket (96906-MS35338-44) (BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-56	16
P-O-	5305-225-3839	SCREW: gunner's selector switch to bracket (96906-MS90725-8) (BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-56	17
P-O-R	2590-256-5536	CONTROL BOX: gunner's selector switch (11645222) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-56	18
		0618 - GUNNER'S CONTROL BOX ASSEMBLY (11645185) AND ATTACHING PARTS (CA, CC)												
C P-O-	5305-543-2752	SCREW: gunner's switch box wiring harness receptacle to box (96906-MS35267-45) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-57	1
P-O-	5310-045-3299	WASHER, LOCK: gunner's switch box wiring harness receptacle to box (96906-MS35338-42) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-57	2
P-O-	2590-979-5597	WIRING HARNESS ASSEMBLY: gunner's switch box (10924086) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-57	3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

	(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
			0618 - GUNNER'S CONTROL BOX ASSEMBLY (11645185) AND ATTACHING PARTS (CA, CC) - Cont'd												
	P-O-	5330-641-4336	GASKET: gunner's switch box wiring harness receptacle (96906-MS52000-8) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-57	4
	X1-		CASE: gunner's switch box (10924087) (CA, CC)		1									06-57	5
	P-O-	5995-403-9573	LEAD ASSEMBLY: indicator lights (10924085-6) (CA, CC)	EA	3	*	*	*	*	*	*	*	*	06-57	6
C	P-O-	5970-577-1631	INSULATION SLEEVING, ELECTRICAL: lead assemblies (6 pieces, 1 inch long) (80244-17-I-1725-11) (CA, CC)	FT	V	*	*	*	*	*	*	*	*	06-57	7
	P-O-	5330-584-1840	PACKING: indicator lamp mounting (96906-MS28775-014) (CA, CC)	EA	3	*	*	*	*	*	*	*	*	06-57	8
	P-O-	2590-870-6243	GASKET: gunner's switch box cover to case (10905685) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-57	9
	X1-		COVER: gunner's switch box (10905695) (CA, CC)		1									06-57	10
	P-O-		LIGHT, INDICATOR, SEMIBLACKOUT RED: gunner's switch box indicator lamps (10922132-1) (CA, CC)	EA	3	*	*	*	*	*	*	*	*	06-57	11
	P-O-	6240-155-7836	LAMP, INCANDESCENT: gunner's switch indicator lamps (96906-MS25237-327) (CA, CC)	EA	3	*	*	*	*	*	*	*	*	06-57	12
	P-O-	5310-924-5968	WASHER, KEY: toggle switch mounting (96906-MS25081-1) (CA, CC)	EA	3	*	*	*	*	*	*	*	*	06-57	13
	P-O-	5310-616-2973	NUT, PLAIN, HEXAGON: toggle switch mounting (96906-MS25082-21) (CA, CC)	EA	3	*	*	*	*	*	*	*	*	06-57	14
	P-O-	5305-988-1723	SCREW, MACHINE, PAN HEAD: gunner's switch box cover to case (96906-MS35206-279) (CA, CC)	EA	6	*	*	*	*	*	*	*	*	06-57	15
R	P-O-	5310-011-5544	WASHER, LOCK: gunner's switch box cover to case (96906-MS35333-40) (CA, CC)	EA	6	*	*	*	*	*	*	*	*	06-57	16
	P-O-	5330-806-8769	SEAL, BUSHING, EXTERNAL: toggle switch to cover (96906-MS25196-1) (CA, CC)	EA	3	*	*	*	*	*	*	*	*	06-57	17
	P-O-	5930-984-9883	SWITCH, TOGGLE: gunner's switch box (96906-MS25307-222) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-57	18
C	P-O-	5970-284-8640	INSULATOR: lead assemblies (10 pieces, 1 inch long) (81349-MIL-I-631), Type F, Grade B, Form U, Class 1, Category 1, transperent, .182 I.D., .020 wall) (CA, CC)	FT	V	*	*	*	*	*	*	*	*	06-57	19
	P-O-	5995-403-9575	LEAD ASSEMBLY: machine gun toggle switch to light (10924085-9) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-57	20

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

	(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Catgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
			0618—GUNNER'S CONTROL BOX ASSEMBLY (11645185) AND ATTACHING PARTS (CA, CC) - Cont'd												
	P-O-	5995-403-9574	LEAD ASSEMBLY: main gun toggle switch to light (10924085-8) (CA, CC)	EA	1	•	•	•	•	•	•	•	•	06-57	21
	P-O-	5930-826-0157	SWITCH, TOGGLE: gunner's switch box elevating, traversing (96906-MS25306-221) (CA, CC)	EA	1	•	•	•	•	•	•	•	•	06-57	22
	P-O-	5995-403-9578	LEAD ASSEMBLY: elevating and traverse toggle switch to light (10924085-7) (CA, CC)	EA	1	•	•	•	•	•	•	•	•	06-57	23
	P-O-	5995-403-9577	LEAD ASSEMBLY: machine gun toggle switch to main gun toggle switch (10924085-5) (CA, CC)	EA	1	•	•	•	•	•	•	•	•	06-57	24
	P-O-	5995-403-9576	LEAD ASSEMBLY: machine gun toggle switch to main gun toggle switch (10924085-4) (CA, CC)	EA	1	•	•	•	•	•	•	•	•	06-57	25
C	P-O-	5305-984-6193	SCREW, MACHINE, gunner's switch box terminal to case (96906-MS35206-245) (CA, CC)	EA	1	•	•	•	•	•	•	•	•	06-57	26
	P-O-	5310-559-0070	WASHER, LOCK: gunner's switch box lamp assembly terminal to case ground (96906-MS35333-38) (CA, CC)	EA	2	•	•	•	•	•	•	•	•	06-57	27
	P-O-	4730-018-9566	PLUG: gunner's switch box to case (96906-MS49005-2) (CA, CC)	EA	1	•	•	•	•	•	•	•	•	06-57	28
	P-O-	5305-071-2506	SCREW, CAP, HEXAGON HEAD: gunner's switch box to mounting bracket (4) (CA) (3), (CC), mounting bracket to turret (2) (CA, CC) (96906-MS90728-3)												
			(CA)	EA	6	•	•	•	•	•	•	•	•	06-57	29
			(CC)	EA	5	•	•	•	•	•	•	•	•	06-57	29
C	P-F-	2590-256-5534	LEAD ASSEMBLY: turret warning light to ground (11645184) (CA, CC)	EA	1	•	•	•	•	•	•	•	•	06-57	29A
	P-O-	5310-582-5965	WASHER, LOCK: gunner's switch box to mounting bracket (4) (CA), (3) (CC) mounting bracket to turret (2), (CA, CC) (96906-MS35338-44)												
			(CA)	EA	6	•	•	•	•	•	•	•	•	06-57	30
			(CC)	EA	5	•	•	•	•	•	•	•	•	06-57	30
	P-O-	5340-178-0106	BRACKET, MOUNTING: gunner's switch box (10911289) (CC)	EA	1	•	•	•	•	•	•	•	•	06-57	31
	P-O-	5310-809-3078	WASHER, FLAT: gunner's switch box mounting bracket (96906-MS27183-11) (CA)	EA	1	•	•	•	•	•	•	•	•	06-57	32
	P-O-	2590-178-0089	BRACKET, MOUNTING: gunner's switch box (11590967) (CA)	EA	1	•	•	•	•	•	•	•	•	06-57	33
	P-O-R	2590-256-5535	CONTROL BOX: gunner's (11645185) (CA, CC)	EA	1	•	•	•	•	•	•	•	•	06-57	34

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No	(b) Item No
		0618 - GUNNER'S CONTROL BOX WIRING AND COMPONENT ASSEMBLY (11645223) (BA, DA, DA Ser. No. 601w thru 726w)												
P-O-	6145-772-0853	CABLE, ELECTRICAL: gunner s selector switch box harness (approximately .120 inch long) (81349-M13486 / 1-5) (BA, DA, DA Ser. No. 601w thru 726w)	FT	V	*	*	*	*	*	*	•	•	06-58	1
C P-O-	9905-752-4649	BAND, MARKER, BLANK: gunner's selector switch box harness (96906-MS39020-1) (BA, DA, DA Ser. No. 601w thru 726w)	EA	26	*	•	•	*	•	•	•	•	06-58	2
P-O-	5935-833-8561	SHELL, ELECTRICAL CONNECTOR: gunner's selector switch box harness connector (8338561) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	•	*	*	•	•	•	06-58	3
P-O-	5970-833-8562	INSULATOR BUSHING: gunner's selector switch box harness connector (8338562) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	•	*	*	•	•	•	06-58	4
P-O-	5940-399-6676	TERMINAL, CRIMPED FEMALE: gunner's selector switch box harness connector (8338564) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	•	*	*	•	•	•	06-58	5
C P-O-		TERMINAL, ELECTRICAL: gunner's selector switch box harness to lamp assembly ground (7056706) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	*	•	•	*	•	•	•	•	06-58	6
P-O-	5930-548-8046	SWITCH ASSEMBLY: gunner's selector switch assembly to machine gun (1) to main gun (1) (7954899) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	•	•	•	•	•	•	•	•	06-58	7
P-O-	5905-887-5770	VARIABLE RESISTOR: machine gun, main gun and turret power lamp assemblies (10887505) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	•	•	•	•	•	•	•	06-58	8
P-O-	6220-025-3675	CAP: lamp assembly, gunner's selector switch box harness (8329210) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	*	•	•	*	•	•	•	•	06-58	9
P-O-	5310-562-0037	GASKET: lamp assembly gunner's selector switch box harness (8329211) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	*	•	•	*	•	•	•	•	06-58	10
P-O-	6240-155-7836	LAMP, INCANDESCENT: lamp assembly (96906-MS25237-327) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	•	•	•	•	•	•	•	•	06-58	11
P-O-	6210-453-9620	LAMP ASSEMBLY: gunner's selector switch box harness (7973693) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	•	•	•	•	•	•	•	•	06-58	12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0618 - GUNNER'S CONTROL BOX WIRING AND COMPONENT ASSEMBLY (10887509) (BA, DA, DA Ser. No. 601w thru 726w)—Cont'd												
P-O-	9905-893-3570	BAND, MARKER BLANK: gunner's selector switch box harness (96906-MS39020-3) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-58	13
P-O-	5935-333-9414	NUT, GROMMET, RETAINER, ELECTRICAL CONNECTOR: gunner's selector switch box receptacle (7723308) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-58	14
P-O-	5935-772-3474	INSERT, ELECTRICAL: gunner's selector switch box receptacle (7723474) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	12	20	06-58	15
P-O-	5935-485-8955	PIN, CONTACT: gunner's selector switch box receptacle assembly (7716521) (BA, DA, DA Ser. No. 601w thru 726w)	EA	8	*	*	*	*	*	*	6	160	06-58	16
P-O-	5935-771-6781	SHELL: gunner's selector switch box receptacle assembly (8701329) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-58	17
P-O-	5935-772-2353	RECEPTACLE ASSEMBLY: gunner's selector switch box harness (7722353) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-58	18
		0618 - GUNNER'S CONTROL BOX WIRING HARNESS (10924086) (CA, CC)												
P-O-	2510-738-8328	RECEPTACLE ASSEMBLY: gunner's switch box (7388328) (CA, CC)	EA	1	*	*	1	*	*	1	8	12	06-59	1
X1-O-		SHELL: gunner's switch box receptacle assembly (8701330) (CA, CC)		1									06-59	2
P-O-	5935-772-3474	INSERT: gunner's switch box receptacle assembly (7723474) (CA, CC)	EA	1	*	*	1	*	*	1	12	20	06-59	3
P-O-	6145-243-0576	WIRE, ELECTRICAL: gunner's switch box wiring harness (approximately 8 inch long) (81349-MIL-W-76, Type MW-C-18-(16)-U-05) (CA, CC)	FT	≠	*	*	*	*	*	*	6	80	06-59	4
P-O-	6145-164-7026	WIRE, ELECTRICAL: gunner's switch box wiring harness (approximately .40 inch long) (81349-MIL-W-76, Type MW-C-16-(19)-U-O) (CA, CC)	FT	≠	*	*	*	*	*	*	6	150	06-59	5
P-O-	7510-835-1247	TAPE, MARKER, BLANK: gunner's switch box wiring harness (81349-MIL-T-14379, Type I) (CA, CC)	FT	≠	*	*	*	*	*	*	6	≠	06-59	6

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0618 - GUNNER'S CONTROL BOX WIRING HARNESS (10924086) (CA, CC) - Cont'd												
P-O-	5970-296-6078	INSULATION, SLEEVE: gunner's switch box receptacle and wiring harness (6 pieces, approximately 1 inch long) (80244-17-I-1725-56) (CA, CC)	FT	≠	*	*	*	*	*	*	6	50	06-59	7
		0618 - TURRET POWER AND SEARCHLIGHT RELAY ASSEMBLIES (7972802) AND MOUNTING PARTS (BA, DA, DA Ser. No. 601w thru 726w)												
P-O-R	2590-053-1074	BOX ASSEMBLY, POWER AND SEARCHLIGHT: turret (7972802) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	2	2	3	2	2	3	8	20	06-60	1
P-O-	5305-984-6196	SCREW, MACHINE, PAN HEAD: circuit breaker (96906-MS35206-248) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-60	2
P-O-	5310-045-3299	WASHER, LOCK: mounting bracket (8) mounting bracket and circuit breaker (8) (96906-MS35338-42) (DA, DA Ser. No. 601w thru 726w)	EA	16	*	*	1	*	*	1	12	800	06-60	3
P-O-	5925-026-4767	CIRCUIT BREAKER: bracket (96906-MS39062-1) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	2	2	*	2	2	10	20	06-60	4
P-O-	2520-178-0461	BRACKET, ANGLE: mounting bracket (10884540) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	4	*	06-60	5
P-O-	5305-068-0505	SCREW, HEXAGON: (8) mounting bracket (8) mounting bracket and circuit breaker (96906-MS90726-5) (DA, DA Ser. No. 601w thru 726w)	EA	16	*	*	1	*	*	1	12	480	06-60	6
P-O-	2590-809-7122	BRACKET, MOUNTING: hull (8734616) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	3	*	06-60	7
P-O-	2520-178-0411	BRACKET, MOUNTING: hull (10921925) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	3	*	06-60	8
P-O-	2520-178-0432	BRACKET, MOUNTING: hull (10887299) (BA)	EA	1	*	*	*	*	*	*	3	*	06-60	9
P-O-	5306-018-6493	SCREW, LOCKWASHER: mounting bracket (21450-186493) (BA)	EA	4	*	*	1	*	*	1	o		06-60	10
P-O-	5306-018-7263	SCREW, LOCKWASHER: mounting bracket (21450-187263) (BA)	EA	2	*	*	1	*	*	1	8	60	06-60	11
P-O-	5306-043-1953	SCREW, LOCKWASHER: mounting bracket (21450-431953) (BA)	EA	8	*	*	1	*	*	1	14	240	06-60	12
P-O-	2520-178-0427	BRACKET, MOUNTING: hull (10864219) (BA)	EA	1	*	*	*	*	*	*	4	*	06-60	13

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0618 - TURRET POWER AND SEARCHLIGHT RELAY ASSEMBLY (7972802) (BA, DA, DA Ser. No. 601w thru 726w)												
P-F-	6150-134-0838	BUS-BAR: turret power circuit breaker to receptacle (1) searchlight power circuit breaker to receptacle (1) (7972801) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	1
X1-F-		BOX: turret power relay assembly (1) searchlight power relay assembly (1) (7972851) (BA, DA, DA Ser. No. 601w thru 726w)		2									06-61	2
P-F-	5330-641-4336	GASKET: turret power relay receptacle (2) searchlight power relay receptacle (2) (96906-MS52000-8) (BA, DA, DA Ser. N0. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-61	3
P-F-	5935-775-1500	RECEPTACLE, WIRING HARNESS: turret power relay (1) searchlight power relay (1) (7751500) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	4
P-F-	5310-903-3992	NUT, PLAIN, HEXAGON: turret power relay receptacle stud (1) searchlight power relay receptacle stud (1) (96906-MS51970-3) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	5
P-F-	5310-595-7237	WASHER, LOCK: turret power relay receptacle stud (1) searchlight power relay receptacle stud (1) (96906-MS35333-42) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	6
C P-F-	5310-167-0704	WASHER, FLAT: turret power receptacle stud (2) searchlight power receptacle stud (2) (88044-AN960B616) (BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-61	7
P-F-	5315-291-4410	STUD, ELECTRICAL: turret power receptacle (1) searchlight power receptacle (1) (7751487) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	8
P-F-	5935-738-8321	RECEPTACLE ASSEMBLY: turret relay assembly (1) searchlight relay assembly (1) (7388321) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	9
P-F-	5310-559-0070	WASHER, LOCK: turret power relay receptacles to box (8) searchlight power relay receptacles to box (8) (96906-MS35333-38) (BA, DA, DA Ser. No. 601w thru 726w)	EA	16	*	*	*	*	*	*	*	*	06-61	10
P-F-	5305-984-6191	SCREW, MACHINE, PAN HEAD: turret power relay receptacles to box (8) searchlight power relay receptacles to box (8) (96906-MS35206-243) (BA, DA, DA Ser. No. 601w thru 726w)	EA	16	*	*	*	*	*	*	*	*	06-61	11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(b) Item No.
		0618 - TURRET POWER AND SEARCHLIGHT RELAY ASSEMBLY (7972802) (BA, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-F-	5940-113-3143	TERMINAL, LUG: turret power relay receptacle assembly ble (1; searchlight power relay receptacle assembly cable (1) 590(MS20659-103) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	12
C P-F-	6145-772-0853	CABLE, ELECTRICAL: turret power relay receptacle and searchlight power relay receptacle (approximately 6 inches long) (81349-M13486 / 1-5) (BA, DA, DA Ser. No. 601w thru 726w)	FT	V	*	*	*	*	*	*	*	*	06-61	13
P-F-	5330-939-0666	GASKET: turret power relay receptacle assembly to box (1) searchlight power relay receptacle assembly to box (96906-MS52000-3) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	14
P-F-	5970-679-1509	INSULATOR, ELECTRICAL: turret power relay receptacle (1) searchlight power relay receptacle (2 pieces ¾ inch long) (80244-1711725-56) (BA, DA, DA Ser. No. 601w thru 726w)	FT	2	*	*	*	*	*	*	*	*	06-61	15
P-F-	5935-772-0498	RECEPTACLE: turret power relay assembly (1) searchlight power relay assembly (1) (7720498) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	16
P-F-	5310-045-4007	WASHER, LOCK: turret power relay receptacle to box (8) searchlight power relay receptacle to box (8) (96906-MS35338-41) (BA, DA, DA Ser. No. 601w thru 726w)	EA	16	*	*	*	*	*	*	*	*	06-61	17
P-F-	5305-958-4353	SCREW, MACHINE, PAN HEAD: turret power relay receptacle to box (8) searchlight power relay receptacle to box (8) (96906-MS35207-229) (BA, DA, DA Ser. No. 601w thru 726w)	EA	16	*	*	*	*	*	*	*	*	06-61	18
P-F-	5935-874-3281	RECEPTACLE ASSEMBLY: turret power relay assembly (1) searchlight power relay assembly (1) (7972680) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	19
P-F-	5330-946-8344	GASKET: turret power relay receptacle to box (1) searchlight power relay receptacle to box (1) (96906-MS52000-5) (BA, DA, DA Ser. No. 601w thru 725w)	EA	2	*	*	*	*	*	*	*	*	06-61	20
P-F-	5935-772-2225	RECEPTACLE: turret power relay assembly (1) searchlight power relay assembly (1) (7722225) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	21

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0618 - TURRET POWER AND SEARCHLIGHT RELAY ASSEMBLY (7972802) (BA, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-F-	5935-874-3283	RECEPTACLE ASSEMBLY: turret power relay assembly (1) searchlight power relay assembly (1) (7972770) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	22
P-F-	5935-771-6835	RECEPTACLE ASSEMBLY: turret power relay receptacle assembly (1) searchlight power relay receptacle assembly (1) (7388320) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	23
P-F-	5935-738-8305	RECEPTACLE ASSEMBLY: turret power relay assembly (1) searchlight power relay assembly (1) (7388305)	EA	2	*	*	*	*	*	*	*	*	06-61	24
P-F-	5305-042-0475	SCREW, ASSEMBLED WASHER: turret and searchlight power circuit breakers to box (21450-420475) (BA, DA, DA Ser. No. 601w thru 726w)	EA	8	*	*	*	*	*	*	*	*	06-61	25
P-F-	5310-550-1130	WASHER, LOCK: turret power relay bus-bar to receptacle (1) searchlight power relay bus-bar to receptacle (1) (96906-MS35333-40) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	26
P-F-	2590-823-5585	BUS-BAR: turret power relay circuit breaker to receptacle (1) searchlight power relay circuit breaker to receptacle (1) (7972780) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	27
C P-F-	5310-167-0702	WASHER, FLAT: turret power relay bus-bar to receptacle (1) searchlight power relay bus-bar to receptacle (1) (88044 AN960B416) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	28
P-F-	5310-761-6882	NUT, PLAIN, HEXAGON: turret power relay bus-bar to receptacle (1) searchlight power relay to bus-bar to receptacle (1) (96906)MS51967-2) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	29
P-F-	5925-840-5393	CIRCUIT BREAKER: turret power relay assembly (1) searchlight power relay assembly (1) (96906-MS39069-2) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	30
P-F-	5330-599-3699	GASKET: turret power relay assembly cover to box (1) seachlight power relay assembly cover to box (1) (7972766) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	31
P-F-	2590-933-9588	COVER: turret power relay assembly (1) searchlight power relay assembly (1) (7972752) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	32

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 3)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No.
		0618 - TURRET POWER AND SEARCHLIGHT RELAY ASSEMBLY (7972802) (BA, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-F-	5306-738-2876	SCREW, SPECIAL, HEXAGON HEAD: turret power relay assembly cover to box (6) searchlight power relay assembly cover to box (6) (7382876) (BA, DA, DA Ser. No. 601w thru 726w)	EA	12	*	*	1	*	*	*	*	*	06-61	33
P-F-	5310-045-3296	WASHER, LOCK, SPLIT: turret power relay cover to box (6) searchlight power relay cover to box (6) (96906-MS35338-43) (BA, DA, DA Ser. No. 601w thru 726w)	EA	12	*	*	*	*	*	*	*	*	06-61	34
P-F-	5305-042-0989	SCREW: turret power relay to box (2) searchlight power relay to box (2) (420989) (BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-61	35
P-F-	5310-209-0786	WASHER, LOCK: turret power relay to box (2) searchlight power relay to box (2) (96906-MS35335-33) (BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-61	36
P-F-	5310-891-1733	NUT, PLAIN, HEXAGON: turret power relay load post (2) searchlight power relay load post (96906-MS35691-38) (BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-61	37
P-F-	5310-584-5272	WASHER, LOCK: turret power relay load post (2) searchlight power relay load post (2) (96906-MS35338-48) (BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-61	38
P-F-	5310-809-5998	WASHER, FLAT: turret power relay load post (2) turret searchlight power relay load post (2) (96906-MS27183-18) (BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-61	39
P-F-	5945-232-5773	RELAY: turret power (1) searchlight power (1) (AN3380-1) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	40
P-F-	5310-785-1762	NUT, PLAIN, HEXAGON: turret power circuit breaker (2) searchlight power circuit breaker (2) (96906-MS51968-9) (BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-61	41
P-F-	5310-637-9541	WASHER, LOCK: turret power circuit breaker (2) searchlight power circuit breaker (2) (96906-MS35338-46) (BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-61	42
P-F-	6150-179-7973	SPACE, BUS-BAR: turret power relay to receptacle (1) searchlight power relay to receptacle (1) (7972867) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-61	43

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No	(10) (b) Item No
		0618—STABILIZATION SYSTEM WIRING HARNESS ASSEMBLY (11636867) (CA W/STAB)												
N P-F-	2590-088-2322	HARNESS ASSEMBLY: stabilization system (11636867) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-61.1	1
		0618—ELEVATION SHUT-OFF ELECTRICAL LEAD ASSEMBLY (11654868) (CA W/STAB)												
N P-F-	2590-088-2573	LEAD ASSEMBLY: elevation shut-off (11654868) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-61.2	1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(b) Item No.
		0618 - TURRET POWER AND SEARCHLIGHT RELAY ASSEMBLY (10905722) (CC), (11590881) (CA) AND MOUNTING PARTS												
P-O-R	6110-179-2989	CONTROL BOX ASSEMBLY: turret power and searchlight relay (11590881) (CA)	EA	1	*	*	*	*	*	*	*	*	06-62	1
P-O-R	2590-763-0815	CONTROL BOX ASSEMBLY: turret power and searchlight relay (10905722) (CC)	EA	1	*	*	*	*	*	*	*	*	06-62	1
P-O-	5340-178-0077	BRACKET, MOUNTING: turret power and searchlight relay control box assembly (10911355) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-62	2
P-O-	5310-582-5965	WASHER, LOCK: control box to bracket (96906-MS35338-44) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-62	3
P-O-	5305-068-0500	SCREW, HEXAGON: control box to bracket (96906-MS90725-3) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-62	4
P-O-	5310-637-9541	WASHER, LOCK: bracket to turret (96906-MS35338-46) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-62	5
P-O-	5305-269-3209	SCREW, HEXAGON: bracket to turret (96906-MS90725-58) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-62	6
		0618 - TURRET POWER AND SEARCHLIGHT RELAY ASSEMBLY (10905722) (CC), (11590881) (CA)												
X1-		COVER: turret power relay box (10905692) (CA, CC)		1									06-63	1
P-F-	5310-582-5965	WASHER, LOCK: cover to box (96906-MS35338-44) (CA, CC)	EA	8	*	*	*	*	*	*	*	*	06-63	2
P-F-	5305-225-3840	SCREW, CAP, HEXAGON HEAD: cover to box (96906-MS90725-7) (CA, CC)	EA	8	*	*	*	*	*	*	*	*	06-63	3
P-F-	5330-050-7018	GASKET: turret power relay box (11599739) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-63	4
P-F-	4730-011-8831	PLUG: to power relay box (24617) (118831) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-63	5
A-F-		LEAD ASSEMBLY: turret power relay blower motor receptacle feed (10924262) (CA, CC)		1									06-63	6
P-F-	5940-557-4344	TERMINAL: turret power relay box cable (96906-MS25036-120) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-63	7
P-F-		WIRE, ELECTRICAL: turret power relay assembly (1 piece 18 inches long) (81349-MIL-W-16878 / 8A, Type FF-6) (CA, CC)		V									06-63	8

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0618 - TURRET POWER AND SEARCHLIGHT RELAY ASSEMBLY (10905722) (CC), (11590881) (CA) - Cont'd												
P-F-	5310-761-6882	NUT, PLAIN HEXAGON: cable terminal to blower motor feed receptacle (96906-MS51967-2) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-63	9
P-F-	5310-550-1130	WASHER, LOCK: cable terminal to blower motor feed receptacle (96906-MS35333-40) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-63	10
C P-F-	5310-167-0702	WASHER, FLAT: cable terminal to blower motor feed receptacle (88044-AN960B416) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-63	11
P-F-	5330-946-8344	GASKET: blower motor feed receptacle (96906-MS52000-5) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-63	12
X1-		ROD: blower motor feed receptacle (7972769) (CA, CC)		2									06-63	13
P-F-	5935-772-2225	RECEPTACLE ASSEMBLY: blower motor feed (7722225) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-63	14
P-F-	5935-874-3283	RECEPTACLE ASSEMBLY: blower motor feed (7972770) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-63	15
P-F-	5310-045-4007	WASHER, LOCK: blower feed receptacle to box (96906-MS35338-41) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-63	16
P-F-	5305-543-5059	SCREW: blower motor feed receptacle to box (96906-MS35265-29) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-63	17
P-F-	2590-948-0704	GASKET: turret power relay accessory feed receptacle (96906-MS52000-10) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-63	18
P-F-	5310-045-3299	WASHER, LOCK: accessory feed receptacle to box (96906-MS35338-42) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-63	19
P-F-	5305-543-2752	SCREW: accessory feed receptacle to box (96906-MS35265-45) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-63	20
P-F-	2590-178-0073	HARNESS ASSEMBLY: turret power relay panel accessory feed (10924260) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-63	21
P-F-	5305-042-0499	SCREW, LOCKWASHER, ASSEMBLED: turret accessories circuit breakers to cover (420499) (CA, CC)	EA	16	*	*	*	*	*	*	*	*	06-63	22

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(b) Item No.
		0618 - TURRET POWER AND SEARCHLIGHT RELAY ASSEMBLY (10905722) (CC), (11590881) (CA) - Cont'd												
P-F-	5310-934-9757	NUT, CAP, HEXAGON HEAD: cable terminals to bus-bars (96906-MS35649-282) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-63	23
P-F-	5310-596-7693	WASHER, LOCK: cable terminals to bus-bars (96906-MS35335-31) (CA. CC)	EA	2	*	*	*	*	*	*	*	*	06-63	24
C P-F-	5310-061-8310	WASHER, FLAT: bus-bar to turret accessories circuit breaker (96906-MS45901-3) (CA, CC)	EA	8	*	*	*	*	*	*	*	*	06-63	25
P-F-	5305-042-0499	SCREW, ASSEMBLED WASHER: bus-bar to turret accessories circuit breaker (00000-420499) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-63	26
P-F-	5305-484-6186	SCREW, LOCKWASHER, ASSEMBLED: cable terminals to bus-bars (21450-423533) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-63	27
P-F-	5925-556-5666	CIRCUIT BREAKER: turret power relay circuit breaker, air heater (7974398) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-63	28
C P-F-		CIRCUIT BREAKER: turret power relay accessories (7974395) (CA, CC)	EA	7	*	*	*	*	*	*	*	*	06-63	29
P-F-	6150-179-2996	BUS-BAR: turret power relay and circuit breaker box (10905689) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-63	30
P-F-	5940-115-0763	TERMINAL LUG: turret power relay lead assembly (96906-MS20659-140) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-63	31
C P-F-		WIRE, ELECTRICAL: turret power relay lead assembly (approximately 10 inches long) (81349-MIL-W-16878 / 8A, Type EE8) (CA, CC)	FT	V	*	*	*	*	*	*	*	*	06-63	32
C P-F-	5970-879-0525	INSULATION, SLEEVE: turret power relay assembly (2 pieces 1 inch long) (81349-MIL-I-631, Type F, Grade B, Form U, class 1, category 1, .289 I.D., .020 wall, transparent) (CA, CC)	FT	V	*	*	*	*	*	*	*	*	06-63	33
A-F-		LEAD ASSEMBLY: turret power relay (10924263) (CA, CC)		1									06-63	34
		0618 - TURRET POWER AND SEARCHLIGHT RELAY ASSEMBLY (10905722) (CC), (11590881) (CA)												
M-F-		LEAD ASSEMBLY: turret power and searchlight relay ground (10924264) (CA, CC)		2									06-64	1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0618 - TURRET POWER AND SEARCHLIGHT RELAY ASSEMBLY (10905722) (CC), (11590881) (CA) - Cont'd												
P-F-	5940-660-3632	TERMINAL, LUG: turret power and searchlight relay ground (96906-MS35436-7) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-64	2
C P-F-		WIRE, TYPE FF-14: turret power and searchlight relay ground (2 pieces 6 inches long) (81349-MIL-W-16878 / 8A Type-FF-14) (CA, CC)	FT	V	*	*	*	*	*	*			06-64	3
P-F-	5940-534-0986	TERMINAL, LUG: turret power and searchlight relay ground (96906-MS35436-4) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-64	4
P-F-	5310-209-0786	WASHER, LOCK: turret and searchlight power relays to box (6) cable terminals to busbars (4) (96906-MS35335-33) (CA, CC)	EA	10	*	*	*	*	*	*	*	*	06-64	5
P-F-	5306-018-8125	SCREW, HEXAGON HEAD: turret and searchlight power relays to box (24617-188125) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-64	6
P-F-	6150-179-2991	BUS-BAR: turret power relay and circuit breaker box (10905686) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-64	7
P-F-	5305-042-0475	SCREW, ASSEMBLED, LOCKWASHER: turret and searchlight power circuit breaker to box (21450-420475) (CA, CC)	EA	8	*	*	*	*	*	*	*	*	06-64	8
P-F-	5310-785-1762	NUT, PLAIN, HEXAGON: turret and searchlight power circuit breaker (96906-MS51968-9) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-64	9
P-F-	5310-637-9541	WASHER, LOCK: turret and searchlight power circuit breaker (96906-MS35338-46) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-64	10
P-F-	5925-840-5393	CIRCUIT BREAKER, 28 VOLT DC AUTOMATIC, NON-WATERPROOF, 200 AMP: turret and searchlight power (96906-MS39069-2) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-64	11
C P-F-		SCREW, ASSEMBLED, LOCKWASHER: blower motor feed circuit breaker to box (21450-420509) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-64	12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0618 - TURRET POWER AND SEARCHLIGHT RELAY ASSEMBLY (10905722) (CC), (11590881) (CA) - Cont'd												
P-F-	5925-708-8769	CIRCUIT BREAKER, 28 VOLT DC, AUTOMATIC, NON-WATERPROOF, 50 AMP: blower motor feed (96906-MS39068-2) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-64	13
P-F-	5310-045-3296	WASHER, LOCK: blower motor feed circuit breaker (96906-MS35338-43) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-64	14
C P-F-	5305-068-0505	SCREW, CAP, HEXAGON HEAD: blower motor feed circuit breaker (96906-MS90726-5) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-64	15
P-F-	6150-179-2990	BUS-BAR: power relay and circuit breaker box (10905690) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-64	16
X1-		BOX: turret power relay (10905699) (CA, CC)		1									06-64	17
P-F-	5330-641-4336	GASKET: power pack receptacle 1) searchlight power feed receptacle (1) (96906-MS52000-8) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-64	18
P-F-	5310-903-3992	NUT, PLAIN, HEXAGON: power pack receptacle stud (1) searchlight power feed receptacle stud (1) (96906-MS51970-3) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-64	19
P-F-	5310-595-7237	WASHER, FLAT: power pack receptacle stud (1) searchlight power feed receptacle (1) (96906-MS35333-42) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-64	20
C P-F-	5310-167-0704	WASHER: power pack receptacle stud (2) searchlight power feed receptacle (2) (88044-AN960B616) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-64	21
P-F-	5315-291-4410	STUD: power pack receptacle (1) searchlight power feed receptacle (1) (7751487) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-64	22
P-F-	5935-771-6835	RECEPTACLE: searchlight power feed receptacle assembly (7388320) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-64	23
P-F-	5935-738-8305	RECEPTACLE ASSEMBLY: searchlight power feed (7388305) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-64	24
P-F-	5310-045-3299	WASHER, LOCK: power pack receptacle (4) searchlight power feed receptacle (4) (96906-MS35338-42) (CA, CC)	EA	8	*	*	*	*	*	*	*	*	06-64	25

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0618 - TURRET POWER AND SEARCHLIGHT RELAY ASSEMBLY (10905722) (CC), (11590881) (CA) - Cont'd												
P-F-	5305-543-2752	SCREW: power pack receptacle (4) searchlight power feed receptacle (4) (96906-MS35265-45) (CA, CC)	EA	8	*	*	*	*	*	*	*	*	06-64	26
P-F-	5310-761-6882	NUT, PLAIN, HEXAGON HEAD: cable terminals to bus-bars (96906-MS51967-2) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-64	27
P-F-	2590-165-4044	LEAD ASSEMBLY: power input (10924261) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-64	28
P-F-	5310-045-3296	WASHER, LOCK: power input receptacle to box (96906-MS35338-43) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-64	29
P-F-	5305-614-0274	SCREW, MACHINE: power input receptacle to box (96906-MS35265-63) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-64	30
P-F-	5305-068-0501	SCREW, CAP, HEXAGON HEAD: cable terminals to bus-bars (96906-MS90725-5) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-64	31
P-F-	5330-827-2815	GASKET: power input receptacle (96906-MS52000-12) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-64	32
P-F-	5935-738-8321	RECEPTACLE: turret power relay power pack (7388321) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-64	33
P-F	5935-775-1500	RECEPTACLE ASSEMBLY: turret power relay power pack (7751500) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-64	34
P-F-	6150-179-2992	BUS-BAR: searchlight power feed to turret power relay (10905687) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-64	35
P-F-	6150-179-2993	BUS-BAR: power pack to turret power relay (10905688) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-64	36
P-F-	5940-577-3807	TERMINAL: semiconductor diode to power relay, left side (96906-MS25036-145) (CA)	EA	2	*	*	*	*	*	*	*	*	06-64	37
C P-F-	5961-577-6814	SEMICONDUCTOR DEVICE: power relay left side (24454-1N538) (CA)	EA	1	*	*	*	*	*	*	*	*	06-64	38
P-F-	5970-854-6713	INSULATION, SLEEVE: semiconductor diode (1 piece 2⅛ inch long) (80244-17-I-1728-401) (CA)	FT	V	*	*	*	*	*	*	*	*	06-64	39
P-F-	5945-232-5773	RELAY, SOLENOID: turret power and searchlight power (CA, CC) (AN3380-1)	EA	2	*	*	*	*	*	*	*	*	06-64	40

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0618 - TURRET POWER AND SEARCHLIGHT RELAY ASSEMBLY (10905722) (CC), (11590881) (CA) - Cont'd												
P-F-	5310-809-5998	WASHER, FLAT: turret power and searchlight relay load posts (96906-MS27183-18) CA, CC)	EA	8	*	*	*	*	*	*	*	*	06-64	41
P-F-	5310-584-5272	WASHER, LOCK: turret power and searchlight relay load post (96906-MS35338-48) (CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-64	42
P-F-	5310-891-1735	NUT, PLAIN, HEXAGON: turret power and searchlight relay load post (96906-MS35691-38) (CA, CC)	EA	8	*	*	*	*	*	*	*	*	06-64	43
		0618 - TURRET POWER AND SEARCHLIGHT RELAY LEAD ASSEMBLY (10924261) (CA, CC)												
P-F-	5935-134-0327	CONNECTOR, RECEPTACLE: power input (7973920) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-65	1
X1-		SHELL: power input receptacle assembly (8701347) (CA, CC)		1									06-65	2
P-F-	5935-485-8955	CONTACT, ELECTRICAL: to pin insert (7716521) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-65	3
X1-		INSERT: to shell (7971723) (CA, CC)		1									06-65	4
C P-F-	5970-588-6610	INSULATOR, TERMINAL: terminal to wire (2 pieces 1½ inch long) (80244-17-I-1728-541) (CA, CC)	FT	V	*	*	*	*	*	*	*	*	06-65	5
C P-F-	8135-819-6662	TAPE, CIRCUIT NUMBER: to cable (81349-MIL-T-14379, Type 1) (CA, CC)	FT	V	*	*	*	*	*	*	*	*	06-65	6
C P-F-	5940-113-9834	TERMINAL, LUG: lead assembly power input (96906-MS25036-135) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-65	7
C P-F-		WIRE, ELECTRICAL: (2 pieces 11 inches long) lead assembly power input (81349-MIL-W-16878/8A, Type FF-1/0) (CA, CC)	FT	V	*	*	*	*	*	*	*	*	06-65	8
P-F-	5999-368-4852	CONTACT, ELECTRICAL: to pin insert (7716522) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-65	9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUFPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

	(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cnt'gcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
			0618 - TURRET POWER AND SEARCHLIGHT RELAY HARNESS ASSEMBLY (10924260; (CA, CC)												
	P-F-	5935-738-8333	RECEPTACLE ASSEMBLY: turret power relay accessory feed (7388333) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-66	1
	P-F-	5935-738-8339	SHELL, BOX TYPE, SIZE 28: turret power relay accessory feed receptacle assembly (8701337) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-66	2
	P-F-	5935-485-8954	CONTACT, SOCKET, SIZE 12; turret power relay accessory feed receptacle (7716520) (CA, CC)	EA	12	*	*	*	*	*	*	*	*	06-66	3
	X1-		INSERT: turret power relay accessory feed receptacle (7716684) (CA, CC)		1									06-66	4
C	X1-		INSULATOR, SLEEVE: terminal turret power relay accessory feed harness assembly (11 pieces 1 inch long) (81349-MIL-631, Type F, Grade B, Form U, Category 1, Transparent, .162 I.D., .020 wall) (CA, CC)		V									06-66	5
C	P-F-		WIRE, ELECTRICAL: turret power relay accessory feed harness assembly (approximately .218 inch long) (81349-MIL-W-16878 / 8A, Type FF-14) (CA, CC)	FT	V	*	*	*	*	*	*			06-66	6
	P-F-	5975-074-2072	TIE, CABLE: turret power relay accessory feed harness assembly (10911124) (CA, CC)	EA	12	*	*	*	*	*	*	*	*	06-66	7
	P-F-	5940-809-4120	TERMINAL: power relay box cable and searchlight power relay cable (96906-MS25036-7) (CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-66	8
	P-F-	5940-143-4774	TERMINAL: turret power relay box cable accessory feeds (96906-MS25036-153) (CA, CC)	EA	9	*	*	*	*	*	*	*	*	06-66	9
C	P-F-	7510-835-1247	TAPE, CIRCUIT NUMBER: turret power relay accessory feed harness (81349-MIL-T-14379, Type I) (CA, CC)	FT	V	*	*	*	*	*	*	*	*	06-66	10
C	P-F-	7510-835-1247	TAPE, CIRCUIT NUMBER: turret power relay accessory feed harness (81349-MIL-T-14379, Type III) (CA, CC)	FT	V	*	*	*	*	*	*	*	*	06-66	10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0618—GUN FIRING HARNESS ASSEMBLY (11676327) (CA W/STAB)												
N P-F-	2590-088-2728	HARNESS ASSEMBLY: gun firing (11676327) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-66.1	1
N P-F-		ROD: receptacle hole D (8724762) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-66.1	2
N P-F-	5935-771-6785	RECEPTACLE ASSEMBLY: gun firing harness (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-66.1	3
N P-F-		CONTACT, ELECTRICAL: harness receptacle (7716520) (CA w/Stab)	EA	5	*	*	*	*	*	*	*	*	06-66.1	4
N P-F-		CONTACT, ELECTRICAL: harness receptacle (7716658) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-66.1	5
N P-F-		INSERT: harness receptacle (7716675) (CA w/Stab)	EA	6	*	*	*	*	*	*	*	*	06-66.1	6
N P-F-	5935-771-6781	SHELL: harness receptacle (8701329) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-66.1	7
N P-F-	5340-772-2323	GROMMET: harness receptacle (7722325) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-66.1	8
N P-F-	5935-333-9414	NUT: harness receptacle (7723308) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-66.1	9
N P-F-	5940-230-0515	TERMINAL: electrical connector (96906-MS25036-154) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-66.1	10
N P-F-		TUBING, RUBBER: type V, color white, .25 id, .38 long (81319-MILR46846) (CA w/Stab)	FT	16	*	*	*	*	*	*	*	*	06-66.1	11
N P-F-		CABLE: electrical (81340-M13486-1-5) (CA w/Stab)	FT	V	*	*	*	*	*	*	*	*	06-66.1	12
N P-F-	9905-841-4445	BAND: harness identification (96906-MS39020-2) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-66.1	13
N P-F-	5935-833-8561	SHELL: electrical connector (8338561) (CA w/Stab)	EA	6	*	*	*	*	*	*	*	*	06-66.1	14
N P-F-	5970-833-8562	SLEEVE: electrical connector (8338562) (CA w/Stab)	EA	7	*	*	*	*	*	*	*	*	06-66.1	15
N P-F-	5940-399-6676	TERMINAL: electrical connector (8338564) (CA w/Stab)	EA	6	*	*	*	*	*	*	*	*	06-66.1	16
N P-F-	5940-057-2929	PIN, CONTACT: electrical connector (96906-MS27148-2) (CA w/Stab)	EA	4	*	*	*	*	*	*	*	*	06-66.1	17
N P-F-	5310-833-8567	WASHER: electrical connector (8338567) (CA w/Stab)	EA	4	*	*	*	*	*	*	*	*	06-66.1	18
N P-F-	5935-572-9180	SHELL: electrical connector (8338566) (CA w/Stab)	EA	4	*	*	*	*	*	*	*	*	06-66.1	19
N P-F-	5935-078-4707	SHELL: electrical connector (10924502-1) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-66.1	20
N P-F-		TERMINAL: electrical connector (7982997) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-66.1	21
N P-F-	5935-900-6281	CONNECTOR ASSEMBLY: electrical connector (7982404) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-66.1	22
N P-F-		CABLE: electrical (81349-M13486-2-1) (CA w/Stab)	FT	V	*	*	*	*	*	*	*	*	06-66.1	23
N P-F-		TUBING, RUBBER: type V, color black, .375 id, 4.00 long (81349-MILR46846) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-66.1	24
N P-F-	5940-143-4777	TERMINAL: electrical connector (96906-MS25036-157) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-66.1	25
N P-F-		CABLE: electrical (81349-M13486-1-3) (CA w/Stab)	FT	V	*	*	*	*	*	*	*	*	06-66.1	26

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0618–GUN FIRING HARNESS ASSEMBLY (11676327) (CA W/STAB)–Cont.												
N P-F-		FERRULE: electrical cable (11599712) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-66.1	27
N P-F-		FERRULE: electrical cable (11599711) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-66.1	28
N P-F-		ROD: receptacle hole E (8724763) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-66.1	29
		0618–TURRET ELECTRICAL SEARCHLIGHT CONNECTOR ASSEMBLY AND CONTROL BOX MOUNTING HARDWARE (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)												
P-O-		GASKET: searchlight connector assembly												
	5330-641-4337	(7358505) (DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	•	•	06-67	1
	2590-678-3011	(10863524) (BA, CA, CC)	EA	1	•	•	•	•	•	•	•	•	06-67	1
P-O-	5310-045-3296	WASHER, LOCK: searchlight connector assembly (96906-MS35338-43) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	4	•	•	•	•	•	•	•	•	06-67	2
P-O-	5305-614-0245	SCREW, CAP, HEXAGON HEAD: searchlight connector assembly (96906-MS35265-64) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	4	•	•	•	•	•	•	•	•	06-67	3
P-O-	5935-581-2889	CAP ASSEMBLY: searchlight connector assembly (96906-MS25043-32C) (DA, DA Ser. No. 601w thru 726w) (7737495) (BA, CA, CC)	EA	1	•	•	•	•	•	•	•	•	06-67	4
P-O-	2590-932-3526	CONNECTOR, RECEPTACLE, ELECTRICAL: searchlight connector assembly (10934064) (BA, CA, CC)	EA	1	•	•	•	•	•	•	•	•	06-67	5
X1-O-		INSERT, ELECTRICAL: searchlight connector assembly (7971724) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		1									06-67	6
X1-O-		SHELL, ELECTRICAL: searchlight connector assembly (8701347) (DA, DA Ser. No. 601w thru 726w) (7737494) (BA, CA, CC)		1									06-67	7
P-O-	2590-932-3563	BRACKET: searchlight control box mounting (10887451) (BA, CA, CC)	EA	1	•	•	•	•	•	•	•	•	06-67	8
P-O-	5340-487-4095	BRACKET: searchlight control box mounting (10916945) (BA, CA, CC)	EA	1	•	•	•	•	•	•	•	•	06-67	9
P-O-	5935-485-9657	RECEPTACLE, DUMMY: searchlight control box mounting, connector stowage (10916946) (DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	•	•	06-67	10
	2590-226-2605	(10884548) (BA, CA, CC)	EA	1	•	•	•	•	•	•	•	•	06-67	10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
		0618–TURRET ELECTRICAL SEARCHLIGHT CONNECTOR ASSEMBLY AND CONTROL BOX MOUNTING HARDWARE (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)–Cont.												
P-O-	5310-559-0070	WASHER, LOCK: dummy receptacle mounting (96906-MS35333-38) (DA, DA Ser. No. 601w thru 762w)	EA	2	*	*	*	*	*	*	*	*	06-67	11
P-O-	5305-958-4358	SCREW MACHINE, PAN HEAD: dummy receptacle mounting (96906-MS35207-243) (DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-67	12
P-O-	5306-043-1953	SCREW, LOCKWASHER: searchlight control box mounting bracket retaining (21450-431953) (BA, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-67	13
N P2-O-		BRACKET ASSEMBLY: commander's searchlight control panel (11659063) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-67	13A
P-O-	5340-235-4450	BRACKET: searchlight control box mounting (10884545) (BA, CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-67	14
P-O-	5310-582-5965	WASHER, LOCK: searchlight control box mounting bracket (96906-MS35338-44) (BA, CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-67	15
P-O-		SCREW, CAP, HEXAGON HEAD: searchlight control box mounting bracket retaining												
	5305-225-3838	(96906-MS90725-4) (BA, CA)	EA	4	*	*	*	*	*	*	*	*	06-67	16
	5305-267-8973	(96906-MS90726-4) (CC)	EA	4	*	*	*	*	*	*	*	*	06-67	16
P-O-		GASKET: dummy receptacle to searchlight mounting												
	5330-641-4336	bracket (96906-MS52000-8) (BA, CA)	EA	1	*	*	*	*	*	*	*	*	06-67	17
	5330-836-4356	(96906-MS51007-8) (CC)	EA	1	*	*	*	*	*	*	*	*	06-67	17
P-O-		SCREW: dummy receptacle retaining (96906-MS35263-44) (BA, CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-67	18
	5310-045-3299	WASHER, LOCK: dummy receptacle retaining (96906-MS35338-42) (BA, CA, CC)	EA	4	*	*	*	*	*	*	*	*	06-67	19
P-O-	5310-768-0319	NUT, PLAIN HEXAGON: searchlight mounting bracket retaining (96906-MS51968-2) (CC)	EA	4	*	*	*	*	*	*	*	*	06-67	20
		0618–BLASTING MACHINE (11599606) AND ATTACHING PARTS (BA, CA, CC)												
P-O-	5310-582-5965	WASHER, LOCK: manual firing blasting machine bracket (96906-MS35338-44) (BA)	EA	4	*	*	*	*	*	*	*	*	06-68	1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

	(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
			0618 - BLASTING MACHINE (11599606) AND ATTACHING PARTS (BA, CA, CC) - Cont'd												
	P-O-	1015-937-6203	BRACKET: manual firing blasting machine (10884377) (BA)	EA	1	*	*	*	*	*	*	•	*	06-68	2
	P-O-	5305-068-0500	SCREW, CAP, HEXAGON HEAD: manual firing blasting machine bracket (96906-MS90725-3) (BA)	EA	4	*	*	•	*	*	•	•	•	06-68	3
	P-O-	5340-937-6159	STRAP: manual firing blasting machine (10884375) (BA)	EA	1	*	*	*	*	*	*	•	*	06-68	4
	P-O-	5306-042-5326	SCREW, CAP, HEXAGON HEAD: manual firing blasting machine strap (24617-425326) (BA)	EA	2	*	*	•	*	*	•	•	•	06-68	5
R	P-O-	1375-997-2431	BLASTING MACHINE ASSEMBLY: manual firing (11599606) (BA, CA, CC)	EA	1	*	•	•	*	•	•	•	•	06-68	6
	X1-		BLASTING MACHINE: manual firing (11599607) (CC, CA, BA)		1									06-68	7
	P-O-	9905-752-4649	BAND, MARKER: manual firing blasting machine (96906-MS39020-1; :CC, CA, BA)	EA	3	*	*	•	*	*	•	•	•	06-68	8
	P-O-	5935-833-8561	SHELL, ELECTRICAL CONNECTOR: manual firing blasting machine (8338561) (BA, CA, CC)	EA	3	*	*	-	*	*	•	•	•	06-68	9
	P-O-	5970-833-8562	INSULATOR, BUSHING: manual firing blasting machine (8338562) (BA, CA, CC)	EA	3	*	*	•	*	*	•	•	•	06-68	10
	P-O-	5935-399-6676	TERMINAL, LUG: manual firing blasting machine (8338564) (BA, CA, CC)	EA	3	*	*	•	*	*	•	•	•	06-68	11
	P-O-	1375-772-2977	HANDLE: manual firing blasting machine (10884420) (BA, CA, CC)	EA	1	*	*	•	*	*	•	•	•	06-68	12
	P-O-	5315-559-7699	PIN, SPRING: manual firing blasting machine handle (96906-MS9048-134) (BA, CA, CC)	EA	1	*	*	•	*	*	•	•	•	06-68	13
	P-O-	5306-225-8496	BOLT, MACHINE: manual firing blasting machine support (96906-MS90725-31) (CA, CC)	EA	4	*	*	•	*	*	•	•	•	06-68	14
	P-O-	5310-407-9566	WASHER, LOCK: manual firing blasting machine support (96906-MS35338-45) (CA, CC)	EA	4	*	*	•	*	*	•	•	•	06-68	15
	P-O-	5310-081-4219	WASHER, PLAIN: manual firing blasting machine support (96906-MS27183-12) (CA, CC)	EA	4	*	*	•	*	*	•	•	•	06-68	16

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0618 - BLASTING MACHINE (11599606) AND ATTACHING PARTS (BA, CA, CC) - Cont'd												
P-O-	1015-898-6456	SUPPORT, MOUNTING: manual firing blasting machine (10911156) (CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-68	17
P-O-	5306-018-7263	SCREW, CAP, HEXAGON HEAD: manual firing blasting machine support (24617-187263) CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-68	18
		0618 - TURRET GUN FIRING RELAY ASSEMBLY (8338636) AND ATTACHING PARTS (BA, CA, CC, DA DA Ser. No. 601w thru 726w)												
P-O-	5305-269-3209	SCREW, CAP, HEXAGON HEAD: gun firing relay mounting (96906-MS90725-58) (BA, DA, DA Ser. No. 601w thru 726w, CC)	EA	4	*	*	*	*	*	*	*	*	06-69	1
P-O-	5305-071-2506	SCREW, CAP, HEXAGON HEAD: gun firing relay mounting (96906-MS90728-3) (CA)	EA	4	*	*	*	*	*	*	*	*	06-69	1
P-O-	5310-637-9541	WASHER, LOCK: gun firing relay mounting (96906-MS35338-46) (BA, DA, DA Ser. No. 601w thru 726w, CC)	EA	4	*	*	*	*	*	*	*	*	06-69	2
P-O-	5310-883-9417	WASHER, LOCK: gun firing relay mounting (96906-MS35338-158) (CA)	EA	4	*	*	*	*	*	*	*	*	06-69	2
P-O	5945-552-3805	RELAY ASSEMBLY, GUN FIRING: turret (8338636) (BA, CA, DA, DA Ser. No. 601w thru 726w, CC)	EA	1	*	*	*		*	*	*	*	06-69	3
		0618 - GUN ELEVATION INTERFERENCE SWITCH ASSEMBLY (10864130) AND RELATED PARTS (BA, CA, CC, DA DA Ser. No. 601w thru 726w)												
P-O-	5315-990-5627	PIN: gun elevation interference clamp (96906-MS16556-43) (BA, CA, DA, DA Ser. No. 601w thru 726w, CC)	EA	1	*	*	*	*	*	*	*	*	06-70	1
P-O-	2590-179-7052	CLAMP ASSEMBLY: gun elevation interference switch plunger (10873130) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-70	2

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0618 - GUN ELEVATION INTERFERENCE SWITCH ASSEMBLY (10864130) AND RELATED PARTS (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) -Cont'd												
P-O-	2590-135-4490	CLAMP ASSEMBLY: gun elevation interference switch plunger (10951566) (CC)	EA	1	*	*	*	*	*	*	3	10	06-70	2
X1-		CLAMP: gun elevation interference switch clamp assembly (10951567) (CC)		1									06-70	3
X1-		CLAMP: gun elevation interference switch clamp assembly (10873132) (BA, CA, DA DA Ser. No. 601w thru 726w)		1									06-70	3
X1-		CLAMP: gun elevation interference switch clamp assembly (10951627) (CC)		1									06-70	4
X1-		CLAMP: gun elevation interference switch clamp assembly (10873131) (BA, CA, DA, DA Ser. No. 601w thru 726w)		1									06-70	4
P-O-	5305-225-3839	SCREW, CAP, HEXAGON HEAD: gun elevation interference switch plunger clamp (96906-MS90725-8) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	30	06-70	5
P-O-	5310-582-5965	LOCK WASHER: gun elevation interference switch plunger clamp (96906-MS35338-44) (BA, CA, CC, DA DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	00	06-70	6
P-O-	5310-934-9758	NUT: gun elevation interference switch actuating plunger (96906-MS35649-202) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-70	7
P-O-	5340-629-1133	SPRING: gun elevation interference switch actuating plunger (591170) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-70	8
P-O-	2540-766-1934	PLUNGER: gun elevation interference switch actuating (10873126) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-70	9
A-O-	1025-126-2470	SWITCH ASSEMBLY: gun elevation interference (10864130) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		1									06-70	10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		06-18 - GUN ELEVATION INTERFERENCE SWITCH ASSEMBLY (10864130) AND RELATED PARTS (BA, CA, CC DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5930-296-5463	SWITCH SENSITIVE: gun elevation interference (7973708) (BA, CA, CC, DA DA Ser. No. 601w thru 726w)	EA	1	2	2	2	2	2	2	12	30	06-70	11
P-O-	5935-572-9180	SHELL: gun elevation interference switch (8338566) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	12	60	06-70	12
P-O-	5310-833-8567	WASHER: gun elevation interference switch (8338567) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	12	200	06-70	13
P-O-	5940-057-2929	FERRULE: gun elevation interference switch (96906-MS27148-2) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	12	40	06-70	14
P-O-	2590-125-8746	SUPPORT ASSEMBLY: gun elevation interference switch (10873129) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	3	*	06-70	15
P-O-	5310-934-9757	NUT: gun elevation interference switch (96906-MS35649-282) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-70	16
P-O-	5310-045-3299	WASHER, LOCK: gun elevation interference switch (96906-MS35338-42) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	200	06-70	17
P-O-	5305-984-6200	SCREW: gun elevation interference switch (96906-MS35206-252) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-70	18
P-O-	5310-045-3296	WASHER, LOCK: gun elevation interence switch support (96906-MS35338-43) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	200	06-70	19
P-O-	5305-989-7435	SCREW: gun elevation interference switch support (96906-MS35207-264) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	60	06-70	20

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
		0618—LOADERS SAFETY SWITCH ASSEMBLY (11676323) (CA W/STAB)												
N P-O-		SWITCH ASSEMBLY: loaders safety (11676323) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-70.1	1
N P-O-	5305-984-6199	SCREW: switch mounting (96906-MS35206-251) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-70.1	2
N P-O-	5305-957-2642	SCREW: slide mounting (96906-MS35191-296) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-70.1	3
N X1-		PLATE: safety switch (11676322) (CA w/Stab)	EA	1									06-70.1	4
N P2-O-		SLIDE ASSEMBLY: safety switch (11654850) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-70.1	5
N P-O-	5310-891-1751	NUT: slide adjusting screw (96906-MS35691-22) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-70.1	6
N P-O-	5305-269-2804	SCREW: slide adjusting (96906-MS90727-61) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-70.1	7
N P2-O-		GUIDE: slide assembly (11676315) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-70.1	8
N P2-O-	2590-088-2708	BRACE: slide guide (11676306) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-70.1	9
N P-O-	5310-971-7989	NUT: guide mounting screw (96906-MS35691-5) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-70.1	10
N P-O-		SPRING: slide lever (96906-MS24586-555) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-70.1	11
N P-O-		LEVER: slide operating (11676316) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-70.1	12
N P-O-		PIN: slide operating lever mounting (11676326) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-70.1	13
N P-O-	5310-834-8736	NUT: operating lever to switch adjusting screw (96906-MS35691-2) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-70.1	14
N P-O-	5305-866-0439	SCREW: operating lever to switch adjusting (96906-MS35265-85) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-70.1	15
N P-O-		SPRING: operating lever return (96906-MS24586-768) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-70.1	16
N P-O-	5310-934-9751	NUT: switch mounting screw (96906-MS35649-282) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-70.1	17
N P-O-	5310-550-4718	WASHER, LOCK: switch mounting screw (96906-MS35338-42) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-70.1	18
N P-O-		SWITCH ASSEMBLY: loaders safety (11591005) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-70.1	19
N P-O-	5305-988-1720	SCREW: switch wiring clamp (96906-MS35206-76) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-70.1	20
N P-O-	5310-209-0786	WASHER, LOCK: switch wiring clamp screw (96906-MS35335-33) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-70.1	21
N P-O-	5340-281-5423	CLAMP: switch wiring (7997713) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-70.1	22
N P-O-	5315-840-8285	PIN: lever mounting pin securing (96906-MS9048-077) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-70.1	23

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0618–TURRET ELECTRICAL MOUNTING BRACKETS AND HARDWARE (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)												
P-O-	5340-487-4081	BRACKET, MOUNTING: turret wiring harness gun quick disconnect connector (10916996) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-71	1
P-O-	5305-042-0463	SCREW, LOCKWASHER: turret wiring (21450-420463) (BA, CC, DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-71	2
P-O-	5340-491-5223	BRACKET, MOUNTING: turret wiring harness gun quick disconnect connector (10951654) (CA)	EA	1	*	*	*	*	*	*	*	*	06-71	3
P-O-	5310-045-3299	WASHER, LOCK: gun quick disconnect mounting bracket (4), interphone receptacles (8) (96906-MS35338-42) (BA, CC, DA, DA Ser. No. 601w thru 726w)	EA	8	*	*	*	*	*	*	*	*	06-71	4
		(CA)	EA	12	*	*	*	*	*	*	*	*	06-71	4
P-O-	5305-984-6191	SCREW, MACHINE: gun quick disconnect mounting bracket (96906-MS35206-243) (CA)	EA	4	*	*	*	*	*	*	*	*	06-71	5
P-O-	5340-487-4091	BRACKET, MOUNTING: turret wiring harness gun quick disconnect connector (8734309) (BA, CC)	EA	1	*	*	*	*	*	*	*	*	06-71	6
P-O-	5340-143-0241	CAP, PROTECTIVE: turret wiring harness interphone receptacles (10864463) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-71	7
P-O-	5305-543-2752	SCREW, MACHINE: turret wiring harness interphone receptacles bracket (96906-MS35265-45) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	8	*	*	*	*	*	*	*	*	06-71	8
P-O-	5305-984-6207	SCREW, MACHINE: radiation detector connector bracket (96906-MS35206-260) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-71	9
P-O-	1015-855-5802	CLIP, MOUNTING: radiation detector connector (7970976) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-71	10
P-O-	5340-487-4093	BRACKET, ANGLE: radiation detector connector mounting clip (10870482) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-71	11
P-O-	5310-045-3296	WASHER, LOCK: radiation detector connector clip (96906-MS35338-43) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-71	12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

	(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No	(10) (b) Item No
			0618–TURRET ELECTRICAL MOUNTING BRACKETS AND HARDWARE (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)–Cont.												
	P-O-	5310-934-9758	NUT, PLAIN, HEXAGON: radiation detector connector clip (96906-MS35649-202) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	•	•	06-71	13
	P-O-	5305-068-0501	SCREW, CAP, HEXAGON HEAD: gun quick disconnect connector mounting bracket (96906-MS90725-5) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	•	•	•	•	•	•	•	•	06-71	14
	P-O-	5310-550-1130	WASHER, LOCK: gun quick disconnect connector mounting bracket (96906-MS35333-40) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	•	•	•	•	•	•	•	•	06-71	15
			0618–STABILIZATION SYSTEM ELECTRICAL HARNESS CLAMPS AND MOUNTING HARDWARE (CA W/STAB)												
N	P-O-	5340-772-7660	CLAMP: harness retaining (7727660) (CA w/Stab)	EA	1	•	•	•	•	•		•	•	06-71.3	1
N	P-O-	5305-225-3838	SCREW: harness clamp (96906-MS90725-4) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-71.3	2
N	P-O-	5310-045-3299	WASHER, LOCK: harness clamp screw (96906-MS35338-42) (CA w/Stab)	EA	8	•	•	•	•	•	•	•	•	06-71.3	3
N	P-O-		CLAMP: harness retaining (7260493) (CA w/Stab)	EA	8	•	•	•	•	•	•	•	•	06-71.3	4
N	P-O-	5310-889-2528	WASHER, LOCK: harness clamp screw (96906-MS45904-68) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-71.3	5
N	P-O-	5305-068-0500	SCREW: harness clamp (96906-MS90725-3) (CA w/Stab)	EA	16	•	•	•	•	•	•	•	•	06-71.3	6
N	P-O-	5310-550-1130	WASHER: harness clamp screw (96906-MS35333-40) (CA w/Stab)	EA	11	•	•	•	•	•	•	•	•	06-71.3	7
N	P-O-		STRAP: harness retaining (10905840) (CA w/Stab)		V	•	•	•	•	•	•	•	•	06-71.3	8
N	P-O-	5310-809-4053	WASHER: harness retaining strap screw (96906-MS27183-10) (CA w/Stab)	EA	3	•	•	•	•	•	•	•	•	06-71.3	9
N	P-O-	5310-209-0786	WASHER, LOCK: harness clamp screw (96906-MS35335-33) (CA w/Stab)	EA	3	•	•	•	•	•	•	•	•	06-71.3	10
N	P-O-		CLAMP: harness retaining (8364428) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-71.3	11
N	P-O-	5305-071-2242	SCREW: harness clamp (96906-MS90725-9) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-71.3	12
N	P-O-		CLAMP: harness retaining (7978875) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-71.3	13
N	P-F-		CLAMP: harness retaining (96906-MS21333-117) (CA w/Stab)	EA	1	•	•	•	•	•	•	•	•	06-71.3	14
N	P-F-		STRAP: harness retaining (96906-MS3367-1-9) (CA w/Stab)	EA	2	•	•	•	•	•	•	•	•	06-71.3	15

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
		0618–STABILIZATION SYSTEM ELECTRICAL HARNESS CLAMPS AND MOUNTING HARDWARE (CA W/STAB)–Cont.												
N P-O-	5340-948-8590	CLAMP: harness retaining (96906-MS21333-102) (CA w/Stab)	EA	2	*	*	*	*	*	*	*	*	06-71.3	16
N P-O-		CLAMP: harness retaining (96906-MS21333-104) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-71.3	17
N P-O-		CLAMP: harness retaining (96906-MS21333-100) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-71.3	18
N P-O-		CLAMP: harness retaining (7725524) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-71.3	19
N P-O-		CLAMP: harness retaining (96906-MS21333-113) (CA w/Stab)	EA	1	*	*	*	*	*	*	*	*	06-71.3	20
		0618–TURRET ELECTRICAL SYSTEM HARNESS CLAMPS (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)												
P-O-	5306-043-1953	SCREW, LOCKWASHER: turret harness clamp (21450-431953)												
		(BA)	EA	50	*	*	*	*	*	*	*	*	06-73	1
		(CA)	EA	16	*	*	*	*	*	*	*	*	06-73	1
		(CC)	EA	46	*	*	*	*	*	*	*	*	06-73	1
		(DA, DA Ser. No. 601w thru 726w)	EA	38	*	*	*	*	*	*	*	*	06-73	1
P-O-	5340-772-5524	CLAMP, LOOP: turret harness (7725524) (BA)	EA	4	*	*	*	*	*	*	*	*	06-73	2
P-O-	5310-209-0786	WASHER, LOCK: turret harness clamp (96906-MS35335-53)												
		(BA)	EA	17	*	*	*	*	*	*	*	*	06-73	3
		(CC)	EA	36	*	*	*	*	*	*	*	*	06-73	3
		(CA, DA, DA Ser. No. 601w thru 726w)	EA	5	*	*	*	*	*	*	*	*	06-73	3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0618 - TURRET ELECTRICAL SYSTEM HARNESS CLAMPS (BA, CA, CC, DA, DA SER. No. 601w thru 726w) - Cont'd												
P-O-	5305-068-0505	SCREW, CAP, HEXAGON HEAD: turret harness clamp (96906-MS90726-5)												
		(CA)	EA	1	*	*	1	*	*	1	8	30	06-73	4
		(CC)	EA	2	*	1	1	*	1	1	14	60	06-73	4
P-O-	5305-068-0504	SCREW, CAP, HEXAGON HEAD: (96906-MS90726-3) (CA)	EA	33	*	1	1	*	1	1	14	990	06-73	4
P-O-	5340-772-4765	CLAMP, LOOP: turret harness (7724765) (CC)	EA	1	*	*	1	*	*	1	8	20	06-73	5
P-O-	5310-582-5965	WASHER, LOCK: turret harness clamp (96906-MS35338-44)												
		(BA)	EA	4	*	*	1	*	*	1	12	120	06-73	6
		(CA)	EA	1	*	*	1	*	*	1	8	20	06-73	6
		(CC)	EA	2	*	*	1	*	*	1	8	40	06-73	6
P-O-	5310-768-0319	NUT, PLAIN, HEXAGON: gage indicator to ground (96906-MS51968-2) (BA, CA)	EA	1	*	*	1	*	*	1	8	30	06-73	7
P-O-	1005-345-8055	STRAPP RETAINING: turret harness (10905840) (BA, CA, DA, DA Ser. No. 601w thru 726w)	EA	33	*	1	1	*	1	1	14	330	06-73	8
P-O-	5310-809-4058	WASHER, FLAT: turret harness clamp (96906-MS27183-10)												
		(BA, CA)	EA	11	*	1	1	*	1	1	14	330	06-73	9
		(CC)	EA	15	*	1	1	*	1	1	14	450	06-73	9
P-O-	5305-068-0504	SCREW, CAP, HEXAGON HEAD: turret harness clamp (96906-MS90726-3) (CA, CC)	EA	5	*	1	1	*	1	1	14	150	06-73	10
P-O-	5340-177-3735	CLAMP, LOOP: turret harness (96906-MS9352-19) (CC)	EA	7	*	1	1	*	1	1	14	84	06-73	11
P-O-	5340-281-5423	CLAMP, LOOP: turret harness (7997713)												
		(CC)	EA	1	*	*	*	*	*	*	6	12	06-73	12
		(DA, DA Ser. No. 601w thru 726w)	EA	5	*	*	1	*	*	1	12	60	06-73	12
P-O-	5340-770-4623	CLAMP, LOOP: turret harness (7704623) (BA)	EA	7	*	*	1	*	*	1	12	84	06-73	13
P-O-	5340-177-3740	CLAMP, LOOP: turret harness (7716656) (CA, CC)	EA	1	*	*	*	*	*	*	6	12	06-73	14
P-O-	5340-738-5174	CLAMP, LOOP: turret harness (7385174) (BA, CC)	EA	1	*	*	*	*	*	*	6	12	06-73	15
P-O-	5340-799-0973	CLAMP, LOOP: turret harness (8364428) (CC)	EA	1	*	*	*	*	*	*	6	12	06-73	16
P-O-	5305-071-2242	SCREW, CAP, HEXAGON HEAD: turret harness clamp (96906-MS90725-9) (CA)	EA	1	*	*	*	*	*	*	8	30	06-73	17

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0618 - TURRET ELECTRICAL SYSTEM HARNESS CLAMPS (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5310-550-1130	WASHER, LOCK: turret harness clamp (96906-MS35333-40) (BA)	EA	1	*	*	*	*	*	*	8	30	06-73	18
P-O-	5340-984-8540	CLAMP, LOOP: turret harness clamp (96906-MS21333-102) (CC)	EA	2	*	*	1	*	*	1	12	24	06-73	19
P-O-	5340-796-8573	CLAMP, LOOP: turret harness clamp (7968573)												
		(BA)	EA	4	*	*	*	*	*	*	6	48	06-73	20
		(CA, CC)	EA	1	*	*	*	*	*	*	6	12	06-73	20
P-O-	5340-281-4425	CLAMP, LOOP: turret harness clamp (7351807) (BA, CA, CC)	EA	1	*	*	*	*	*	*	6	12	06-73	21
		0618 - TURRET ELECTRICAL SYSTEM HARNESS CLAMPS (BA, CA, CC, DA, DA, Ser. No. 601w thru 726w)												
P-O-	5306-043-1953	SCREW, LOCKWASHER: turret harness clamp (21450-431953)												
		(BA)	EA	46	*	1	1	*	1	1	14	380	06-75	1
		(CC)	EA	4	*	1	1	*	1	1	14	120	06-75	1
		(DA)	EA	11	*	1	1	*	1	1	14	330	06-75	1
		(DA Ser. No. 601w thru 726w)	EA	25	*	1	1	*	1	1	14	750	06-75	1
		(CA)	EA	1	*	*	1	*	*	1	8	30	06-75	1
P-O-	5340-770-4623	CLAMP, LOOP: turret harness (7704623) (CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	12	06-75	2
		(BA)	EA	2	*	1	1	*	1	1	12	24	06-75	2
P-O-	5340-281-6455	CLAMP, LOOP: turret harness (7997715) (BA)	EA	5	*	1	1	*	1	1	14	60	06-75	3
P-O-	5340-738-9084	CLAMP, LOOP: turret harness (7389084) (BA)	EA	2	*	1	1	*	1	1	12	24	06-75	4
P-O-	5340-096-3201	CLAMP, LOOP: turret harness (8345550) (BA)	EA	3	*	1	1	*	1	1	14	36	06-75	5
		(DA)	EA	1	*	*	*	*	*	*	6	12	06-75	5
		(DA Ser. No. 601w thru 726w)	EA	8	*	1	1	*	1	1	14	96	06-75	5
P-O-	5340-776-3527	CLAMP, LOOP: turret harness (7763527) (BA)	EA	1	*	*	*	*	*	*	6	12	06-75	6
P-O-	5340-057-3029	CLAMP, LOOP: turret harness (96906-MS21333-118) (BA)	EA	1	*	*	*	*	*	*	6	12	06-75	7

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

	(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			0618—TURRET ELECTRICAL SYSTEM HARNESS CLAMPS (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)—Cont.												
	P-O-	5340-809-1490	CLAMP, LOOP: turret harness (96906-MS21333-98) (BA, CC)	EA	1	*	*	*	*	*	*	*	*	06-75	8
	P-O-	5340-772-4765	CLAMP, LOOP: turret harness (7724765) (BA)	EA	1	*	*	*	*	*	*	*	*	06-75	9
	P-O-	5310-209-0786	WASHER, LOCK: turret harness clamp (96906-MS35335-33)												
			(BA)	EA	4	*	*	*	*	*	*	*	*	06-75	10
			(CC)	EA	7	*	*	*	*	*	*	*	*	06-75	10
			(DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-75	10
	P-O-	5340-281-6454	CLAMP, LOOP: turret harness (8345551)												
			(BA)	EA	2	*	*	*	*	*	*	*	*	06-75	11
			(DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	*	*	06-75	11
	P-O-	5340-281-5422	CLAMP, LOOP: turret harness (7997714) (BA)	EA	1	*	*	*	*	*	*	*	*	06-75	12
	P-O-	5310-768-0319	NUT, PLAIN, HEXAGON: turret harness clamp (96906-MS51968-2) (BA)	EA	1	*	*	*	*	*	*	*	*	06-75	13
	P-O-	5340-107-1266	CLAMP, LOOP: turret harness (7978884) (BA)	EA	4	*	*	*	*	*	*	*	*	06-75	14
	P-O-	5340-740-7393	CLAMP, SINGLE CABLE: turret harness (7407393) (BA)	EA	1	*	*	*	*	*	*	*	*	06-75	15
N	P-O-	5340-073-5209	CLAMP: turret harness (7260493) (CA)	EA	6	*	*	*	*	*	*	*	*	06-75	16
N	P-O-	5340-138-9757	CLAMP: turret harness (7992088) (CA)	EA	3	*	*	*	*	*	*	*	*	06-75	16
C	P-O-	5305-068-0500	SCREW, CAP, HEXAGON HEAD: turret harness clamp (96906-MS90725-3)												
			(BA)	EA	4	*	*	*	*	*	*	*	*	06-75	17
			(CA)	EA	1	*	*	*	*	*	*	*	*	06-75	17
			(CC)	EA	5	*	*	*	*	*	*	*	*	06-75	17
C	P-O-	5310-582-5965	WASHER, LOCK: turret harness clamp (96906-MS35338-44)												
			(BA)	EA	5	*	*	*	*	*	*	*	*	06-75	18
			(CA)	EA	1	*	*	*	*	*	*	*	*	06-75	18
			(CC)	EA	7	*	*	*	*	*	*	*	*	06-75	18
C	P-O-	5340-773-5283	CLAMP, LOOP: turret harness (7735283)												
			(CA)	EA	1	*	*	*	*	*	*	*	*	06-75	19
			(CC)	EA	2	*	*	*	*	*	*	*	*	06-75	19
C	P-O-	5340-752-5390	CLAMP, LOOP: turret harness (7525390) (BA)	EA	1	*	*	*	*	*	*	*	*	06-75	20
C	P-O-	5340-403-7685	CLAMP, LOOP: turret harness (7997720) (DA) (DA Ser. No. 601w thru 726w)	EA	5	*	*	*	*	*	*	*	*	06-75	21
C	P-O-	2590-930-4085	CLAMP, LOOP: turret harness (7385988) (BA)	EA	3	*	*	*	*	*	*	*	*	06-75	22

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

	(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			0618–TURRET ELECTRICAL SYSTEM HARNESS CLAMPS (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)–Cont.												
C	P-O-		COVER ASSEMBLY, CABLE CLIP: turret harness (7353493) (BA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	*	*	06-75	23
C	P-O-	5340-735-3492	COVER ASSEMBLY, CABLE CLIP: turret harness												
			(7353492) (BA)	EA	1	*	*	*	*	*	*	*	*	06-75	24
			(DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	*	*	06-75	24
C	P-O-	2510-775-5847	COVER ASSEMBLY, CABLE CLIP: turret harness (7755847) (BA)	EA	4	*	*	*	*	*	*	*	*	06-75	25
			0618–TURRET ELECTRICAL SYSTEM HARNESS CLAMPS (BA, CA, DA, DA Ser. No. 601w thru 726w)												
	P-O-	5306-043-1953	SCREW, LOCKWASHER: turret harness clamp (21450-431953)												
			(BA)	EA	1	*	*	*	*	*	*	*	*	06-77	1
			(CA)	EA	11	*	*	*	*	*	*	*	*	06-77	1
			(DA)	EA	14	*	*	*	*	*	*	*	*	06-77	1
	P-O-	5310-209-0786	WASHER, LOCK: turret harness clamp (96906-MS35335-33) (CA)	EA	10	*	*	*	*	*	*	*	*	06-77	2
	P-O-	5340-772-1653	CLAMP, LOOP: turret harness (7721653) (CA)	EA	1	*	*	*	*	*	*	*	*	06-77	3
	P-O-		CLAMP, LOOP: turret harness (7970695) (CA)	EA	9	*	*	*	*	*	*	*	*	06-77	4
	P-O-	5305-071-2242	SCREW, CAP, HEXAGON HEAD: turret harness clamp (96906-MS90725-9) (CA)	EA	5	*	*	*	*	*	*	*	*	06-77	5
	P-O-	5310-809-4058	WASHER, FLAT: turret harness clamp (96906-MS27183-10) (CA)	EA	5	*	*	*	*	*	*	*	*	06-77	6
	P-O-	5310-550-1130	WASHER, LOCK: turret harness clamp (96906-MS35333-40) (CA)	EA	9	*	*	*	*	*	*	*	*	06-77	7
	P-O-	5310-842-2353	WASHER, LOCK: turret harness clamp (96906-MS35333-50) (CA)	EA	20	*	*	*	*	*	*	*	*	06-77	8
	P-O-	5340-705-7304	COVER ASSEMBLY, CABLE CLIP: turret harness (8668548) (DA)	EA	7	*	*	*	*	*	*	*	*	06-77	9
	P-O-	5340-657-9793	STRAP, RETAINING: turret harness (8724501), type I or type IV, spec MIL-M-20693	EA	1	*	*	*	*	*	*	*	*	06-77	10
	P-O-	5340-403-7684	CLAMP, LOOP: turret harness (7525558) (BA)	EA	1	*	*	*	*	*	*	*	*	06-77	11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (MIL-M-63001 B)

(1) SMR code	(2) Federal stock number	(3) Description	(4) Unit of meas	(5) Qty inc in unit	(6) 30 day DS maintenance allowance			(7) 30 day GS maintenance allowance			(8) 1 yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0618 - TURRET ELECTRICAL SYSTEM HARNESS CLAMPS (BA, CA, DA, DA Ser. No. 601W thru 726W) - Cont'd												
P-O-	5305-984-6189	SCREW, MACHINE: turret harness clamp (96906-MS35206-241) (BA, DA, DA Ser. No. 601W thru 726W)	EA	2	•	•	•	•	•	•	•	•	06-77	12
P-O-	5310-596-7693	WASHER, LOCK: turret harness clamp (96906-MS35335-31) (BA, DA, DA Ser. No. 601W thru 726W)	EA	2	•	•	•	•	•	•	•	•	06-77	13
P-O-	5340-234-7846	CLIP, CABLE: turret harness (8387253) (BA, DA DA Ser. No. 601W thru 726W)	EA	1	•	•	•	•	•	•	•	•	06-77	14
P-O-	5340-827-8314	CLAMP, LOOP: turret harness (96906-MS21333-33) (CA)	EA	1	•	•	•	•	•	•	•	•	06-77	15
		0618 - GUNNER'S PARTICULATE FILTER JUMPER LEAD ASSEMBLY (CA With Stabilization)												
C PAOZZ	2590-00-068-8494	LEAD, ELECTRICAL: (11659521) (CA with stabilization)	EA	1	•	•	•	•	•	•	•	•	06-77.1	1
		0618 - SMOKE GRENADE LAUNCHER PUSH-BUTTON UNIT (CA)												
R PAOOO	5975-01-047-8359	PUSHBUTTON UNIT, SMOKE: Grenade firing (K6897 - FV861135) (CA)	EA	1	•	•	•	•	•	•	•	•	06-78	1
PAOZZ	5310-00-582-5965	WASHER, LOCK: pushbutton unit retaining (96906-MS35338-44) (CA)	EA	4	•	•	•	•	•	•	•	•	06-78	2
PAOZZ	5305-00-068-0502	SCREW, CAP, HEXAGON HEAD: pushbutton unit retaining (96906-MS90725-6) (CA)	EA	4	•	•	•	•	•	•	•	•	06-78	3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE
(MIL-M-63001 B)

(1) SMR code	(2) Federal stock number	(3) Description	(4) Unit of meas	(5) Qty inc in unit	(6) 30 day DS maintenance allowance			(7) 30 day GS maintenance allowance			(8) 1 yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0618 - SMOKE GRENADE LAUNCHER SWITCH BOX ASSEMBLY (CA)												
C PAOZZ	5305-00-071-2234	**SCREW, CAP: hexagon head** (96906) MS90725-17	EA	2	•	•	•	•	•	•	•	•	06-79	1
C PAOOO	5930-01-043-2047	**SWITCH BOX ASSEMBLY: smoke grenade (19207-12257456)** (CA)	EA	1	•	•	•	•	•	•	•	•	06-79	2
PAOZZ	4730-00-985-4139	**PLUG, PIPE: switch box (96906-MS49005-1)** (CA)	EA	1	•	•	•	•	•	•	•	•	06-79	3
C XAOZZ		**CASE: switch box assembly (19207-11655078-1)** (CA)	EA	1	•	•	•	•	•	•	•	•	06-79	4
C PAOZZ	5330-00-612-3799	**GASKET: switch box cover (19207-11655077) (CA)**	EA	1	•	•	•	•	•	•	•	•	06-79	5
C XAOZZ		**COVER: switch box assembly (19207-12258000) (CA)**	EA	1	•	•	•	•	•	•	•	•	06-79	6
C PAOZZ	6210-00-176-4928	**LIGHT, INDICATOR:** switch box **(81349-LH89-1) (CA)**	EA	1	•	•	•	•	•	•	•	•	06-79	7
C PAOZZ	6240-00-155-7836	**LAMP, INCANDESCENT:** switch box **(96906-MS25237-327) (CA)**	EA	1	•	•	•	•	•	•	•	•	06-79	8
C PAOZZ	6210-00-022-7980	**LENS, LIGHT: switch box (81349-LC37GD2) (CA)**	EA	1	•	•	•	•	•	•	•	•	06-79	9
N PAOZZ	5310-00-114-5412	**WASHER: switch box switch (19207-11615796) (CA)**	EA	2	•	•	•	•	•	•	•	•	06-79	10
N PAOZZ	5930-00-615-6731	**GUARD, SWITCH: switch box** assembly switch **(96906-MS25224-1) (CA)**	EA	1	•	•	•	•	•	•	•	•	06-79	11
C PAOZZ	5305-00-988-1725	**SCREW, MACHINE: cover retaining (96906-MS35206-281)** (CA)	EA	4	•	•	•	•	•	•	•	•	06-79	12
C PAOZZ	5310-00-582-5965	**WASHER, LOCK: cover retaining (96906-MS35338-44) (CA)**	EA	4	•	•	•	•	•	•	•	•	06-79	13
N PAOZZ	5330-00-806-8769	**SEAL, BUSHING, EXTERNAL:** switch box **assembly (96906-MS25196-1)** (CA)	EA	1	•	•	•	•	•	•	•	•	06-79	14
N PAOZZ	5930-00-984-9971	**SWITCH, TOGGLE: (96906-MS25307-232)** (CA)	EA	1	•	•	•	•	•	•	•	•	06-79	15

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (MIL-M-63001 B)

(1) SMR code	(2) Federal stock number	(3) Description	(4) Unit of meas	(5) Qty inc in unit	(6) 30 day DS maintenance allowance			(7) 30 day GS maintenance allowance			(8) 1 yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
C PAOZZ	5330-00-641-4338	GASKET: switch box receptacle (96906-MS52000-4) (CA)	EA	1	*	*	*	*	*	*	*	*	06-79	16
C PAOZZ	6145-00-144-0083	WIRE, ELECTRICAL: switch box (81349-M81044-12-16-9) (CA)	Bulk		*	*	*	*	*	*	*	*	06-79	17
C PAOZZ	5970-00-082-3942	INSULATION, SLEEVING: switch box wiring (81349-MIL-I-23053-5) (CA)	Bulk		*	*	*	*	*	*	*	*	06-79	18
N PAOZZ	5935-00-772-8791	RECEPTACLE: switch box assembly (19207) 7728791 (CA)	EA	1	*	*	*	*	*	*	*	*	06-79	19
N PAOZZ	5305-00-958-4347	SCREW, MACHINE: switch box receptacle (96906-MS35206-216) (CA)	EA	4	*	*	*	*	*	*	*	*	06-79	20
PAOZZ	5310-00-543-2410	WASHER, LOCK: receptacle mounting (96906-MS35338-40) (CA)	EA	4	*	*	*	*	*	*	*	*	06-79	21
C PAOZZ	5310-00-582-5965	WASHER, LOCK: switch box attaching (96906-MS35338-44) (CA)	EA	2	*	*	*	*	*	*	*	*	06-79	22
C PAOZZ	5310-00-761-6882	NUT, PLAIN, HEXAGON: switch box attaching (96906-MS51967-2) (CA)	EA	2	*	*	*	*	*	*	*	*	06-79	23

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.

(All data on page 06-199 deleted)

Figures 06-124 and 06-125 deleted

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No.
		Figure 06-125 deleted												
		0620 - TURRET SEARCHLIGHT GROUND LEAD ASSEMBLY (10884268) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)												
P-O-	5935 771-6523	CONTACT, ELECTRICAL: turret electrical wiring searchlight ground lead (7716523) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	4	20	06-126	1
P-O-	6145-705-6674	CABLE, ELECTRICAL: turret electrical wiring searchlight ground lead (approximately 11 inches long) (81349-M13486/1-14) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	4	20	06-126	2
P-O-	5970-221-5298	INSULATING SLEEVE: turret electrical wiring searchlight ground lead; insulation, non-rigid Type F, Form U, Grade B, Class 1, Category 1, spec. MIL-I-631, Type F, Form U, Grade 6, Class 1, Category 1, .680ID, .040 wall, (5¾ inches long) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	5	20	0-126	3
P-O-	9905-893-3570	BAND, MARKER, BLANK: turret electrical wiring searchlight ground lead (96906-MS39020-3) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	5	30	06-126	4

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No	(10) (b) Item No
		0620 - TURRET SEARCHLIGHT GROUND LEAD ASSEMBLY (10884268) (BA, CA, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5940-705-6731	TERMINAL, ELECTRICAL: turret electrical wiring searchlight ground lead (7056731) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	4	20	06-126	5
P-O-	5306-225-9086	SCREW, CAP, HEXAGON HEAD: turret electrical wiring, searchlight ground (96906-MS90726-31) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	4	30	06-126	6
P-O-	5310-167-0721	WASHER, LOCK: turret electrical wiring, searchlight ground (96906-MS35333-41) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	4	50	06-126	7
P-O-	1025-947-8412	LEAD ASSEMBLY: turret electrical wiring, searchlight ground (10884268) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	70	06-126	8
		0620 - TURRET POWER RELAY BOX TO HYDRAULIC PUMP MOTOR LEAD ASSEMBLY (10864133) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)												
P-O-	5935-686-2607	CONNECTOR, PLUG, ELECTRICAL: turret power relay box to hydraulic pump motor lead assembly (8724241) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	4	20	06-127	1
P-O-	5935-368-4852	CONTACT, PIN, CONNECTOR, PLUG, ELECTRICAL: turret power relay box to hydraulic pump motor lead assembly (7716522) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-127	2
X1-O	5935-044-1893	INSERT, CONNECTOR, PLUG, ELECTRICAL: turret power relay box to hydraulic motor lead assembly (7716668) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		1									06-127	3
X1-O		SHELL, CONNECTOR, PLUG, ELECTRICAL: turret power relay box to hydraulic pump motor lead assembly (8701309) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		2									06-127	4

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0620 - TURRET POWER RELAY BOX TO HYDRAULIC PUMP MOTOR LEAD ASSEMBLY (10864133) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5310-655-9860	NUT, CONNECTOR, PLUG, ELECTRICAL: turret power relay box to hydraulic pump motor lead assembly (8701325) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	•	•	•	•	•	•	6	40	06-127	5
P-O-	5340-318-8184	GROMMET, CONNECTOR, PLUG, ELECTRICAL: turret power relay box to hydraulic pump motor lead assembly (8376776) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	•	•	•	•	•	•	6	40	06-127	6
P-O-	5935-333-9414	NUT, GROMMET RETAINER, CONNECTOR, PLUG, ELECTRICAL: turret power relay box to hydraulic pump motor lead assembly (7723308) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	2	•	•	•	•	•	•	6	40	06-127	7
P-O-	9905-893-3570	BAND, MARKER, BLANK: turret power relay box to hydraulic pump motor lead assembly (96906-MS39020-3) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	3	•	•	•	•	•	•	0	0	06-127	8
P-O-	6145-705-6674	CABLE, ELECTRICAL: turret power relay box to hydraulic pump motor lead assembly (approximately 24 inches long) (81349-M13486 / 1-14) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	FT	[illegible]	•	•	1	•	•	1	8	40	06-127	9
P-O-	5935-686-9374	CONNECTOR, PLUG, ELECTRICAL: turret power relay box to hydraulic pump motor lead assembly (8724242) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•	4	20	06-127	10
X1-O-	5935-089-7917	INSERT, CONNECTOR, PLUG, ELECTRICAL: turret power relay box to hydraulic pump motor lead assembly (7716669) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)		1									06-127	11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET POWER RELAY BOX TO HYDRAULIC PUMP MOTOR LEAD ASSEMBLY (10864133) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5935-771-6523	SOCKET, CONNECTOR, PLUG, ELECTRICAL: turret power relay box to hydraulic pump motor lead assembly (7716523) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-127	12
P-O-	2590-080-7556	LEAD, ELECTRICAL: turret power relay box to hydraulic pump motor lead assembly (10864133) (BA, CA, CC, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	4	20	06-127	13
		0620 - TURRET SEARCHLIGHT WIRING HARNESS (10952232) (BA)												
P-F-	2590-178-0243	WIRING HARNESS, ELECTRICAL: turret searchlight (10952232) (BA)	EA	1	*	*	*	*	*	*	6	10	06-128	1
		0620 - TURRET SEARCHLIGHT WIRING HARNESS (10952232) (BA												
P-O-	5935-686-2608	CONNECTOR, PLUG, ELECTRICAL: turret searchlight harness, control box (8724244) (BA)	EA	1	*	*	1	*	*	1	8	5	06-129	1
P-O-	5935-485-8954	CONTACT, CONNECTOR, ELECTRICAL: turret searchlight harness; searchlight roof outlet (6), searchlight relay box (8), control box (8) (7716520) (BA)	EA	22	*	*	*	*	*	*	6	220	06-129	2
P-O-	5935-771-8192	INSERT, CONNECTOR, ELECTRICAL: turret searchlight harness; control box (7723475) (BA)	EA	1	*	*	*	*	*	*	0	0	06-129	3
X1-		SHELL, CONNECTOR, ELECTRICAL: turret searchlight harness, control box (1), searchlight relay box (1) (8701300) (BA)		2									06-129	4
P-O-	5310-655-9860	NUT, SLEEVE, CONNECTOR, ELECTRICAL: turret searchlight harness, control box (1), searchlight relay box (1) (8701325) (BA)	EA	2	*	*	*	*	*	*	4	20	06-129	5
P-O-	5340-772-2322	BUSHING, RUBBER, CONNECTOR, ELECTRICAL: turret searchlight harness, control box (7722322) (BA)	EA	1	*	*	1	*	*	1	8	30	06-129	6

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET SEARCHLIGHT WIRING HARNESS (10952232) (BA) - Cont'd												
P-O-	5935-333-9414	NUT, BUSHING RETAINER, CONNECTOR, ELECTRICAL: turret searchlight harness, control box (1) searchlight relay box (1) (7723308) (BA)	EA	2	*	*	*	*	*	*	6	20	06-129	7
P-O-	6145-772-0853	WIRE, ELECTRICAL: turret searchlight harness (approx. 1172 inches long) (81349-MI3486 / 1-5) (BA)	FT	≠	*	*	*	*	*	32	400	800	06-129	8
P-O-	9905-752-4649	BAND, MARKER, BLANK: turret searchlight harness (96906-MS39020-1) (BA)	EA	6	*	*	*	*	*	*	6	260	06-129	9
P-O-	5940-230-0515	TERMINAL LUG: turret searchlight harness, searchlight roof outlet (96906-MS25036-154) (BA)	EA	1	*	*	*	*	*	*	6	10	06-129	10
P-O-	9905-893-3570	BAND, MARKER, BLANK: turret searchlight harness (96906-MS39020-3) (BA)	EA	4	*	*	*	*	*	*	4	40	06-129	11
P-O-	6145-705-6674	WIRE, ELECTRICAL: turret searchlight harness (approx. 185 inches long) (81349-M13486/1-14) (BA)	FT	≠	*	*	*	*	*	*	6	600	06-129	12
P-O-	5340-318-8184	BUSHING, RUBBER, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight relay box (8376776) (BA)	EA	1	*	*	1	*	*	1	8	50	06-129	13
P-O-	5935-686-2607	CONNECTOR, PLUG, ELECTRICAL: turret searchlight harness, searchlight relay box (8724241) (BA)	EA	1	*	*	1	*	*	1	8	20	06-129	14
P-O-	5935-044-1893	INSERT, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight relay box (7716668) (BA)	EA	1	*	*	*	*	*	*	0	0	06-129	15
P-O-	5999-368-4852	CONTACT, CONNECTOR ELECTRICAL: turret searchlight harness, searchlight relay box (7716522) (BA)	EA	1	*	*	*	*	*	*	4	10	06-129	16
P-O-	5935-686-2610	CONNECTOR, PLUG, ELECTRICAL: turret searchlight harness, searchlight relay box (8724199) (BA)	EA	1	*	*	1	*	*	1	8	15	06-129	17
X1-		INSERT, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight relay box (8720680) (BA)		1									06-129	18

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET SEARCHLIGHT WIRING HARNESS (10952232) (BA) - Cont'd												
P-O-	5935-789-6084	SHELL, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight relay box (8344522) (BA)	EA	1	*	*	*	*	*	*	0	0	06-129	19
P-O-	5975-697-6991	NUT, SLEEVE, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight relay box (7527643) (BA)	EA	1	*	*	1	*	*	1	8	16	06-129	20
P-O-	5340-772-2343	GROMMET, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight relay box (7722343) (BA)	EA	1	*	*	1	*	*	1	8	30	06-129	21
P-O-	5935-333-3088	NUT, BUSHING RETAINER, CONNECTOR ELECTRICAL: turret searchlight harness, searchlight relay box (7723306) (BA)	EA	1	*	*	1	*	*	1	8	16	06-129	22
P-O-	5935-686-9959	CONNECTOR, PLUG, ELECTRICAL: turret searchlight harness, searchlight relay box (8724234) (BA)	EA	1	*	*	1	*	*	1	8	10	06-129	23
P-O-	5999-771-6524	CONTACT, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight relay box (7716524) (BA)	EA	1	*	*	1	*	*	1	8	10	06-129	24
P-O-	2590-983-6911	INSERT, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight relay box (8701339) (BA)	EA	1	*	*	*	*	*	*	0	0	06-129	25
P-O-	5935-462-2913	SHELL, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight relay box (8344527) (BA)	EA	1	*	*	*	*	*	*			06-129	26
P-O-	5975-697-7769	NUT, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight relay box (7527645) (BA)	EA	1	*	*	1	*	*	1	8	16	06-129	27
P-O-	5935-752-7630	GROMMET, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight relay box (7527630) (BA)	EA	1	*	*	1	*	*	1	8	30	06-129	28
P-O-	5935-772-3307	NUT, BUSHING RETAINER, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight relay box (7723307) (BA)	EA	1	*	*	1	*	*	1	8	16	06-129	29

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0620—TURRET SEARCHLIGHT WIRING HARNESS (10952232) (BA)—Cont'd												
P-O-	6145-538-8222	WIRE, ELECTRICAL: turret searchlight harness (approximately 4 inches long) (81349-M13486 / 1-9) (BA)	FT	≠	*	*	*	*	*	*	5	15	06-129	30
X1-		JUNCTION, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight relay box (7992541) (BA)		1									06-129	31
P-O-	5935-833-8561	SHELL, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight relay box (2), gunner's heater control box (1), loader's heater control box (1), commander's heater control box (1) (8338561) (BA)	EA	5	*	*	1	*	*	1	8	80	06-129	32
P-O-	5970-833-8562	INSULATOR, BUSHING, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight relay box (2), gunner's heater control box (1), loader's heater-control box (1), commander's heater control box (1) (8338562) (BA)	EA	5	*	*	1	*	*	1	8	80	06-129	33
P-O-	5940-399-6676	TERMINAL, LUG: turret searchlight harness, searchlight relay box (2), gunner's heater control box (1), loader's heater control box (1), commander's heater control box (1) (8338564) (BA)	EA	5	*	*	1	*	*	1	8	50	06-129	34
P-O-	6145-705-6678	WIRE, ELECTRICAL: turret searchlight harness (81349-M13486 / 1-7) (BA)	FT	≠	*	*	*	*	*	*	6	30	06-129	35
P-O-	5970-221-5298	INSULATOR, SLEEVE, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight roof outlet (approximately 5¾ inches long) (80244-MIL-I-631, Type F, Form U, Grade B, Class 1, Category 1, .680 I.D., .040 wall) (BA)	FT	≠	*	*	*	*	*	*	5	30	06-129	36
P-O-	5970-577-1630	INSULATOR, SLEEVE, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight roof outlet (6) (approximately 5¾ inches long) (80244-MIL-I-631, Type F, Grade B, Form U, Class 1, Category 1, Transparent .162 I.D., .020 wall) (BA)	FT	≠	*	*	*	*	*	*	5	30	06-129	37

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET SEARCHLIGHT WIRING HARNESS (10952232) (BA) - Cont'd												
P-O-	5935-771-6523	CONTACT, CONNECTOR, ELECTRICAL: turret searchlight harness, searchlight roof outlet (7716523) (BA)	EA	1	*	*	1	*	*	1	8	16	06-129	38
		0620—TURRET ELECTRICAL CONTROL WIRING HARNESS (10934299) AND TURRET POWER WIRING HARNESS (10864091) (BA)												
P-F-	2590-442-5926	WIRING HARNESS, BRANCHED, ELECTRICAL: turret control (10934299) (BA)	EA	1	*	*	*	*	*	*	6	18	06-130	1
P-F-	2590-063-8126	WIRING HARNESS, BRANCHED, ELECTRICAL: turret power (10864091) (BA)	EA	1	*	*	*	*	*	*	6	18	06-130	2
		0620—TURRET POWER WIRING HARNESS (10864091) (BA)												
P-O-	5935-686-9374	CONNECTOR, ELECTRICAL: turret power wiring harness, power relay box (1), slipring box (1), searchlight power relay box (1) (8724242) (BA)	EA	3	*	*	1	*	*	1	8	60	06-131	1
P-O-	5935-771-6523	CONTACT, SOCKET, ELECTRICAL: power relay box connector (1), slipring box connector (1), searchlight power relay box connector (1) (7716523) (BA)	EA	3	*	*	*	*	*	*	4	75	06-131	2
P-O-	5935-089-7917	INSERT, ELECTRICAL: power relay box connector (1), slipring box connector (1), searchlight power relay box connector (1) (7716669) (BA)	EA	3	*	*	*	*	*	*	0	0	06-131	3
X1-		SHELL, ELECTRICAL: power relay box connector (1), slipring box connector (1), searchlight power relay box connector (1) (8701309) (BA)		3									06-131	4

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
		0620—TURRET POWER WIRING HARNESS (10864091) (BA)—Cont'd												
P-O-	5310-655-9860	NUT, COUPLING, ELECTRICAL: power relay box connector (1), slipring box connector (1), searchlight power relay box connector (1) (8701325) (BA)	EA	3	*	*	1	*	*	1	8	90	06-131	5
P-O-	5340-318-8184	GROMMET, ELECTRICAL: power relay box connector (1), slipring box connector (1), (8376776) (BA)	EA	2	*	1	1	*	1	1		50	06-131	6
P-O-	5935-333-9414	NUT, GROMMET RETAINER, ELECTRICAL: power relay box connector (1), slipring box connector (1), searchlight power relay box connector (1) (7723308) (BA)	EA	3	*	*	*	*	*	*	6	90	06-131	7
		TEE CONNECTOR, ELECTRICAL: turret power wiring harness (7992255) (BA)	EA	1	*	*	*	*	*	1	8	15	06-131	8
P-O-	6145-705-6674	WIRE, ELECTRICAL: turret power wiring harness (approximately 25 inches) (81349-M13486/1-14) (BA)	FT	#	*	*	*	*	*	*	6	50	06-131	9
P-O-	5340-598-5362	GROMMET, ELECTRICAL: searchlight power relay box connector (8376777) (BA)	EA	1	*	*	*	*	*	*	6	30	06-131	10
P-O-	6145-805-3354	WIRE, ELECTRICAL: turret power wiring harness (approximately 8 inches) (81349-M13486/1-12) (BA)	FT	#	*	*	*	*	*	*	6	30	06-131	11
P-O-	9905-893-3570	MARKER, BAND, BLANK: turret power wiring harness (96906-MS39020-3) (BA)	EA	4	*	*	*	*	*	*	6	80	06-131	12
		0620—TURRET CONTROL WIRING HARNESS (10934299) (BA)												
P-O-	5935-686-2608	CONNECTOR, ELECTRICAL: turret electrical control wiring harness, firing relay box (1), gunner's selector switch box (1), gunner's handle (1) (8724244) (BA)	EA	3	*	*	*	*	*	*	6	30	06-132	1
P-O-	5935-485-8954	CONTACT, SOCKET, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, firing relay box (8), gunner's selector switch box (8), gunner's handle (8), periscope light control source (2), pressure switch (3) (7716520) (BA)	EA	29	*	*	*	*	*	*	6	290	06-132	2

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET CONTROL WIRING HARNESS (10934299) (BA) - Cont'd												
P-O-	5935-771-8192	INSERT, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, firing relay box (1), gunner's selector switch box (1), gunner's handle (1) (7723475) (BA)	EA	3	*	*	*	*	*	*	0	0	06-132	3
X1-O		SHELL, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, firing relay box (1), gunner's selector switch box (1), gunner's handle (1), gun quick disconnect (1) (8701309) (BA)		4									06-132	4
P-O-	5310-655-9860	NUT, COUPLING, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, firing relay box (1), gunner's selector switch box (1), gunner's handle (1), gun quick disconnect (1) (8701325) (BA)	EA	4	*	*	*	*	*	*	5	40	06-132	5
P-O-	5340-772-2322	GROMMET, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, firing relay box (1), gunner's selector switch box (1), gunner's handle (1) (7722322) (BA)	EA	3	*	*	1	*	*	1	10	300	06-132	6
P-O-	5935-333-9414	NUT, GROMMET RETAINING, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, firing relay box (1), gunner's selector switch box (1), gunner's handle (1), gun quick disconnect (1) (7723308) (BA)	EA	4	*	*	*	*	*	*	5	40	06-132	7
P-O-		BAND, MARKER, BLANK: (see figure 06-133, Item 25) (BA)											06-132	8
P-O-	5935-686-9962	CONNECTOR, ELECTRICAL: turret electrical control wiring harness, periscope light control source (8724233) (BA)	EA	1	*	*	1	*	*	1	8	10	06-132	9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620—TURRET CONTROL WIRING HARNESS (10934299) (BA)—Cont'd												
X1-O		INSERT, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, periscope light control source (8701343) (BA)		1									06-132	10
X1-O	5935-462-2913	SHELL, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, periscope light control source (1), pressure switch (1) (8344527) (BA)		2									06-132	11
P-O-	5975-697-7769	NUT, COUPLING, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, periscope light control source (1), pressure switch (1) (7527645) (BA)	EA	2	*	*	*	*	*	*	5	10	06-132	12
P-O-	5340-332-7682	GROMMET, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, periscope light control source (7992132) (BA)	EA	1	*	*	*	*	*	*	6	100	06-132	13
P-O-	5935-772-3307	NUT, GROMMET RETAINER, CONNECTOR, ELECTRICAL: turret electrical control wiring harness: periscope light control (1), pressure switch (1) (7723307) (BA)	EA	2	*	*	*	*	*	*	5	20	06-132	14
P-O-	5940-660-3634	TERMINAL ELECTRICAL: turret electrical control wiring harness, periscope ground (1), gun quick disconnect ground (1) (MS25036-57) (BA)	EA	2	*	*	1	*	*	1	8	40	06-132	15
P-O-	9905-893-3570	BAND, MARKER, BLANK: turret electrical control wiring harness (96906-MS39020-3) (BA)	EA	1	*	*	*	*	*	*	6	10	06-132	16
P-O-	5935-399-6676	TERMINAL CONNECTOR, ELECTRICAL: turret electrical control wiring harness, slipring (1), deck clearance valve (1) (8338564) (BA)	EA	2	*	*	1	*	*	1	8	40	06-132	17
P-O-	5970-833-8562	SLEEVE, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, slip ring (1), deck clearance valve (1) (8338562) (BA)	EA	2	*	*	1	*	*	1	8	40	06-132	18

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0620 - TURRET CONTROL WIRING HARNESS (10934299) (BA) - Cont'd												
P-O-	5935-833-8561	SHELL, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, slip ring (1), deck clearance valve (1) (8338561) (BA)	EA	2	*	*	1	*	*	1	8	20	06-132	19
P-O-	5935-572-9180	SHELL, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, interference switch (8338566) (BA)	EA	1	*	*	1	*	*	1	8	10	06-132	20
P-O-	5310-833-8567	WASHER, CONNECTOR, ELECTRICAL: turret electrical control wiring harness; interference switch (8338567) (BA)	EA	1	*	*	*	*	*	1	8	10	06-132	21
P-O-	5940-057-2929	PIN, CONTACT, CONNECTOR, ELECTRICAL: turret electrical wiring harness, interference switch (96906-MS27148-2) (BA)	EA	1	*	*	*	*	*	1	8	20	06-132	22
P-O-	5935-686-2600	.CONNECTOR, ELECTRICAL: turret electrical control wiring harness, gun quick disconnect (8724245) (BA)	EA	1	*	*	1	*	*	1	8	10	06-132	23
P-O-	5935-485-8955	CONTACT, PIN, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, gun quick disconnect (7716521) (BA)	EA	5	*	*	*	*	*	*	5	100	06-132	24
X1-		CONTACT, PIN, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, gun quick disconnect (7716659) (BA)		1									06-132	25
P-O-	5935-771-6674	INSERT, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, gun quick disconnect (7716674) (BA)	EA	1	*	*	*	*	*	*			06-132	26
P-O-	5340-772-2323	GROMMET, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, gun quick disconnect (7722323) (BA)	EA	1	2	*	*	*	*	*	6	100	06-132	27
P-O-	5935-686-2605	CONNECTOR, ELECTRICAL: turret electrical control wiring harness, pressure switch (8724231) (BA)	EA	1	*	*	1	*	*	1	8	10	06-132	28
X1-		INSERT, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, pressure switch (8344324) (BA)		1									06-132	29

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620—TURRET CONTROL WIRING HARNESS (10934299) (BA)—Cont'd												
P-O-	5340-559-0283	GROMMET, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, pressure switch (7722344) (BA)	EA	1	*	*	1	*	*	1	8	100	06-132	30
P-O-	5935-686-2610	CONNECTOR, ELECTRICAL: turret electrical control wiring harness, power relay box (8724199) (BA)	EA	1	*	*	1	*	*	1	8	10	06-132	31
X1-		INSERT, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, power relay box (8720680) (BA)		1									06-132	32
P-O-	5935-789-6084	SHELL, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, power relay box (8344522) (BA)	EA	1	*	*	*	*	*	*			06-132	33
P-O-	5975-697-6991	NUT, COUPLING, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, power relay box (7527643) (BA)	EA	1	*	*	*	*	*	*	5	10	06-132	34
P-O-	5340-772-2343	GROMMET, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, power relay box (7722343) (BA)	EA	1	*	*	1	*	*	1	8	100	06-132	35
P-O-	5935-333-3088	NUT, GROMMET RETAINER, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, power relay box (7723306) (BA)	EA	1	*	*	*	*	*	*	5	10	06-132	36
		0620—TURRET CONTROL WIRING HARNESS (10934299) (BA)												
P-O-	5935-981-0365	TERMINAL, ELECTRICAL: turret electrical control wiring harness, magnetic brake (8724266) (BA)	EA	1	*	*	1	*	*	1	8	20	06-133	1
P-O-	5935-981-0365	CONNECTOR, ELECTRICAL: turret electrical control wiring harness, magnetic brake ground (8724226) (BA)	EA	1	*	*	1	*	*	1	8	15	06-133	2
X1-		SHELL, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, magnetic brake (8701308) (BA)		1									06-133	3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET CONTROL WIRING HARNESS (10934299) (BA) - Cont'd												
X1-		INSERT, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, magnetic brake (7973321) (BA)		1									06-133	4
X1-		SOCKET, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, magnetic brake (8701323) (BA)		3									06-133	5
P-O-	5975-752-7644	NUT, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, magnetic brake (7527644) (BA)	EA	1	*	*	1	*	*	1	8	16	06-133	6
P-O-	5340-772-2013	GROMMET, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, magnetic brake (7722013) (BA)	EA	1	*	*	1	*	*	1	8	25	06-133	7
P-O-	5935-772-8599	NUT, GROMMET RETAINING, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, magnetic brake (7728599) (BA)	EA	1	*	*	1	*	*	1	8	16	06-133	8
P-O-	5935-686-2605	CONNECTOR, ELECTRICAL: turret electrical control wiring harness, ballistic computer (8724231) (BA)	EA	2	*	*	1	*	*	1	8	32	06-133	9
P-O-	5935-485-8954	SOCKET, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, ballistic computer (3), range finder (3), commander's handle (8) (7716520) (BA)	EA	14	*	*	*	*	*	*	0	0	06-133	10
X1-		INSERT, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, ballistic computer (1), range finder (1) (8344324) (BA)		2									06-133	11
P-O-	5935-462-2913	SHELL, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, ballistic computer (1), range finder (1), accessories box (8344527) (BA)	EA	3	*	*	*	*	*	*			06-133	12
P-O-	5975-697-7769	NUT, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, ballistic computer (1), range finder (1), accessories box (1) (7527645) (BA)	EA	3	*	*	1	*	*	1	8	60	06-133	13

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0620—TURRET CONTROL WIRING HARNESS (10934299) (BA)—Cont'd												
P-O-	5340-559-0283	GROMMET, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, ballistic computer (1), range finder (1), accessories box (1) (7722344) (BA)	EA	3	*	*	1	*	*	1	8	60	06-133	14
P-O-	5935-772-3307	NUT, GROMMET RETAINER, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, ballistic computer (1), range finder (1), accessories box (1) (7723307) (BA)	EA	3	*	*	*	*	*	*	6	48	06-133	15
P-O-	5935-686-2608	CONNECTOR, ELECTRICAL: turret electrical control wiring harness, commander's handle (8724244) (BA)	EA	1	*	*	1	*	*	1	8	16	06-133	16
P-O-	5935-771-8192	INSERT, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, commander's handle (7723475) (BA)	EA	1	*	*	*	*	*	*			06-133	17
X1-		SHELL, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, commander's handle (8701309) (BA)		1									06-133	18
P-O-	5310-655-9860	NUT, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, commander's handle (8701325) (BA)	EA	1	*	*	1	*	*	1	8	16	06-133	19
P-O-	5340-772-2322	GROMMET, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, commander's handle (7722322) (BA)	EA	1	2	*	1	*	*	1	8	25	06-133	20
P-O-	5935-333-9414	NUT, GROMMET RETAINER, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, commander's handle (7723308) (BA)	EA	1	*	*	1	*	*	1	8	16	06-133	21
P-O-	5940-399-6676	TERMINAL, LUG, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, cupola power control switch (1), cupola power control relay (1), computer switch (2), dome light (2), radiation detector (1), ballistic drive (1), interference switch (1) (8338564) (BA)	EA	9	*	*	1	*	*	1	8	180	06-133	22

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET CONTROL WIRING HARNESS (10934299) (BA) - Cont'd												
P-O-	5970-833-8562	SLEEVE, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, cupola power control switch (1), cupola power control relay (1), computer switch (2), dome light (2), radiation detector (1), ballistic drive (1), interference switch (1) (8338562) (BA)	EA	9	*	*	1	*	*	1	8	180	06-133	23
P-O-	5935-833-8561	SHELL, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, cupola power control switch (1), cupola power control relay (1), computer switch (2), dome light (2), radiation detector (1), ballistic drive (1), interference swltch (1) (8338561) (BA)	EA	9	*	*	1	*	*	1	8	180	06-133	24
P-O-	9905-752-4649	BAND, MARKER, BLANK: turret electrical control wiring harness **(96906-MS39020-1)** (BA)	EA	64	*	*	*	*	*	*	6	3280	06-133	25
P-O-	5935-754-9081	CONNECTOR, ELECTRICAL: turret electrical control wiring harness, accessories box (8724230) (BA)	EA	1	*	*	1	*	*	1	8	20	06-133	26
P-O-	5935-485-8955	CONTACT, PIN, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, accessories box (7716521) (BA)	EA	3	*	*	*	*	*	*	0	0	06-133	27
X1-		INSERT, CONNECTOR, ELECTRICAL: turret electrical control wiring harness accessories box (7413822) (BA)		1									06-133	28
P-O-	5935-214-0904	CONTACT, PLUG, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, radiation detector (7982907) (BA)	EA	1	*	*	1	*	*	1	8	16	06-133	29
P-O-	5935-572-9180	SHELL, CONNECTOR, ELECTRICAL: turret electrical control wiring harness, radiation detector (8338566) (BA)	EA	1	*	*	1	*	*	1	8	20	06-133	30
P-O-	6145-772-0853	WIRE, ELECTRICAL: turret electrical control wiring harness (approximately 1607 inches long) (81349-M13486 / 1-5) (BA)	FT	—	*	*	*	*	*	*	6	250	06-133	31

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		20—TURRET HEATER CABLE ASSEMBLY (10923809) (BA)												
P-O-	2590-979-6543	CABLE ASSEMBLY: circuit breaker to air filter heaters (2), commander's heater (1) (10923809) (BA)	EA	3	*	*	1	*	*	1	8	60	06-134	1
P-O-	5940-399-6676	TERMINAL ASSEMBLY: cable assembly, circuit breaker to air filter heaters (4), circuit breaker to commander's heater (2) (8338564) (BA)	EA	6	*	*	1	*	*	1	8	60	06-134	2
P-O-	5970-833-8562	INSULATOR, BUSHING: cable assembly, circuit breaker to air filter heaters (4), circuit breaker to commander's heater (2) (8338562) (BA)	EA	6	*	*	1	*	*	1	8	60	06-134	3
P-O-	5935-833-8561	SHELL ELECTRICAL CONNECTOR: cable assembly, circuit breaker to air filter heaters (4), circuit breaker to commander's heater (2) (8338561) (BA)	EA	6	*	*	1	*	*	1	8	60	06-134	4
P-O-	6145-772-0853	WIRE, ELECTRICAL: circuit breaker to air filter heaters (2 pieces, 8 inches long, circuit breaker to commander's heater) (1 piece, 8 inches long) (81349-M13486 / 1-5) (BA)	FT	≠	*	*	*	*	*	*	8	20	06-134	5
		BAND, MARKER: cable assembly, circuit breaker to air filter heaters (2), circuit breaker to commander's heater (1) (10864355) (BA)	EA	3	*	*	*	*	*	*	6	30	06-134	6
		0620—TURRET POWER PACK PUMP MOTOR GROUND STRAP (10915454) (BA, CA, CC)												
P-O-	2590-866-0287	LEAD, ELECTRICAL: motor pump ground strap (10915454) (BA, CA, CC)	EA	1	*	*	1	*	*	1	8	10	06-135	1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620—TURRET MACHINE GUN FIRING HARNESS (11599716) (BA, CA, CC) CONTROL BOX TO VENTILATING MOTOR LEAD (10864134) (BA, DA, DA Ser. No. 601w thru 726w) AND INTERPHONE SLAVE HARNESS (10870485) (BA, DA, DA Ser. No. 601w thru 726w)												
P-F-	2590-659-6896	LEAD, ELECTRICAL: control box to ventilator motor (10864134) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	18	06-136	1
P-F-	2590-179-6901	WIRING HARNESS, BRANCHED, ELECTRICAL: interphone slave (10870485) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	30	06-136	2
P-F-	2590-782-2047	WIRING HARNESS, BRANCHED, ELECTRICAL: machine gun firing (11599716) (BA, CA, CC)	EA	1	*	*	*	*	*	*	6	30	06-136	3
		0620—TURRET MACHINE GUN FIRING HARNESS (11599716) (BA, CA, CC)												
P-O-	5935-201-5997	RECEPTACLE ASSEMBLY, ELECTRICAL: machine gun firing harness to gun disconnect (7716785) (BA, CA, CC)	EA	1	*	*	1	*	*	1	8	24	06-137	1
P-O-	5935-485-8954	CONTACT, SOCKET: machine gun firing harness to gun disconnect receptacle (7716520) (BA, CA, CC)	EA	5	*	*	*	*	*	*	4	50	06-137	2
P-O-	5930-113-2954	CONTACT, SOCKET: machine gun firing harness to gun disconnect receptacle (7716658) (BA, CA, CC)	EA	1	*	*	*	*	*	*	3	15	06-137	3
X1-		INSERT: machine gun firing harness to gun disconnect receptacle (7716675) (BA, CA, CC)		1									06-137	4
P-O-	5935-771-6781	SHELL: machine gun firing harness to gun disconnect receptacle (8701329) (BA, CA, CC)	EA	1	*	*	*	*	*	*	0	0	06-137	5
P-O-	5340-772-2323	GROMMET: machine gun firing harness to gun disconnect receptacle (7722323) (BA, CA, CC)	EA	1	*	*	1	*	*	1	8	18	06-137	6

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0620 - TURRET MACHINE GUN FIRING HARNESS (11599716) (BA, CA, CC) - Cont'd												
P-O-	5935-333-9414	NUT, GROMMET RETAINER: machine gun firing harness to gun disconnect receptacle (7723308) (BA, CA, CC)	EA	1	*	*	*	*	*	*	6	24	06-137	7
P-O-	5940-230-0515	TERMINAL, ELECTRICAL: gun quick disconnect ground (96906-MS25036-154) (BA, CA, CC)	EA	1	*	*	1	*	*	1	8	18	06-137	8
P-O-	9905-752-4649	BAND, MARKER, BLANK: machine gun firing harness (96906-MS39020-1) (BA, CA, CC)	EA	16	*	*	*	*	*	*	6	320	06-137	9
P-O-	6145-772-0853	WIRE, ELECTRICAL: machine gun firing harness (approximately 154 inches long) (81349-M13486 / 1-5) (BA, CA, CC)	FT	≠	*	*	*	*	*	*	6	200	06-137	10
P-O-	9905-841-4445	BAND, MARKER, BLANK: machine gun firing harness (96906-MS39020-2) (BA, CA, CC)	EA	1	*	*	*	*	*	*	5	20	06-137	11
P-O-	1015-798-2997	TERMINAL, ELECTRICAL: machine gun firing harness to machine gun (7982997) (BA, CA, CC)	EA	1	*	*	1	*	*	1	8	18	06-137	12
P-O-	5970-833-8562	SLEEVE, ELECTRICAL: loader's safety switch (2), machine gun (1), telescope power unit (1), relay and primer (3) (8338562) (BA, CA, CC)	EA	7	*	*	1	*	*	1	8	105	06-137	13
P-O-	5935-078-4707	SHELL, ELECTRICAL: machine gun firing harness to machine gun (10924502-1) (BA, CA, CC)	EA	1	*	*	1	*	*	1	8	16	06-137	14
P-O-	5935-833-8561	SHELL, ELECTRICAL: loader's safety switch (2) telescope power unit (1), relay and primer (3) (8338561) (BA, CA, CC)	EA	6	*	*	1	*	*	1	8	90	06-137	15
P-O-	5940-399-6676	TERMINAL, ELECTRICAL: machine gun firing harness, loader's safety switch (2), telescope power unit (1), relay and primer (3) (8338564) (BA, CA, CC)	EA	6	*	*	1	*	*	1	8	90	06-137	16
P-O-	5940-057-2929	PIN, CONTACT, ELECTRICAL: machine gun firing harness, loader's safety switch (1), blasting machine (3) (96906-MS27148-2) (BA, CA, CC)	EA	4	*	*	*	*	*	*	5	40	06-137	17

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET MACHINE GUN FIRING HARNESS (11599716) (BA, CA, CC) - Cont'd												
P-O-	5310-833-8567	WASHER: machine gun firing harness, loader's safety switch (1), blasting machine (3) (8338567) (BA, CA, CC)	EA	4	*	*	*	*	*	*	6	25	06-137	18
P-O-	5935-572-9180	SHELL, ELECTRICAL: machine gun firing harness, loader's safety switch (1), blasting machine (3) (8338566) (BA, CA, CC)	EA	4	*	*	1	*	*	1	8	60	06-137	19
P-O-	6145-463-0644	WIRE, ELECTRICAL: machine gun firing harness (approximately 38 inches long) (81349-M13486 / 2-1) (BA, CA, CC)	FT	≠	*	*	*	*	*	*	8	75	06-137	20
P-O-	5940-179-2906	FERRULE: machine gun firing harness (11599711) (BA, CA, CC)	EA	4	*	*	*	*	*	*	5	60	06-137	21
P-O-	5940-179-2805	FERRULE: machine gun firing harness (11599712) (BA, CA, CC)	EA	4	*	*	*	*	*	*	5	40	06-137	22
P-O-	6145-772-2204	WIRE, ELECTRICAL: machine gun firing harness (approximately 32 inches long) (81345-M13486 / 1-3) (BA, CA, CC)	FT	≠	*	*	*	*	*	*	8	70	06-137	23
P-O-	5940-113-8183	TERMINAL, ELECTRICAL: machine gun firing harness, blasting machine ground (96906-MS25036-113) (BA, CA, CC)	EA	1	*	*	*	*	*	1	8	20	06-137	24
P-O-	5940-660-3634	TERMINAL, ELECTRICAL: machine gun firing harness relay and primer ground (96906-MS25036-57) (BA, CA, CC)	EA	1	*	*	1	*	*	1	8	20	06-137	25
		0620 - TURRET CONTROL BOX TO VENTILATING MOTOR LEAD (10864134) (BA, DA, DA Ser. No. 601w thru 726w)												
P-O-	5935-686-9957	CONNECTOR, ELECTRICAL: ventilator, motor lead (8724235) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	18	06-138	1
P-O-	5935-771-6525	CONTACT, SOCKET, CONNECTOR, ELECTRICAL: ventilator, motor lead (7716525) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*			06-138	2

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620—TURRET CONTROL BOX TO VENTILATING MOTOR LEAD (10864134) (BA, DA, DA Ser. No. 601w thru 726w)—Cont'd												
X1-		INSERT, CONNECTOR, ELECTRICAL: ventilator, motor lead (8344516) (BA, DA, DA Ser. No. 601w thru 726w)		1									06-138	3
▌P-O-	5935-462-2913	SHELL, CONNECTOR, ELECTRICAL: motor lead, ventilator (1), control box (1) (8344527) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*			06-138	4
P-O-	5975-697-7769	NUT, COUPLING, CONNECTOR, ELECTRICAL: motor lead, ventilator (1), control box (1) (7527645) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	40	06-138	5
P-O-	5935-752-7630	GROMET, CONNECTOR, ELECTRICAL: motor lead, ventilator (1), control box (1) (7527630) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	40	06-138	6
▌P-O-	5935-772-3307	NUT, GROMET RETAINER, CONNECTOR, ELECTRICAL: motor lead, ventilator (1). control box (1) (7723307) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	6	40	06-138	7
P-O-	9905-841-4445	MARKER, BAND, BLANK: control box to ventilator motor lead (96906-MS39020-2) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	*	*	*	*	6	60	06-138	8
P-O-	6145-538-8222	WIRE, ELECTRICAL: control box to ventilator motor lead (approximately 74 inches long) (81349-M13486 / 1-9) (BA, DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	8	50	06-138	9
P-O-	5935-686-9959	CONNECTOR, ELECTRICAL: control box, motor lead (8725234) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	18	06-138	10
P-O-	2590-980-6911	INSERT, CONNECTOR, ELECTRICAL: control box, motor lead (8701339) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	5	12	06-138	11
▌P-O-	5999-771-6524	CONTACT, PIN, CONNECTOR, ELECTRICAL: control box, motor lead (7716524) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*			06-138	12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620—TURRET INTERPHONE SLAVE WIRING HARNESS (10870485) (BA, DA, DA Ser. No. 601w thru 726w)												
P-O-	5935-686-9957	CONNECTOR, ELECTRICAL: interphone slave wiring harness to accessories control box (8724235) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	8	12	06-139	1
X1-O-		CONTACT, SOCKET, ELECTRICAL: interphone slave wiring harness to accessories control box connector (7716525) (BA, DA, DA Ser. No. 601w thru 726w)		1									06-139	2
X1-O-		INSERT, ELECTRICAL: interphone slave wiring harness to accessories control box connector (8344516) (BA, DA, DA Ser. No. 601w thru 726w)		1									06-139	3
X1-O-	5935-462-2913	SHELL, ELECTRICAL: interphone slave wiring harness, accessories control box connector (1), power relay box connector (1) (8344527) (BA, DA, DA Ser. No. 601w thru 726w)		2									06-139	4
P-O-	5975-697-7769	NUT, COUPLING, ELECTRICAL: interphone slave wiring harness, accessories control box connector (1), power relay box connector (1) (7527645) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	2	40	06-139	5
P-O-	5340-598-5327	GROMET, ELECTRICAL: interphone slave wiring harness, accessories control box connector (1), power relay box connector (1) (7527623) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	24	60	06-139	6
P-O-	5935-772-3307	NUT, GROMMET RETAINER, ELECTRICAL: interphone slave wiring harness, accessories control box connector (1), power relay box connector (1), power relay box connector (1) (7723307) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	6	60	06-139	7

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620—TURRET INTERPHONE SLAVE WIRING HARNESS (10870485) (BA, DA, DA Ser. No. 601w thru 726w)—Cont'd												
P-O-	5940-705-6713	TERMINAL, ELECTRICAL: interphone slave ground (7056713) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	18	06-139	8
P-O-	9905-841-4445	BAND, MARKER, BLANK: interphone slave wiring harness (96906-MS39020-2) (BA, DA, DA Ser. No. 601w thru 726w)	EA	6	*	*	*	*	*	*	5	120	06-139	9
P-O-	6145-538-8222	WIRE, ELECTRICAL: slave wiring harness (approximately 76 inches) (81349-M13486 / 1-9) (BA, DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	1	*	*	1	8	150	06-139	10
P-O-	5035-201-6673	CONNECTOR, ELECTRICAL: interphone slave wiring harness to interphone slave (7722352) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-139	11
P-O-	5935-771-6527	CONTACT, SOCKET, ELECTRICAL: interphone slave wiring harness to interphone slave connector (7716527) (BA, DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	*	*	*	*	4	20	06-139	12
X1-O-		INSERT, ELECTRICAL: interphone slave wiring harness to interphone slave connector (7723473) (BA, DA, DA Ser. No. 601w thru 726w)		1									06-139	13
P-O-	5935-771-6781	SHELL, ELECTRICAL: interphone slave wiring harness to interphone slave connector (8701329) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	*	06-139	14
P-O-	5325-338-1274	GROMMET, ELECTRICAL: interphone slave wiring harness to interphone slave connector (7524564) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-139	15
P-O-	5935-333-9414	NUT, GROMMET RETAINER, ELECTRICAL: interphone slave wiring harness to interphone slave connector (7723308) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	18	06-139	16

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0620 - TURRET INTERPHONE SLAVE WIRING HARNESS (10870485) (BA, DA, DA Ser No. 601w thru 726w) - Cont'd												
P-O-	5935-686-9959	CONNECTOR, ELECTRICAL: interphone slave wiring harness to power relay box (8724234) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-139	17
P-O-	5999-771-6524	CONTACT, SOCKET, ELECTRICAL: interphone slave wiring harness to power relay box connector (7716524) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*			06-139	18
P-O-	2590-983-6911	INSERT, ELECTRICAL: interphone slave wiring harness to power relay box connector (8701339) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-139	19
P-O-	6145-705-6676	WIRE, ELECTRICAL: interphone slave wiring harness (approximately 233 inches) (81349-M13486 / 1-10) (BA, DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	8	500	06-139	20
P-O-	5940-180-7906	CONNECTOR, ELECTRICAL: interphone slave wiring harness (7973819) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	18	06-139	21
		0620—TURRET SLIPRING TO INTERPHONE SLAVE CABLE ASSEMBLY (10870483) (BA, DA, DA Ser. No. 601w thru 726w)												
P-F-	2590-134-1108	CABLE ASSEMBLY: slipring to interphone slave (10870483) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	15	06-140	1
		0620—TURRET SLIPRING TO INTERPHONE SLAVE CABLE ASSEMBLY (10870483) (BA, DA, DA Ser. No. 601w thru 726w)												
P-O-	5935-686-9625	CONNECTOR, ELECTRICAL: slipring to interphone slave cable assembly (8724248) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-141	1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET SLIRPING TO INTERPHONE SLAVE CABLE ASSEMBLY (10870483) (BA, DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5930-113-2954	CONTACT, SOCKET, ELECTRICAL: slipring to interphone slave cable assembly, slipring (14), interphone slave (14) (7716658) (BA, DA, DA Ser. No. 601w thru 726w)	EA	28	*	*	1	*	*	1	8	280	06-141	2
X1-		INSERT, ELECTRICAL: slipring to interphone slave cable assembly, slipring (1), interphone slave (1) (8344519) (BA, DA, DA Ser. No. 601w thru 726w)		2									06-141	3
X1-		SHELL ELECTRICAL: slipring to interphone slave cable assembly (8701309) (BA, DA, DA Ser. No. 601w thru 726w)		1									06-141	4
P-O-	5310-655-9860	NUT, COUPLING, ELECTRICAL: slipring to interphone slave cable assembly (8710325) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	18	06-141	5
P-O-	5935-679-9663	CLAMP ASSEMBLY, MULTI-CONDUCTOR, CABLE: slipring to interphone slave cable assembly, slipring (1), interphone slave (1) (7973504) (BA, DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	30	06-141	6
X1-		NUT, CLAMP ASSEMBLY: slipring to interphone slave cable assembly, slipring (1), interphone slave (1) (7973509) (BA, DA, DA Ser. No. 601w thru 726w)		2									06-141	7
X1-		ADAPTER, TAPERED: slipring to interphone slave cable assembly, slipring (1), interphone slave (1) (7973505) (BA, DA, DA Ser. No. 601w thru 726w)		2									06-141	8
X1-		WASHER, SEALING: slipring to interphone slave cable assembly, slipring (1), interphone slave (1) (7973506) (BA, DA, DA Ser. No. 601w thru 726w)		2									06-141	9
X1-		GLAND ASSEMBLY: slipring to interphone slave cable assembly, slipring (1), interphone slave (1) (7973507) (BA, DA, DA Ser. No. 601w thru 726w)		2									06-141	10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-6300: B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET SLIPRING TO INTERPHONE SLAVE CABLE ASSEMBLY (10870483) (BA, DA, DA Ser. No. 601w thru 726w) - Cont'd												
X1-O-	1025-908-3257	ADAPTER: turret electrical slipring to interphone slave cable assembly, slipring (1), interphone slave (1) (7973508) (BA, DA, DA Ser. No. 601w thru 726w)		2									06-141	11
P-O-	5970-577-1631	INSULATOR: slipring to interphone slave cable assembly (¾ inches long, 26 pieces) (80244-17-I-1725-11) (BA, DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	1	*	*	1	8	50	06-141	12
P-O-	9905-893-3570	BAND, MARKER, BLANK: slipring to interphone slave cable assembly (96906-MS39020-3) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-141	13
P-O-	6145-772-4579	WIRE, ELECTRICAL: slipring to interphone slave cable assembly (approximately 184 inches long) (81349-M13486 / 13) (BA, DA, DA Ser. No. 601w thru 726w)	FT	—	*	*	1	*	*	1	8	350	06-141	14
P-O-	5935-752-4943	CONNECTOR, ELECTRICAL: interphone slave cable assembly to interphone slave (7524943) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-141	15
P-O-	5935-771-6781	SHELL, ELECTRICAL: interphone slave cable assembly to interphone slave (8701329) (BA, DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-141	16
		0620—TURRET CONTROL WIRING HARNESS (10941059) (CA)												
P-F-	2590-178-0214	WIRING HARNESS, ELECTRICAL: turret control (10941059) (CA)	EA	1	*	*	*	*	*	*	6	10	06-142	1
		0620—TURRET CONTROL WIRING HARNESS (10941059) (CA)												
P-O-	5935-754-9083	CONNECTOR, PLUG, ELECTRICAL: turret harness, turret power relay box (8724257) (CA)	EA	1	*	*	1	*	*	1	8	16	06-143	1
P-O-	5935-485-8955	CONTACT, CONNECTOR, ELECTRICAL: turret harness, turret power relay box (12), gun disconnect (5) (7716521) (CA)	EA	17	*	*	1	*	*	1	8	85	06-143	2

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0620 - TURRET CONTROL WIRING HARNESS (10941059) (CA) - Cont'd												
X1-O-		INSERT, CONNECTOR, ELECTRICAL: turret harness, turret power relay box (7716683) (CA)		1									06-143	3
X1-O-		SHELL, CONNECTOR, ELECTRICAL: turret harness, turret power relay box (8344537) (CA)		1									06-143	4
P-O-	5975-771-6634	NUT, BUSHING RETAINER, CONNECTOR, ELECTRICAL: turret harness, turret power relay box (7716634) (CA)	EA	1	*	*	1	*	*	1	8	16	06-143	5
P-O-	5340-090-5426	GROMMET, CONNECTOR, ELECTRICAL: turret harness, turret power relay box (7722333) (CA)	EA	1	*	*	*	*	*	*	6	25	06-143	6
P-O-	5935-772-3309	NUT, CONNECTOR, ELECTRICAL: turret harness, turret power relay box (7723309) (CA)	EA	1	*	*	1	*	*	1	8	16	06-143	7
P-O-	9905-752-4649	BAND, MARKER, BLANK: turret harness (96906-MS39020-1) (CA)	EA	50	*	*	*	*	*	*	6	2000	06-143	8
P-O-	6145-772-0853	WIRE, ELECTRICAL: turret harness (approximately 2873 inches long) (81349-M13486 / 1-5) (CA)	FT	≠	*	*	*	*	*	*	6	12000	06-143	9
P-O-	5940-057-2929	CONTACT, CONNECTOR, ELECTRICAL: turret harness, slipring interference switch (1), electronic ballistic computer (1), stabilization system (1) (96906-MS27148-2) (CA)	EA	3	*	*	1	*	*	1	8	30	06-143	10
P-O-	5310-833-8567	WASHER, SLOTTED, CONNECTOR, ELECTRICAL: turret harness, slipring interference switch (1), electronic ballistic computer (1), stabilization system (1) (8338567) (CA)	EA	3	*	*	1	*	*	1	8	36	06-143	11
P-O-	1015-833-8566	SHELL, CONNECTOR, ELECTRICAL: turret harness, slipring interference switch (1), electronic ballistic computer (1), stabilization system (1) (8338566) (CA)	EA	3	*	*	1	*	*	1	8	30	06-143	12
P-O-	5935-833-8561	SHELL, CONNECTOR, ELECTRICAL: turret harness, slipring interference switch (1), gunner's air filter heater (1), deck clearance valve (1), stabilization system (1) electronic ballistic computer (1) (8338561) (CA)	EA	5	*	*	1	*	*	1	8	50	06-143	13

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620—TURRET CONTROL WIRING HARNESS (10941059) (CA)—Cont'd												
P-O-	5970-833-8562	INSULATOR BUSHING, CONNECTOR, ELECTRICAL: turret harness, slipring interference switch (1), gunner's air filter heater (1), deck clearance valve (1), stabilization system (1), electronic ballistic computer (1) (8338562) (CA)	EA	5	*	*	1	*	*	1	8	75	06-143	14
P-O-	5935-399-6676	TERMINAL, LUG, CONNECTOR, ELECTRICAL: turret harness, slipring interference switch (1), gunner's air filter heater (1), deck clearance valve (1), stabilization system (1), electronic ballistic computer (1) (8338564) (CA)	EA	5	*	*	1	*	*	1	8	75	06-143	15
P-O-	5935-686-2608	CONNECTOR, PLUG, ELECTRICAL: turret harness, firing relay (1), gunner's control box (1), gunner's control handle (1) (8724244) (CA)	EA	3	*	*	1	*	*	1	8	45	06-143	16
P-O-	5935-485-8954	CONTACT, CONNECTOR, ELECTRICAL: turret harness, pressure switch (3), firing relay (8), gunner's control box (8), gunner's control handle (8) (7716520) (CA)	EA	27	*	*	1	*	*	1	8	81	06-143	17
P-O-	5935-771-8192	INSERT, CONNECTOR, ELECTRICAL: turret harness, firing relay (1), gunner's control box (1), gunner's control handle (1) (7723475) (CA)	EA	3	*	*	*	*	*	*	0	0	06-143	18
X1-O-		SHELL, CONNECTOR, ELECTRICAL: turret harness, firing relay (1), gunner's control box (1), gun disconnect (1), gunner's control handle (1) (8701309) (CA)		4									06-143	19
P-O-	5310-655-9860	NUT, BUSHING RETAINER, CONNECTOR, ELECTRICAL: turret harness, firing relay (1), gunner's control box (1), gunner's control handle (1), gun disconnect (1) (8701325) (CA)	EA	4	*	*	1	*	*	1	8	120	06-143	20
P-O-	5340-772-2322	GROMMET, CONNECTOR, ELECTRICAL: turret harness, firing relay (1), gunner's control box (1), gunner's control handle (1) (7722322) (CA)	EA	3	*	*	1	*	*	1	8	90	06-143	21

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET CONTROL WIRING HARNESS (10941059) (CA) - Cont'd												
P-O-	5935-333-9414	NUT, CONNECTOR, ELECTRICAL: turret harness, firing relay (1), gunner's control box (1), gunner's control handle (1), gun disconnect (1) (7723308) (CA)	EA	4	*	*	1	*	*	1	8	120	06-143	22
P-O-	5940-660-3634	TERMINAL, LUG: turret harness, firing relay ground (MS25036-57) (CA)	EA	1	*	*	1	*	*	1	8	16	06-143	23
P-O-	5935-686-2600	CONNECTOR, PLUG, ELECTRICAL: turret harness, gun disconnect (8724245) (CA)	EA	1	*	*	1	*	*	1	8	24	06-143	24
X1-O-		CONTACT, CONNECTOR, ELECTRICAL: turret harness, gun disconnect (7716659) (CA)		1									06-143	25
P-O-	5935-771-6674	INSERT, CONNECTOR, ELECTRICAL: turret harness, gun disconnect (7716674) (CA)	EA	1	*	*	*	*	*	*	0	0	06-143	26
P-O-	5340-772-2323	GROMMET, CONNECTOR, ELECTRICAL: turret harness, gun disconnect (7722323) (CA)	EA	1	*	*	1	*	*	1	8	24	06-143	27
P-O-	5935-686-2605	CONNECTOR, PLUG, ELECTRICAL: turret harness, pressure switch (8724231) (CA)	EA	1	*	*	1	*	*	1	8	24	06-143	28
X1-O-		INSERT, CONNECTOR, ELECTRICAL: turret harness, pressure switch (8344324) (CA)		1									06-143	29
X1-O-	5935-462-2913	SHELL, CONNECTOR, ELECTRICAL: turret harness, pressure switch (8344527) (CA)		1									06-143	30
P-O-	5975-697-7769	NUT, BUSHING RETAINER, CONNECTOR, ELECTRICAL: turret harness, pressure switch (7527645) (CA)	EA	1	*	*	1	*	*	1	8	24	06-143	31
P-O-	5340-559-0283	GROMMET, CONNECTOR, ELECTRICAL: turret harness, pressure switch (7722344) (CA)	EA	1	*	*	1	*	*	1	8	30	06-143	32
P-O-	5935-772-3507	NUT, CONNECTOR, ELECTRICAL: turret harness, pressure switch (7723307) (CA)	EA	1	*	*	1	*	*	1	8	20	06-143	33
		0620—TURRET CONTROL WIRING HARNESS (10941059) (CA)												
P-O-	5935-686-2610	CONNECTOR, PLUG, ELECTRICAL: turret harness, azimuth indicator lighting feed (8724199) (CA)	EA	1	*	*	1	*	*	1	8	16	06-144	1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620—TURRET CONTROL WIRING HARNESS (10941059) (CA)—Cont'd												
P-O-	5935-485-8954	CONTACT, CONNECTOR, ELECTRICAL: turret harness, azimuth indicator lighting feed (1), searchlight control box (8), commander's control handle (8), searchlight receptacle (6), range finder (3) (7716520) (CA)	EA	26	*	*	1	*	*	1	8	52	06-144	2
X1-O-		INSERT, CONNECTOR, ELECTRICAL: turret harness, azimuth indicator lighting feed (8720680) (CA)		1									06-144	3
P-O-	5935-789-6084	SHELL, CONNECTOR, ELECTRICAL: turret harness, azimuth indicator lighting feed (8344522) (CA)	EA	1	*	*	*	*	*	*	0	0	06-144	4
P-O-	5975-697-6991	NUT, BUSHING RETAINER, CONNECTOR, ELECTRICAL: turret harness, azimuth indicator lighting feed (7527643) (CA)	EA	1	*	*	1	*	*	1	8	24	06-144	5
P-O-	5340-772-2343	GROMMET, CONNECTOR, ELECTRICAL: turret harness, azimuth indicator lighting feed (7722343) (CA)	EA	1	*	*	1	*	*	1	8	24	06-144	6
P-O-	5935-333-3088	NUT, CONNECTOR, ELECTRICAL: turret harness, azimuth indicator lighting feed (7723306) (CA)	EA	1	*	*	1	*	*	1	8	16	06-144	7
P-O-	5935-772-8599	NUT, CONNECTOR, ELECTRICAL: turret harness, magnetic brake (7728599) (CA)	EA	1	*	*	1	*	*	1	8	16	06-144	8
P-O-	5340-772-2013	GROMMET, CONNECTOR, ELECTRICAL: turret harness, magnetic brake (7722013) (CA)	EA	1	*	*	1	*	*	1	8	24	06-144	9
P-O-	5975-752-7644	NUT, BUSHING RETAINER, CONNECTOR, ELECTRICAL: turret harness, magnetic brake (7527644) (CA)	EA	1	*	*	1	*	*	1	8	16	06-144	10
P-O-	5935-981-0365	CONNECTOR, PLUG, ELECTRICAL: turret harness, magnetic brake (8724226) (CA)	EA	1	*	*	1	*	*	1	8	16	06-144	11
X1-O-		SHELL, CONNECTOR, ELECTRICAL: turret harness, magnetic brake (8701308) (CA)		1									06-144	12
X1-O-		INSERT, CONNECTOR, ELECTRICAL: turret harness, magnetic brake (7973321) (CA)		1									06-144	13

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0620 - TURRET CONTROL WIRING HARNESS (10941059) (CA) - Cont'd												
X1-O-		CONTACT, CONNECTOR, ELECTRICAL: turret harness, magnetic brake (8701323) (CA)		3									06-144	14
P-O-	5940-660-3634	TERMINAL, LUG: turret harness, magnetic brake ground (MS25036-57) (CA)	EA	1	*	*	1	*	*	1	8	16	06-144	15
P-O-	5935-833-8561	SHELL, CONNECTOR, ELECTRICAL: turret harness, commander's air filter heater (1), dome lamps (3), cupola power (2), ballistic computer switch (2), radiation detector (1), loader's air filter heater (1), ballistic drive switch (2) (8338561) (CA)	EA	12	*	*	1	*	*	1	8	240	06-144	16
P-O-	5970-833-8562	INSULATOR, BUSHING, CONNECTOR, ELECTRICAL: turret harness, commander's air filter heater (1), dome lamps (3), cupola power units (2), ballistic computer switch (2), radiation detector (1), loader's air filter heater (1), ballistic drive switch (2) (8338562) (CA)	EA	12	*	*	1	*	*	1	8	240	06-144	17
P-O-	5935-399-6676	TERMINAL, LUG: turret harness, commander's air filter heater (1), dome lamps (3), cupola power units (2), ballistic computer switch (2), radiation detector (1), loader loader's air filter heater (1), ballistic drive switch (2) (8338564) (CA)	EA	12	*	*	1	*	*	1	8	240	06-144	18
P-O-	5940-230-0515	TERMINAL, LUG: turret harness, searchlight control box ground (96906-MS25036-154) (CA)	EA	1	*	*	1	*	*	1	8	16	06-144	19
P-O-	5935-333-9414	NUT, CONNECTOR, ELECTRICAL: turret harness, searchlight control box (1), commander's control handle (1) (7723308) (CA)	EA	2	*	*	1	*	*	1	8	32	06-144	20
P-O-	5340-772-2322	GROMMET, CONNECTOR, ELECTRICAL: turret harness, searchlight control box (1), commander's control handle (1) (7722322) (CA)	EA	2	*	*	1	*	*	1	8	48	06-144	21
P-O-	5310-655-9860	NUT, BUSHING RETAINER, CONNECTOR, ELECTRICAL: turret harness, searchlight control box (1) commander's control handle (1) (8701325) (CA)	EA	2	*	*	1	*	*	1	8	40	06-144	22

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0620—TURRET CONTROL WIRING HARNESS (10941059) (CA)—Cont'd												
P-O-	5935-686-2608	CONNECTOR, PLUG, ELECTRICAL: turret harness, searchlight control box (1), commander's control handle (1) (8724244) (CA)	EA	2	*	*	1	*	*	1	8	20	06-144	23
X1-		SHELL, CONNECTOR, ELECTRICAL: turret harness, searchlight control box (1), commander's control handle (1) (8701309) (CA)		2									06-144	24
P-O-	5935-771-8192	INSERT, CONNECTOR, ELECTRICAL: turret harness, searchlight control box (1), commander's control handle (1) (7723475) (CA)	EA	2	*	*	*	*	*	*	0	0	06-144	25
P-O-	9905-893-3570	BAND, MARKER BLANK: turret harness (96906-MS39020-3) (CA)	EA	1	*	*	*	*	*	*	4	20	06-144	26
P-O-	5935-772-3307	NUT, CONNECTOR, ELECTRICAL: turret harness, rangefinder (7723307) (CA)	EA	1	*	*	1	*	*	1	8	20	06-144	27
P-O-	5340-559-0283	GROMMET, CONNECTOR, ELECTRICAL: turret harness, rangefinder (7722344) (CA)	EA	1	*	*	1	*	*	1	8	20	06-144	28
P-O-	5975-697-7769	NUT, BUSHING, CONNECTOR, ELECTRICAL: turret harness, rangefinder (7527645) (CA)	EA	1	*	*	1	*	*	1	8	20	06-144	29
P-O-	5935-686-2605	CONNECTOR, PLUG, ELECTRICAL: turret harness, rangefinder (8724231) (CA)	EA	1	*	*	1	*	*	1	8	16	06-144	30
P-O-	5935-462-2913	SHELL, CONNECTOR, ELECTRICAL: turret harness, rangefinder (8344527) (CA)	EA	1	*	*	*	*	*	*			06-144	31
X1-		INSERT, CONNECTOR, ELECTRICAL: turret harness, rangefinder (8344324) (CA)		1									06-144	32
P-O-	5935-214-0904	PLUG, DUMMY, CONNECTOR, ELECTRICAL: turret harness, radiation detector (7982907) (CA)	EA	1	*	*	1	*	*	1	8	12	06-144	33
P-O-	5935-572-9180	SHELL, CONNECTOR, ELECTRICAL: turret harness, radiation detector (8338566) (CA)	EA	1	*	*	1	*	*	1	8	12	06-144	34
P-O-	9905-752-4649	BAND, MARKER: turret harness (96906-MS39020-1) (CA)	EA	49	*	*	*	*	*	*	5	490	06-144	35
P-O-	5970-577-1630	INSULATION, SLEEVING, ELECTRICAL: turret harness searchlight receptacle (6 pieces, 8.25 inches long) (80244-MIL-I-631, Type F, Grade B, Class 1, Category 1, Transparent, .162 I.D., .020 Wall) (CA)	FT	≠	*	*	*	*	*	*	6	200	06-144	36

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620—TURRET POWER WIRING HARNESS (10905864) AND CONTROL WIRING HARNESS (10924467) (CA)												
P-F-	2590-886-1216	WIRING HARNESS, BRANCHED: turret electrical power (10905864) (CA)	EA	1	*	*	*	*	*	*	6	15	06-145	1
P-F-	2590-757-9947	WIRING HARNESS, BRANCHED: turret electrical control (10924467) (CA)	EA	1	*	*	*	*	*	*	6	15	06-145	2
		0620—TURRET POWER WIRING HARNESS (10905864) (CA)												
P-O-	5935-686-9374	CONNECTOR, ELECTRICAL: turret electrical power wiring harness to slipring box (8724242) (CA)	EA	1	*	*	1	*	*	1	8	20	06-146	1
P-O-	5935-771-6523	CONTACT, ELECTRICAL: slipring box connector (1), turret power and searchlight control box (2) (7716523) (CA)	EA	3	*	*	*	*	*	*	6	45	06-146	2
P-O-	5935-089-7917	INSERT, ELECTRICAL: slipring box connector (7716669) (CA)	EA	1	*	*	*	*	*	*	5	10	06-146	3
X1-		SHELL, ELECTRICAL: slipring box connector (8701309) (CA)		1									06-146	4
P-O-	5310-655-9860	NUT, COUPLING, ELECTRICAL: slipring box connector (8701325) (CA)	EA	1	*	*	*	*	*	*	6	15	06-146	5
P-O-	5340-318-8184	GROMMET, ELECTRICAL: slipring box connector (8376776) (CA)	EA	1	*	*	*	*	*	*	6	20	06-146	6
P-O-	5935-333-9414	NUT, GROMMET RETAINER: slipring box connector (1), interphone slave receptacle (1) (7723308) (CA)	EA	2	*	*	1	*	*	1	8	40	06-146	7
P-O-	5940-705-6713	TERMINAL, ELECTRICAL: interphone slave ground (7056713) (CA)	EA	1	*	*	1	*	*	1	8	16	06-146	8
P-O-	9905-841-4445	BAND, MARKER, BLANK: turret power wiring harness (96906-MS39020-2) (CA)	EA	2	*	*	*	*	*	*	6	60	06-146	9
P-O-	5325-338-1274	GROMMET, ELECTRICAL: interphone slave receptacle (7524564) (CA)	EA	1	*	*	1	*	*	1	8	24	06-145	10
P-O-	5935-201-6673	RECEPTACLE, ELECTRICAL: turret power wiring harness, interphone slave (7722352) (CA)	EA	1	*	*	1	*	*	1	8	16	06-146	11
P-O-	5935-771-6781	SHELL, ELECTRICAL: interphone slave receptacle (8701329) (CA)	EA	1	*	*	1	*	*	1	8	12	06-146	12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0620—TURRET POWER WIRING HARNESS (10905864) (CA)—Cont'd												
X1-		INSERT, ELECTRICAL: interphone slace receptacle (7723473) (CA)		1									06-146	13
P-O-	5999-771-6527	CONTACT, SOCKET, ELECTRICAL: interphone slave receptacle (7716527) (CA)	EA	3	*	*	*	*	*	*	6	60	06-146	14
P-O-	6145-538-8222	WIRE, ELECTRICAL: interphone slave to interphone ground terminal (approximately 12 **inches long) and interphone slave to busbar (approximately 173 inches long) (81349-** M13486 / 1-9) (CA)	FT	≠	*	•	•	*	•	•	•	3500	06-146	15
P-O-	5935-686-4007	CONNECTOR, ELECTRICAL: turret power and searchlight control box (8724406) (CA)	EA	1	*	*	1	*	*	1	8	20	06-146	16
P-O-	5935-485-8954	CONTACT, SOCKET, ELECTRICAL: turret power and searchlight control box connector **(7716520) (CA)**	EA	6	*	*	*	*	*	*	5	60	06-146	17
X1-		INSERT, ELECTRICAL: turret power and searchlight control box connector (7971724) (CA)		1									06-146	18
X1-		SHELL, ELECTRICAL: turret power and searchlight control box connector (7971732) (CA)		1									06-146	19
P-O-	**5310-678-4228**	NUT, COUPLING, ELECTRICAL: turret power and searchlight control box connector (8701249) (CA)	EA	1	*	*	*	*	*	*	6	20	06-146	20
P-O-	5325-930-5972	GROMMET, ELECTRICAL: turret power and searchlight control box connector (8764828) (CA)	EA	1	*	*	*	*	*	*	6	20	06-146	21
P-O-	5935-729-8217	NUT, GROMMET RETAINER, ELECTRICAL: turret power and searchlight control box connector (7388355) (CA)	EA	1	*	*	*	*	*	*	6	20	06-146	22
P-O-	6145-705-6674	WIRE, ELECTRICAL: bus-bar assembly to turret power and searchlight control box (2 pieces approximately 7 inches long) and bus-bar assembly to slipring box (approximately 17 inches long) (81349-M13486 / 1-14) (CA)	FT	≠	*	*	•	*	*	•	8	100	06-146	23
P-O-	9905-893-3570	BAND, MARKER, BLANK: turret power wiring harness (96906-MS39020-3) (CA)	EA	4	*	*	*	*	*	*	6	80	06-146	24

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET POWER WIRING HARNESS (10905864) (CA) - Cont'd												
P-O-	6150-179-2967	BUS-BAR ASSEMBLY: turret power wiring harness (10905862) (CA)	EA	1	*	*	1	*	*	1	8	16	06-146	25
		0620—TURRET CONTROL WIRING HARNESS (10924467) (CA)												
P-O-	5935-754-9083	CONNECTOR, ELECTRICAL: turret power relay box (8724257) (CA)	EA	1	*	*	1	*	*	1	8	18	06-147	1
P-O-	5935-485-8955	CONTACT, PIN: turret power relay box (12), gun disconnect (5) (7716521) (CA)	EA	17	*	*	1	*	*	1	8	85	06-147	2
X1-		INSERT, CONNECTOR: turret power relay box (7716683) (CA)		1									06-147	3
X1-		SHELL, CONNECTOR: turret power relay box (8344537) (CA)		1									06-147	4
P-O-	5975-771-6634	NUT, COUPLING: turret power relay box (7716634) (CA)	EA	1	*	*	*	*	*	*	6	12	06-147	5
P-O-	5325-090-5426	GROMMET: turret power relay box (7722333) (CA)	EA	1	*	*	*	*	*	*	6	20	06-147	6
P-O-	5935-772-3309	NUT, GROMMET RETAINER, CONNECTOR: turret power relay box (7723309) (CA)	EA	1	*	*	*	*	*	*	6	20	06-147	7
P-O-	9905-752-4649	BAND, MARKER, BLANK: turret control wiring harness (96906-MS39020-1) (CA)	EA	91	5	*	*	*	*	*	6	910	06-147	8
P-O-	6145-772-0853	WIRE, ELECTRICAL: turret control wiring harness (approximately 4473 inches long) (81349-M13486 / 1-5) (CA)	FT	≠	*	*	*	*	*	*	6	10000	06-147	9
P-O-	5940-057-2929	CONTACT, PIN: slipring interference switch (96906-MS27148-2) (CA)	EA	1	*	*	*	*	*	*	6	12	06-147	10
P-O-	5310-833-8567	WASHER: slipring interference switch (8338567) (CA)	EA	1	*	*	1	*	*	1	8	16	06-147	11
P-O-	5935-572-9180	SHELL, CONNECTOR, ELECTRICAL: slipring interference switch (8338566) (CA)	EA	1	*	*	1	*	*	1	8	12	06-147	12
P-O-	5935-833-8561	SHELL, CONNECTOR: slipring interference switch (1), deck clearance valve (1) (8338561) (CA)	EA	2	*	*	1	*	*	1	8	24	06-147	13

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620—TURRET CONTROL WIRING HARNESS (10924467) (CA)—Cont'd												
P-O-	5970-833-8562	SLEEVE, CONNECTOR: slipring interference switch (1), deck clearance valve (1) (8338562) (CA)	EA	2	*	*	1	*	*	1	8	30	06-147	14
P-O-	5935-399-6676	TERMINAL: slipring interference switch (1), deck clearance valve (1) (8338564) (CA)	EA	2	*	*	1	*	*	1	8	24	06-147	15
P-O-	5935-686-2608	CONNECTOR: firing relay (1), gunner's control box (1), gunner's control handle (1) (8724244) (CA)	EA	3	*	*	1	*	*	1	8	36	06-147	16
P-O-	5935-485-8954	CONTACT: firing relay (8), gunner's control box (8), gunner's control handle (8), periscope control light source (2), pressure switch (3) (7716520) (CA)	EA	29	*	*	1	*	*	1	8	290	06-147	17
P-O-	5935-771-8192	INSERT: firing relay (1), gunner's control box (1), gunner's control handle (1) (7723475) (CA)	EA	3	*	*	*	*	*	*	0	0	06-147	18
X1-O-		SHELL, CONNECTOR: firing relay (1), gunner's control box (1), gunner's control handle (1), gun disconnect (1) (8701309) (CA)		4									06-147	19
P-O-	5310-655-9860	NUT, COUPLING: firing relay (1), gunner's control box (1), gunner's control handle (1), gun disconnect (1) (8701325) (CA)	EA	4	*	*	*	*	*	*	6	48	06-147	20
P-O-	5340-772-2322	GROMMET: firing relay (1), gunner's control box (1), gunner's control handle (1) (7722322) (CA)	EA	3	*	*	1	*	*	1	8	75	06-147	21
P-O-	5935-333-9414	NUT, GROMMET RETAINER: firing relay (1), gunner's control box (1), gunner's control handle (1), gun disconnect (1) (7723308) (CA)	EA	4	*	*	*	*	*	*	6	60	06-147	22
P-O-	5940-660-3634	TERMINAL: periscope control light source ground (1), firing relay and gun disconnect ground (1) (MS25036-57) (CA)	EA	2	*	*	1	*	*	1	8	40	06-147	23
P-O-	5935-772-3307	NUT, GROMMET RETAINER: periscope control light source (1), pressure switch (1) (7723307) (CA)	EA	2	*	*	*	*	*	*	6	40	06-147	24

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0620 - TURRET CONTROL WIRING HARNESS (10924467) (CA) - Cont'd												
P-O-	5340-332-7682	GROMMET, CONNECTOR: periscope control light source (1) (7992132) (CA)	EA	1	*	*	*	*	*	*	6	20	06-147	25
P-O-	5975-697-7769	NUT, COUPLING, CONNECTOR: periscope light control source (1), pressure switch (1) (7527645) (CA)	EA	2	*	*	*	*	*	*	6	30	06-147	26
P-O-	5935-686-9962	CONNECTOR: periscope light control source (8724233) (CA)	EA	1	*	*	1	*	*	1	8	16	06-147	27
X1-O-	5935-462-2913	SHELL, CONNECTOR: periscope light control source (1), pressure switch (1) (8344527) (CA)		2									06-147	28
X1-O-		INSERT, CONNECTOR: (8701343) (CA)		1									06-147	29
P-O-	5340-772-2323	GROMMET, CONNECTOR: turret electrical wiring harness assembly (7722323) (CA)	EA	1	*	*	*	*	*	*	6	18	06-147	30
P-O-	5935-686-2600	CONNECTOR: turret electrical control wiring harness assembly, gun (8724245) (CA)	EA	1	*	*	1	*	*	1	8	16	06-147	31
X1-O-	5935-771-6674	INSERT, CONNECTOR: turret electrical control wiring harness assembly (7716674) (CA)		1									06-147	32
X1-O-		CONTACT, PIN, CONNECTOR: turret electrical control wiring harness assembly (7716659) (CA)		1									06-147	33
P-O-	5935-686-2605	CONNECTOR: turret electrical control wiring harness assembly (8724231) (CA)	EA	1	*	*	1	*	*	1	8	16	06-147	34
X1-O-		INSERT, CONNECTOR: turret electrical control wiring harness assembly (8344324) (CA)		1									06-147	35
		0620—TURRET CONTROL WIRING HARNESS (10924467) (CA)												
P-O-	5935-399-6676	TERMINAL ASSEMBLY, ELECTRICAL: gunner's air filter heater (1), dome lamp (3), ballistic drive switch (2), ballistic computer switch (2), loader's air filter heater (1), radiation detector (1), cupola power (2), commander's air filter heater (1) (8338564) (CA)	EA	13	*	*	1	*	*	1	0	260	06-148	1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620—TURRET CONTROL WIRING HARNESS (10924467) (CA)—Cont'd												
P-O-	5970-833-8562	SLEEVE, ELECTRICAL: gunner's air filter heater (1), dome lamp (3), ballistic drive switch (2), ballistic computer switch (2), loader's air filter heater (1), radiation detector (1), cupola power (2), commander's air filter heater (1) (8338562) (CA)	EA	13	*	*	1	*	*	1	10	260	06-148	2
P-O-	5935-833-8561	SHELL, ELECTRICAL: gunner's air filter heater (1), dome lamp (3), ballistic drive switch (2), ballistic computer switch (2), loader's air filter heater (1), radiation detector (1), cupola power (2), commander's air filter heater (1) (8338561) (CA)	EA	13	*	*	1	*	*	1	10	260	06-148	3
P-O-		BAND, MARKER, BLANK: (See Figure 06-76, item 8) (CA)			REF	REF	REF	REF	REF	REF	REF	REF	06-148	4
P-O-		WIRE, ELECTRICAL: (See Figure 06-76, item 9) (CA)			REF	REF	REF	REF	REF	REF	REF	REF	06-148	5
P-O-	5935-333-3088	NUT, GROMMET RETAINER, ELECTRICAL: control wiring harness to azimuth lamps connector (7723306) (CA)	EA	1	*	*	*	*	*	*	6	20	06-148	6
P-O-	5340-772-2343	GROMMET, ELECTRICAL: turret control wiring harness to azimuth lamps connector (7722343) (CA)	EA	1	*	*	*	*	*	*	6	25	06-148	7
P-O-	5975-697-6991	NUT, COUPLING, ELECTRICAL: turret control wiring harness to azimuth lamps connector (7527643) (CA)	EA	1	*	*	1	*	*	1	8	20	06-148	8
P-O-	5935-686-2610	CONNECTOR: turret control wiring harness to azimuth lamps (8724199) (CA)	EA	1	*	*	1	*	*	1	8	20	06-148	9
P-O-	**5935-789-6084**	SHELL, ELECTRICAL: turret control wiring harness to azimuth lamps connector (8344522) (CA)	EA	1	*	*	*	*	*	*	*		06-143	10
X1-		INSERT, ELECTRICAL: turret control wiring harness to azimuth lamps connector (8720680) (CA)		1									06-148	11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET CONTROL WIRING HARNESS (10924467) (CA) - Cont'd												
P-O-	5935-485-8954	CONTACT, SOCKET, ELECTRICAL: azimuth lamps (1), ballistic computer (3), commander's control handle (8), searchlight control box (8), searchlight receptacle (6), range finder (3) (7716520) (CA)	EA	29	*	*	1	*	*	1	8	580	06-148	12
P-O-	5935-981-0365	CONNECTOR, ELECTRICAL: turret control wiring harness to magnetic brake (8724226) (CA)	EA	1	*	*	1	*	*	1	8	20	06-148	13
X1-		SOCKET, CONNECTOR, ELECTRICAL: turret electrical control wiring harness to magnetic brake connector (8701323) (CA)		3									06-148	14
X1-		INSERT, ELECTRICAL: turret control wiring harness magnetic brake connector (7973321) (CA)		1									06-148	15
P-O-	4910-521-6221	SHELL, ELECTRICAL: turret control wiring harness magnetic brake connector (8701308) (CA)	EA	1	*	*	1	*	*	1	8	16	06-148	16
P-O-	5975-752-7644	NUT, COUPLING, ELECTRICAL: turret control wiring harness to magnetic brake connector (7527644) (CA)	EA	1	*	*	1	*	*	1	8	20	06-148	17
P-O-	5340-772-2013	GROMMET, ELECTRICAL: turret control wiring harness to magnetic brake connector (7722013) (CA)	EA	1	*	*	*	*	*	*	6	20	06-148	18
P-O-	5935-772-8599	NUT, GROMMET RETAINER, ELECTRICAL: turret control wiring harness to magnetic brake connector (7728599) (CA)	EA	1	*	*	*	*	*	*	6	12	06-148	19
P-O-	5935-772-3307	NUT, GROMMET RETAINER, ELECTRICAL: ballistic computer connector (1), range finder connector (1) (7723307) (CA)	EA	2	*	*	1	*	*	1	8	24	06-148	20
P-O-	5340-559-0283	GROMMET, ELECTRICAL: ballistic computer connector (1), range finder connector (1) (7722344) (CA)	EA	2	*	*	1	*	*	1	8	30	06-148	21

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET CONTROL WIRING HARNESS (10924467) (CA) - Cont'd												
P-O-	5975-697-7769	NUT, COUPLING, ELECTRICAL: ballistic computer connector (1) range finder connector (1) (7527645) (CA)	EA	2	*	*	1	*	*	1	8	40	06-148	22
P-O-	5935-686-2605	CONNECTOR, ELECTRICAL: ballistic computer (1), range finder (1) (8724231) (CA)	EA	2	*	*	1	*	*	1	8	24	06-148	23
X1-O-	5935-462-2913	SHELL, ELECTRICAL: ballistic computer connector (1), range finder connector (1) (8344527) (CA)		2									06-148	24
X1-O-		INSERT, ELECTRICAL: ballistic computer connector (1), range finder connector (1) (8344324) (CA)		2									06-148	25
P-O-	9905-893-3570	BAND, MARKER, BLANK: turret control wiring harness (96906-MS39020-3) (CA)	EA	1	*	*	*	*	*	*	5	20	06-148	26
P-O-	5940-660-3634	TERMINAL, ELECTRICAL: turret control wiring harness to magnetic brake ground (96906-MS25036-57) (CA)	EA	1	*	*	1	*	*	1	8	24	06-148	27
P-O-	5935-333-9414	NUT, GROMMET RETAINER, ELECTRICAL: commander's control handle connector (1) searchlight control box connector (1) (7723308) (CA)	EA	2	*	*	*	*	*	*	6	40	06-148	28
P-O-	5340-772-2322	GROMMET, ELECTRICAL: commander's control handle connector (1) searchlight control box connector (1) (7722322) (CA)	EA	2	*	*	1	*	*	1	8	40	06-148	29
P-O-	5310-655-9860	NUT, COUPLING, ELECTRICAL: commander's control handle connector (1) searchlight control box connector (1) (8701325) (CA)	EA	2	*	*	1	*	*	1	8	40	06-148	30
P-O-	5935-686-2608	CONNECTOR, ELECTRICAL: turret control wiring harness, commander's control handle (1) searchlight control box (1) (8724244) (CA)	EA	2	*	*	1	*	*	1	8	40	06-148	31
X1-O-		SHELL, ELECTRICAL: commander's control handle connector (1) searchlight control box connector (1) (8701309) (CA)		2									06-148	32

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0620 - TURRET CONTROL WIRING HARNESS (10924467) (CA) - Cont'd												
P-O-	5935-771-8192	INSERT, ELECTRICAL: commander's control handle connector (1) searchlight control box connector (1) (7723475) (CA)	EA	2	*	*	1	*	*	1	8	20	06-148	33
P-O-	5935-572-9180	SHELL, ELECTRICAL: radiation detector (8338566) (CA)	EA	1	*	*	1	*	*	1	8	10	06-148	34
P-O-	5935-214-0904	PLUG, ELECTRICAL: radiation detector (7982907) (CA)	EA	1	*	*	*	*	*	*	4	8	06-148	35
P-O-	5970-577-1630	INSULATOR, ELECTRICAL: searchlight receptacle (approximately 48 inches long) (81349-MIL-I-631, Type f, Grade b, Form U, Class 1, Category 1, Transparent, .162 I.D., .020 Wall) (CA)	FT	-	*	*	*	*	*	*	6	100	06-148	36
		0620 - TURRET SWITCH BOX TO POWER RELAY BOX LEAD (10924271) AND TURRET BLOWER ASSEMBLY TO BLOWER SWITCH BOX LEAD (10924270) (CA, CC)												
P-F-	2590-963-0834	LEAD, ELECTRICAL: turret switch box to power relay box assembly (10924271) (CA, CC)	EA	1	*	*	*	*	*	*	6	12	06-149	1
P-F-	2590-963-0833	LEAD, ELECTRICAL: turret blower switch box to blower assembly (10924270) (CA, CC)	EA	1	*	*	*	*	*	*	6	12	06-149	2
		0620 - TURRET SEARCHLIGHT RELAY BOX TO SEARCHLIGHT RECEPTACLE LEAD (10911297) (CA, CC)												
P-O-	5935-771-6523	CONTACT, ELECTRICAL: searchlight relay box to searchlight receptacle lead assembly (7716523) (CA, CC)	EA	1	*	*	1	*	*	1	8	20	06-150	1
P-O-	9905-893-3570	BAND, MARKER, BLANK: searchlight relay box to searchlight receptacle lead assembly (96906-MS39020-3) (CA, CC)	EA	3	*	*	*	*	*	*	6	45	06-150	2

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620—TURRET SEARCHLIGHT RELAY BOX TO SEARCHLIGHT RECEPTACLE LEAD (10911297) (CA, CC)												
P-O-	6145-705-6674	WIRE, ELECTRICAL: searchlight relay box to searchlight receptacle lead assembly (approximately 206 inches long) (81349-M13486 / 1-14) (CA,CC)	FT	≠	*	*	*	*	*	*	6	340	06-150	3
P-O-	5935-333-9414	NUT, SLEEVE, CONNECTOR, PLUG, ELECTRICAL: searchlight relay box to searchlight receptacle lead assembly (7723308) (CA, CC)	EA	1	*	*	*	*	*	*	6	20	06-150	4
P-O-	5340-318-8184	GROMMET, CONNECTOR, PLUG, ELECTRICAL: searchlight receptacle lead assembly (8376776) (CA, CC)	EA	1	2	*	*	*	*	*	6	20	06-150	5
P-O-	5310-655-9860	NUT, GROMMET RETAINER, CONNECTOR, PLUG, ELECTRICAL: searchlight relay box to searchlight receptacle lead assembly (8701325) (CA, CC)	EA	1	*	*	*	*	*	*	6	20	06-150	6
P-O-	5935-686-9374	CONNECTOR, PLUG, ELECTRICAL: searchlight relay box to searchlight receptacle lead assembly (8724242) (CA, CC)	EA	1	*	*	1	*	*	1	8	20	06-150	7
X1-		SHELL, CONNECTOR, PLUG, ELECTRICAL: searchlight receptacle lead assembly (8701309) (CA, CC)		1									06-150	8
P-O-	5935-089-7917	INSERT, CONNECTOR, PLUG, ELECTRICAL: searchlight relay box to searchlight receptacle lead assembly (7716669) (CA, CC)	EA	1	*	*	*	*	*	*			06-150	9
P-O-	5935-771-6523	CONTACT, CONNECTOR, PLUG, ELECTRICAL: searchlight relay box to searchlight receptacle lead assembly (7716523) (CA, CC)	EA	1	*	*	*	*	*	*	0	0	06-150	10
P-F-	2590-886-1212	LEAD ASSEMBLY, ELECTRICAL: searchlight relay box to searchlight receptacle (10911297) (CA, CC)	EA	1	*	*	1	*	*	1	8	20	06-150	11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0620—TURRET SWITCH BOX TO POWER RELAY BOX LEAD (10923271) (CA, CC)												
P-O-	5935-686-9957	CONNECTOR, ELECTRICAL: turret electrical switch box to power relay box lead, switch box (8724235) (CA, CC)	EA	1	*	*	1	*	*	1	8	20	06-151	1
P-O-	5935-771-6525	CONTACT, SOCKET, ELECTRICAL: turret electrical switch box to power relay box lead, switch box (7716525) (CA, CC)	EA	1	*	*	*	*	*	*			06-151	2
X1-		INSERT, ELECTRICAL: turret electrical switch box to power relay box lead, switch box (8344516) (CA, CC)		1									06-151	3
P-O-	5935-462-2913	SHELL, ELECTRICAL: turret electrical switch box to power relay box lead, turret electrical switch box (1) turret power relay box (1) (8344527) (CA, CC)	EA	2	*	*	*	*	*	*			06-151	4
P-O-	5975-697-7769	NUT, COUPLING, ELECTRICAL: turret electrical switch box to power relay box lead, turret electrical switch box (1) turret power relay box (1) (7527645) (CA, CC)	EA	2	*	*	1	*	*	1	8	45	06-151	5
P-O-	5340-598-5327	GROMMET, ELECTRICAL: turret electrical switch box (1) turret power relay box (1) (7527623) (CA, CC)	EA	2	*	*	1	*	*	1	8	40	06-151	6
P-O-	5935-772-3307	NUT, GROMMET RETAINER, CONNECTOR, ELECTRICAL: turret electrical switch box to power relay box lead, turret electrical switch box (1) turret power relay box (1) (7723307) (CA, CC)	EA	2	*	*	*	*	*	*	6	30	06-151	7
P-O-	9905-841-4445	BAND, MARKER, BLANK: turret electrical switch box to power relay box lead (96906-MS39020-2) (CA, CC)	EA	5	*	*	1	*	*	1	8	100	06-151	8
P-O-	6145-705-6676	WIRE, ELECTRICAL: turret electrical switch box to power relay box lead (approximately 245 inches long) (81349-M13486 / 1-10) (CA, CC)	FT	≠	*	*	*	*	*	*	6	500	06-151	9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0620—TURRET SWITCH BOX TO POWER RELAY BOX LEAD (10924271) (CA, CC)—Cont'd												
P-O-	5935-686-9959	CONNECTOR, ELECTRICAL: turret electrical switch box assembly to power relay box lead, power relay box (8724234) (CA, CC)	EA	1	*	*	1	*	*	1	8	20-	06-151	10
P-O-	5999-771-6524	CONTACT, PIN, ELECTRICAL: turret electrical switch box assembly to power relay box lead, power relay box (7716524) (CA, CC)	EA	1	*	*	*	*	*	*			06-151	11
P-O-	2590-983-6911	INSERT, ELECTRICAL: turret electrical switch box assembly to power relay box lead, power relay box (8701339) (CA, CC)	EA	1	*	*	*	*	*	*	5	20	06-151	12
		0620—TURRET BLOWER ASSEMBLY TO TURRET BLOWER SWITCH BOX LEAD (10924270) (CA, CC)												
P-O-	5935-686-9957	CONNECTOR, ELECTRICAL: turret electrical blower assembly to turret blower switch box lead (8724235) (CA, CC)	EA	1	*	*	1	*	*	1	8	20	06-152	1
P-O-	5935-771-6525	CONTACT, SOCKET, ELECTRICAL: turret electrical blower assembly to turret blower switch box lead (7716525) (CA, CC)	EA	1									06-152	2
X1-		INSERT, ELECTRICAL: turret electrical blower assembly to turret blower switch box lead (8344516) (CA, CC)		1									06-152	3
P-O-	5935-462-2913	SHELL, ELECTRICAL: turret electrical blower assembly to turret blower switch box lead, blower assembly (1) blower switch box (1) (8344527) (CA, CC)	EA	2									06-152	4
P-O-	5975-697-7769	NUT, COUPLING, ELECTRICAL: turret electrical blower assembly to turret blower switch box lead, blower assembly (1) blower switch box (1) (7527645) (CA, CC)	EA	2	*	*	1	*	*	1	8	30	06-152	5

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620—TURRET BLOWER ASSEMBLY TO TURRET BLOWER SWITCH BOX LEAD (10924270) (CA, CC) - Cont'd												
P-O-	5340-598-5327	GROMMET, ELECTRICAL: turret electrical blower assembly to turret blower switch box lead, blower assembly (1) blower switch box (1) (7527623) (CA, CC)	EA	2	*	*	1	*	*	1	8	40	06-152	6
P-O-	5935-772-3307	NUT, GROMMET RETAINER, ELECTRICAL: turret electrical blower assembly to turret blower switch box lead, blower assembly (1) blower switch box (1) (7723307) (CA, CC)	EA	2	*	*	1	*	*	1	8	30	06-152	7
P-O-	9905-841-4445	BAND, MARKER, BLANK: turret electrical blower switch box lead (96906-MS39020-2) (CA, CC)	EA	3	*	*	1	*	*	1	8	60	06-152	8
P-O-	6145-705-6676	WIRE, ELECTRICAL: turret electrical blower assembly to turret blower switch box lead (approximately 115 inches long) (81349-M13486 / 1-10)	FT	≠	*	*	*	*	*	*	6	500	06-152	9
P-O-	5935-686-9959	CONNECTOR, ELECTRICAL: turret electrical blower assembly to turret blower switch box lead (8724234) (CA, CC)	EA	1	*	*	1	*	*	1	8	18	06-152	10
P-O-	5999-771-6524	CONTACT, ELECTRICAL: turret electrical blower switch box lead (7716524) (CA, CC)	EA	1	*	*	*	*	*	*			06-152	11
P-O-	2590-983-6911	INSERT, ELECTRICAL: turret electrical blower assembly to turret blower switch box lead (8701339) (CA, CC)	EA	1	*	*	*	*	*	*	5	10	06-152	12
		0620—TURRET INTERPHONE CABLE ASSEMBLY (10911298) (CA, CC)												
P-F-	2590-886-1210	CABLE ASSEMBLY, SPECIAL PURPOSE: slipring to interphone slave receptacle (10911298) (CA, CC)	EA	1	*	*	1	*	*	1	8	12	06-153	1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET INTERPHONE CABLE ASSEMBLY (10911298) (CA, CC)												
P-O-	5935-686-9625	CONNECTOR, PLUG, ELECTRICAL: interphone cable assembly (8724248) (CA, CC)	EA	1	*	*	1	*	*	1	8	12	06-154	1
P-O-	5930-113-2954	CONTACT, CONNECTOR, ELECTRICAL: interphone cable assembly (7716658) (CA, CC)	EA	28	*	*	1	*	*	1	8	56	06-154	2
X1-		INSERT, CONNECTOR, ELECTRICAL: interphone cable assembly (8344519) (CA, CC)		2									06-154	3
X1-		SHELL, CONNECTOR, ELECTRICAL: interphone cable assembly (8701309) (CA, CC)		1									06-154	4
P-O-	5310-655-9860	NUT, CONNECTOR, ELECTRICAL: interphone cable assembly (8701325) (CA, CC)	EA	1	*	*	1	*	*	1	8	16	06-154	5
P-O-	5935-679-9663	CLAMP ASSEMBLY, CONNECTOR: interphone cable assembly (7973504) (CA, CC)	EA	2	*	*	1	*	*	1	8	40	06-154	6
X1-		NUT, CLAMP ASSEMBLY: cable to connector (7973509) (CA, CC)		2									06-154	7
X1-		ADAPTER: cable to connector (7973505) (CA, CC)		2									06-154	8
X1-		WASHER, SEALING: cable to connector (7973506) (CA, CC)		2									06-154	9
X1-		GLAND ASSEMBLY: cable to connector (7973507) (CA, CC)		2									06-154	10
X1-		ADAPTER, TAPERED: cable to connector (7973508) (CA, CC)		2									06-154	11
P-O-	9905-893-3570	BAND, MARKER: BLANK: interphone cable assembly (96906-MS39020-3) (CA, CC)	EA	1	*	*	*	*	*	*	6	30	06-154	12
P-O-	4720-772-4579	WIRE, ELECTRICAL: interphone cable assembly (81349-M13486 / 13) (approximately 196 inches long) (CA, CC)	FT	≠	*	*	*	*	*	*	6	100	06-154	13
P-O-	5970-577-1631	INSULATOR, SLEEVING, ELECTRICAL: interphone cable assembly (26 pieces, ¾ inch long) (80244-17-I-1725-11) (CA, CC)	FT	≠	*	*	*	*	*	*	8	100	06-154	14
P-O-	5935-752-4943	CONNECTOR, RECEPTACLE, ELECTRICAL: interphone cable assembly (7524943) (CA, CC)	EA	1	*	*	1	*	*	1	8	12	06-154	15
P-O-	5935-771-6781	SHELL, CONNECTOR, ELECTRICAL: interphone cable assembly (8701329) (CA, CC)	EA	1	*	*	*	*	*	*	0	0	06-154	16

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET POWER FEED WIRING HARNESS (10951575) (CC)												
P-F-	2590-908-7319	WIRING HARNESS, BRANCHED, ELECTRICAL: turret power feed (10951575) (CC)	EA	1	*	*	*	*	*	*	6	18	06-155	1
		0620 - TURRET POWER FEED WIRING HARNESS (10951575) (CC)												
P-O-	5935-686-9374	CONNECTOR, ELECTRICAL: power feed wiring harness to slipring box (8724242) (CC)	EA	2	*	*	1	*	*	1	8	30	06-156	1
P-O-	5935-771-6523	CONTACT, SOCKET, ELECTRICAL: power feed wiring harness, slipring box connectors (2) turret power and circuit breaker control box connector (2) (7716523) (CC)	EA	4	2	2	3	*	*	*	4	40	06-156	2
P-O-	5935-089-7917	INSERT, ELECTRICAL: power feed wiring harness to slipring box connectors (7716669) (CC)	EA	2	*	*	*	*	*	*	4	20	06-156	3
X1-		SHELL, ELECTRICAL: power feed wiring harness to slipring box connectors (8701309) (CC)		2									06-156	4
P-O-	5310-655-9860	NUT, COUPLING, ELECTRICAL: power feed wiring harness to slipring box connectors (8701325) (CC)	EA	2	*	*	1	*	*	1	8	30	06-156	5
P-O-	5340-318-8184	GROMMET, ELECTRICAL: power feed wiring harness to slipring box connectors (8376776) (CC)	EA	2	*	*	1	*	*	1	8	40	06-156	6
P-O-	5935-333-9414	NUT, GROMMET RETAINER, ELECTRICAL: power feed wiring harness slipring box connector's (2) interphone slave connector (1) (7723308) (CC)	EA	3	*	*	1	*	*	1	8	36	06-156	7
P-O-	9905-893-3570	BAND, MARKER, BLACK: power feed wiring harness (96906-MS39020-3) (CC)	EA	5	*	*	*	*	*	*	6	100	06-156	8
P-O-	6150-179-2966	BUS BAR ASSEMBLY: power feed wiring harness (10951560) (CC)	EA	1	*	*	*	*	*	*	6	12	06-156	9
P-O-	6145-538-8222	WIRE, ELECTRICAL: interphone slave to interphone slave ground terminal (approximately 12 inches long), bus bar to interphone slave (approximately 173 inches long) (81349-M13486 / 1-9) (CC)	FT	≠	*	*	*	*	*	*	6	300	06-156	10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET POWER FEED WIRING HARNESS (10951575) (CC) - Cont'd												
P-O-	9905-841-4445	BAND, MARKER, BLANK: power feed wiring harness (96906-MS39020-2) (CC)	EA	3	*	*	*	*	*	*	•	•	06-156	11
P-O-	5940-705-6713	TERMINAL, ELECTRICAL: interphone slave ground (7056713) (CC)	EA	1	*	*	•	*	*	•	•	•	06-156	12
P-O-	5935-201-6673	CONNECTOR, ELECTRICAL: power feed wiring harness to interphone slave (7722352) (CC)	EA	1	*	*	•	*	*	•	•	•	06-156	13
P-O-	5999-771-6527	CONTACT, SOCKET, ELECTRICAL: power feed wiring harness to interphone slave connector (7716527) (CC)	EA	3	*	*	*	*	*	*	•	•	06-156	14
X1-		INSERT, ELECTRICAL: interphone slave connector (7723473) (CC)		1									06-156	15
P-O-	5935-771-6781	SHELL, ELECTRICAL: interphone slave connector (8701329) (CC)	EA	1	*	*	*	*	*	*	•	•	06-156	16
P-O-	5325-338-1274	GROMMET, ELECTRICAL: power feed wiring harness to interphone slave connector (7524564) (CC)	EA	1	*	*	*	*	*	*	•	•	06-156	17
P-O-	5935-686-4007	CONNECTOR, ELECTRICAL: turret power and circuit breaker control box connector (8724406) (CC)	EA	1	*	*	•	*	*	•	•	•	06-156	18
X1-		SHELL, ELECTRICAL: turret power and circuit breaker control box connector (7971732) (CC)		1									06-156	19
X1-		INSERT, ELECTRICAL: turret power and circuit breaker control box connector (7971724) (CC)		1									06-156	20
P-O-	5935-485-8954	CONTACT, SOCKET, ELECTRICAL: turret power and circuit breaker control box connector (7716520) (CC)	EA	6	*	*	*	*	*	*	•	•	06-156	21
P-O-	5310-678-4228	NUT, COUPLING, ELECTRICAL: power feed wiring harness to turret power and circuit breaker control box connector (8701249) (CC)	EA	1	*	*	•	*	*	•	•	•	06-156	22
P-O-	5325-930-5972	GROMMET, ELECTRICAL: turret power and circuit breaker control box connector (8764828) (CC)	EA	1	*	*	*	*	*	*	•	•	06-156	23

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

	(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			0620–TURRET POWER FEED WIRING HARNESS (10951575) (CC)–Cont.												
	P-O-	5935-729-8217	NUT, GROMMET RETAINING, ELECTRICAL: turret power and circuit breaker control box connector (7388355) (CC)	EA	1	*	*	*	*	*	*	*	*	06-156	24
C	P-O-	6145-705-6674	WIRE, ELECTRICAL: turret power and circuit breaker control box to bus-bar assembly (approximately 14 inches long), slipring box to bus-bar assembly (approximately 21 inches long), slipring box to bus-bar assembly (approximately 17 inches long) (81349-M13486/1-14) (CC)	FT	V	*	*	*	*	*	*	*	*	06-156	25
			0620–TURRET CONTROL WIRING HARNESS (10951615) (CC)												
	P-F-	2590-908-7302	WIRING HARNESS, ELECTRICAL: turret control (10951615) (CC)	EA	1	*	*	*	*	*	*	*	*	06-157	1
			0620–GUN FIRING RELAY AND GROUND SWITCH AND MOUNTING PARTS (BA, CA, CC)												
N	P2-O-	9905-402-9581	PLATE: safety switch mounting (11599713) (BA, CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-157.1	1
N	P-O-	5930-403-5802	SWITCH: gun firing relay and ground (11599714) (BA, CA, CC)	EA	1	*	*	*	*	*	*	*	*	06-157.1	2
N	P-O-	5310-582-5965	WASHER, LOCK: plate mounting (96906-MS35338-44) (BA, CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-157.1	3
N	P-O-	5305-068-0503	SCREW, CAP, HEXAGON HEAD: plate mounting (96906-MS90726-2) (BA, CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-157.1	4
N	P-O-	5310-015-3299	WASHER, LOCK: switch mounting (96906-MS35338-42) (BA, CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-157.1	5
N	P-O-	5305-984-6192	SCREW, MACHINE: switch mounting (96906-MS35206-244) (BA, CA, CC)	EA	2	*	*	*	*	*	*	*	*	06-157.1	6
			0620–TURRET CONTROL WIRING HARNESS (10951615) (CC)												
	P-O-	5935-754-9083	CONNECTOR, PLUG, ELECTRICAL: turret harness, turret power relay box (8724257) (CC)	EA	1	*	*	*	*	*	*	*	*	06-158	1
	P-O-	5935-485-8955	CONTACT, CONNECTOR, ELECTRICAL: turret harness, turret power relay box (12, gun disconnect (5) (7716521) (CC)	EA	17	*	*	*	*	*	*	*	*	06-158	2

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No	(b) Item No
		0620–TURRET CONTROL WIRING HARNESS (10951615) (CC)–Cont.												
X1-		INSERT, CONNECTOR, ELECTRICAL: turret harness, turret power relay box (7716683) (CC)		1									06-158	3
X1-		SHELL, CONNECTOR, ELECTRICAL: turret harness, turret power relay box (8344537) (CC)		1									06-158	4
P-O-	5975-771-6634	NUT, BUSHING RETAINER, CONNECTOR ELECTRICAL: turret harness, turret power relay box (7716634) (CC)	EA	1	•	•	•	•	•	•	•	•	06-158	5
P-O-	5340-090-5426	GROMMET, CONNECTOR, ELECTRICAL: turret harness, turret power relay box (7722333) (CC)	EA	1	•	•	•	•	•	•	•	•	06-158	6
P-O-	5935-772-3309	NUT, CONNECTOR, ELECTRICAL: turret harness, turret power relay box (7723309) (CC)	EA	1	•	•	•	•	•	•	•	•	06-158	7

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0620 - TURRET CONTROL WIRING HARNESS (10951615) (CC) - Cont'd												
P-O-	9905-752-4649	BAND, MARKER: turret harness (96906-MS39020-1) (CC)	EA	94	*	*	*	*	*	*	•	•	06-158	8
P-O-	6145-772-0853	WIRE, ELECTRICAL: turret harness (approximately 3199 inches long) (81349-M-13486 / 1-5) (CC)	FT	V	*	*	*	*	*	*	•	•	06-158	9
P-O-	5940-057-2929	CONTACT, CONNECTOR, ELECTRICAL: turret harness, slipring interference switch (96906-MS27148-2) (CC)	EA	1	*	*	•	*	*	•	•	•	06-158	10
P-O-	5310-833-8567	WASHER, SLOTTED, CONNECTOR, ELECTRICAL: turret harness, slipring interference switch (8338567) (CC)	EA	1	*	*	•	*	*	•	•	•	06-158	11
P-O-	5935-572-9180	SHELL, CONNECTOR, ELECTRICAL: turret harness slipring interference switch (1), infinity sight (1), raditation detector (1) (8338566) (CC)	EA	3	*	*	•	*	*	•	•	•	06-158	12
P-O-	5935-399-6676	TERMINAL, LUG: turret harness, slipring interference switch (1), deck clearance valve (1), gunner's air filter heater (1), infinity sight (1), commander's air filter heater (1), dome lamps (3), cupola power units (2), radiation detector (1), loader's air filter heater (1), ballistic drive switch (2) (8338564) (CC)	EA	14	*	*	•	*	*	•	•	•	06-158	13
P-O-	5970-833-8562	INSULATOR, BUSHING, CONNECTOR, ELECTRICAL: turret harness, slipring interference switch (1), deck clearance valve (1), gunner's air filter heater (1), infinity sight (1), commander's air filter heater (1), dome lamps (3), cupola power units (2), radiation detector (1), loader's air filter heater (1), ballistic drive switch (2) (8338562) (CC)	EA	14	*	*	•	*	*	•	•	•	06-158	14

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET CONTROL WIRING HARNESS (10951615) (CC) - Cont'd												
P-O-	5935-833-8561	SHELL, CONNECTOR, ELECTRICAL: turret harness, slipring interference switch (1), deck clearance valve (1), gunner's air filter heater (1), infinity sight (1), commander's air filter heater (1), dome lamps (3), cupola power units (2), radiation detector (1), loader's air filter heater (1), ballistic drive switch (2) (8338561) (CC)	EA	14	*	*	*	*	*	*	*	*	06-158	15
P-O-	5935-686-2600	CONNECTOR, PLUG, ELECTRICAL: turret harness, gun disconnect (8724245) (CC)	EA	1	*	*	*	*	*	*	*	*	06-158	16
C X1-		CONTACT, CONNECTOR, ELECTRICAL: turret harness, gun disconnect (7716659) (CC)		1									06-158	17
P-O-	5935-771-6674	INSERT, CONNECTOR, ELECTRICAL: turret harness, gun disconnect (7716674) (CC)	EA	1	*	*	*	*	*	*	*	*	06-158	18
C X1-		SHELL, CONNECTOR, ELECTRICAL: turret harness gun disconnect (1), gunner's control box (1), gunner's control handle (1), commander's control handle (1), searchlight control box (1), firing relay (1) (8701309) (CC)		6									06-158	19
P-O-	5310-665-9860	NUT, BUSHING RETAINER, CONNECTOR, ELECTRICAL: turret harness, gun disconnect (1), gunner's control handle (1), searchlight control box (1), firing relay (1), commander's control handle (1) (8701325) (CC)	EA	6	*	*	*	*	*	*	*	*	06-158	20
P-O-	5340-772-2323	GROMMET, CONNECTOR, ELECTRICAL: turret harness, gun disconnect (7722323) (CC)	EA	1	*	*	*	*	*	*	*	*	06-158	21
P-O-	5935-333-9414	NUT, CONNECTOR, ELECTRICAL: turret harness, gun disconnect (1), gunner's control box (1), gunner's control handle (1), commander's control handle (1), searchlight control box (1), firing relay (1) (7723308) (CC)	EA	6	*	*	*	*	*	*	*	*	06-158	22

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 TURRET CONTROL WIRING HARNESS (10951615) (CC) - Cont'd												
P-O-	5940-660-3634	TERMINAL LUG: turret harness, firing relay ground (1), periscope power unit ground (1), magnetic brake ground (1), searchlight control box ground (1) (MS96906-MS25036-5) (CC)	EA	4	*	*	*	*	*	*	*	*	06-158	23
P-O-	5935-686-9962	CONNECTOR, PLUG, ELECTRICAL: turret harness, periscope power unit (8724233) (CC)	EA	1	*	*	*	*	*	*	*	*	06-158	24
P-O-	5935-485-8954	CONTACT, CONNECTOR, ELECTRICAL: turret harness, pressure switch (3), periscope power unit (2), gunner's control box (8), gunner's control handle (8), commander's control handle (8), firing relay (8), searchlight control box (8), azimuth indicator lighting feed (1), turret harness (6) (7716520) (CC)	EA	52	*	*	*	*	*	*	*	*	06-158	25
X1-		INSERT, CONNECTOR, ELECTRICAL: turret harness, periscope power unit (8701343) (CC)		1									06-158	26
P-O-	5935-462-2913	SHELL, CONNECTOR, ELECTRICAL: turret harness; periscope power unit (1), pressure switch (1) (8344527) (CC)	EA	2	*	*	*	*	*	*	*	*	06-158	27
P-O-	5975-697-7769	NUT, BUSHING RETAINER, CONNECTOR, ELECTRICAL: turret harness, periscope power unit (1), pressure switch (1) (7527645) (CC)	EA	2	*	*	*	*	*	*	*	*	06-158	28
P-O-	5340-332-7682	GROMMET, CONNECTOR, ELECTRICAL: turret harness, periscope power unit (7992132) (CC)	EA	1	*	*	*	*	*	*	*	*	06-158	29
P-O-	5935-772-3307	NUT, CONNECTOR, ELECTRICAL: turret harness, periscope power unit (1), pressure switch (1) (7723307) (CC)	EA	2	*	*	*	*	*	*	*	*	06-158	30
P-O-	5935-160-2752	SHELL, CONNECTOR, ELECTRICAL: turret harness, infinity sight (573010) (CC)	EA	1	*	*	*	*	*	*	*	*	06-158	31
P-O-	5935-686-2608	CONNECTOR, PLUG, ELECTRICAL: turret harness, gunner's control box (1), gunner's control handle (1), commander's control handle (1), searchlight control box (1), firing relay (1) (8724244) (CC)	EA	5	*	*	*	*	*	*	*	*	06-158	32

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(10) (b) Item No.
		0620 - TURRET CONTROL WIRING HARNESS (10951615) (CC) - Cont'd												
P-O-	5935-771-8192	INSERT, CONNECTOR, ELECTRICAL: turret harness, gunner's control box (1), gunner's control handle (1), commander's control handle (1), searchlight control box (1), firing relay (1) (7723475) (CC)	EA	5	*	*	*	*	*	*	*	*	06-158	33
P-O-	5340-772-2322	GROMMET, CONNECTOR, ELECTRICAL: turret harness, gunner's control box (1), gunner's control handle (1), commander's control handle (1), searchlight control box (1), firing relay (1) (7722322) (CC)	EA	5	*	*	*	*	*	*	*	*	06-158	34
P-O-	5935-686-2610	CONNECTOR, PLUG, ELECTRICAL: turret harness, azimuth indicator lighting feed (8724199) (CC)	EA	1	*	*	*	*	*	*	*	*	06-158	35
X1-		INSERT, CONNECTOR, ELECTRICAL: turret harness, azimuth indicator lighting feed (8720680) (CC)		1									06-158	36
P-O-	5935-789-6084	SHELL, CONNECTOR, ELECTRICAL: turret harness, azimuth indicator lighting feed (8344522) (CC)	EA	1	*	*	*	*	*	*	*	*	06-158	37
C P-O-	5975-697-6991	NUT, COUPLING, ELECTRICAL: turret harness, azimuth indicator lighting feed (7527643) (CC)	EA	1	*	*	*	*	*	*	*	*	06-158	38
P-O-	5340-772-2343	GROMMET, CONNECTOR, ELECTRICAL: turret harness, azimuth indicator lighting feed (7722343) (CC)	EA	1	*	*	*	*	*	*	*	*	06-158	39
P-O-	5935-333-3088	NUT, CONNECTOR, ELECTRICAL: turret harness, azimuth indicator lighting feed (7723306) (CC)	EA	1	*	*	*	*	*	*	*	*	06-158	40
P-O-	5935-214-0904	PLUG, DUMMY, CONNECTOR, ELECTRICAL: turret harness radiation detector (1), infinity sight (1) (7982907) (CC)	EA	2	*	*	*	*	*	*	*	*	06-158	41

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
		0620 - TURRET CONTROL WIRING HARNESS (10951615) (CC) - Cont'd												
P-O-	5970-577-1630	INSULATION, SLEEVING, ELECTRICAL: turret harness, searchlight receptacle (6 pieces) (approximately 8.25 inch long) (80244-MIL-I-631, Type F, Grade B, Form U, Class 1, Catagory 1, Transparent, .162 I.D., .020 Wall) (CC)	FT	≠	*	*	*	*	*	*	6	200	06-158	42
P-O-	5935-772-8599	NUT, CONNECTOR, ELECTRICAL: turret harness, magnetic brake (7728599) (CC)	EA	1	*	*	1	*	*	1	8	20	06-158	43
P-O-	5340-772-2013	GROMMET, CONNECTOR, ELECTRICAL: turret harness, magnetic brake (7722013) (CC)	EA	1	*	*	*	*	*	*	6	20	06-158	44
P-O-	5975-752-7644	NUT, BUSHING RETAINER, CONNECTOR, ELECTRICAL: turret harness, magnetic brake (7527644) (CC)	EA	1	*	*	1	*	*	1	8	20	06-158	45
P-O-	5935-981-0365	CONNECTOR, PLUG, ELECTRICAL: turret harness, magnetic brake (8724226) (CC)	EA	1	*	*	1	*	*	1	8	16	06-158	46
X1-		SHELL, CONNECTOR, ELECTRICAL: turret harness, magnetic brake (8701308) (CC)		1									06-158	47
X1-		INSERT, CONNECTOR, ELECTRICAL: turret harness, magnetic brake (7973321) (CC)		1									06-158	48
X1-		CONTACT, CONNECTOR, ELECTRICAL: turret harness, magnetic brake (8701323) (CC)		3									06-158	49
P-O-	5340-559-0283	GROMMET, CONNECTOR, ELECTRICAL: turret harness, pressure switch (7722344) (CC)	EA	1	*	*	*	*	*	*	6	20	06-158	50
P-O-	5935-686-2605	CONNECTOR, PLUG, ELECTRICAL: turret harness, pressure switch (8724231) (CC)	EA	1	*	*	1	*	*	1	8	12	06-158	51
X1-		INSERT, CONNECTOR, ELECTRICAL: turret harness, pressure switch (8344324) (CC)		1									06-158	52
P-O-	9905-893-3570	BAND, MARKER, BLANK: turret harness (96906-MS39020-3) (CC)	EA	1	*	*	1	*	*	1	8	20	06-158	53
		0620 - TURRET SEARCHLIGHT WIRING HARNESS (10916918) (DA, DA Ser. No. 601w thru 726w)												
P-O-	9905-893-3570	BAND, MARKER: turret searchlight wiring harness assembly (96906-MS39020-3) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	*	*	*	*	6	90	06-159	1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No	(10) (b) Item No
		0620—TURRET SEARCHLIGHT WIRING HARNESS (10916918) (DA, DA Ser. No. 601w thru 726w)—Cont'd												
P-O-	5935-771-6523	CONTACT, ELECTRICAL: searchlight roof outlet, searchlight wiring harness assembly (7716523) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	4	20	06-159	2
P-O-	5935-485-8954	CONTACT, ELECTRICAL: searchlight roof outlet searchlight wiring harness assembly (7716520) (DA, DA Ser. No. 601w thru 726w)	EA	6	*	*	*	*	*	*	6	120	06-159	3
P-O-	9905-752-4649	BAND, MARKER: turret searchlight wiring harness assembly (96906-MS39020-1) (DA, DA Ser. No. 601w thru 726w)	EA	17	*	*	*	*	*	*	6	510	06-159	4
P-O-	5970-577-1630	INSULATOR: turret searchlight wiring harness assembly (DA, DA Ser. No. 601w thru 726w) (6 pieces 5¾ inch long) (81349-MIL-I-631, Type F, Grade B, Form U, Class 1, Category 1, Transparent, .162 I.D., .020 wall)	FT	≠	*	*	*	*	*	*	8	15	06-159	5
P-O-	6145-772-0853	WIRE, ELECTRICAL: turret searchlight wiring harness assembly (approximately 1162 inches long) (81349-M13486 / 1-5) (DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	6	2000	06-159	6
P-O-	6145-705-6674	WIRE, ELECTRICAL: turret searchlight wiring harness assembly (approximately 184 inches long) (81349-M13486 / 1-14) (DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	6	300	06-159	7
P-O-	5935-833-8561	SHELL, CONNECTOR, ELECTRICAL: searchlight wiring harness assembly, gas filter circuit breaker (1), searchlight circuit breaker (2) (8338561) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	60	06-159	8
P-O-	5970-833-8562	SLEEVE, CONNECTOR, ELECTRICAL: searchlight wiring harness assembly, gas filter circuit breaker (1), searchlight circuit breaker (2) (8338562) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	90	06-159	9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET SEARCHLIGHT WIRING HARNESS (10916918) (DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5935-399-6676	TERMINAL, CONNECTOR, ELECTRICAL: searchlight wiring harness assembly, gas filter circuit breaker (1), searchlight circuit breaker (2) (8338564) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	60	06-159	10
P-O-	5935-572-9180	SHELL, CONNECTOR, ELECTRICAL: searchlight wiring harness assembly, gas filter circuit breaker (8338566) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-159	11
P-O-	5935-214-0904	PLUG, CONNECTOR, ELECTRICAL: searchlight wiring harness assembly, gas filter circuit breaker (7982907) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-159	12
P-O-	5935-333-9414	NUT, GROMMET, RETAINING, CONNECTOR, ELECTRICAL: searchlight wiring harness assembly, control box (1), searchlight relay box (7723308) (DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	6	20	06-159	13
P-O-	5340-772-2322	BUSHING, RUBBER, CONNECTOR, ELECTRICAL: searchlight wiring harness assembly, control box (7722322) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-159	14
P-O-	5310-655-9860	NUT, SLEEVE, CONNECTOR, ELECTRICAL: turret searchlight wiring harness assembly, control box (1), searchlight relay box (1) (8701325) (DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	*	*	*	*	6	40	06-159	15
P-O-	5935-686-2608	CONNECTOR, PLUG, ELECTRICAL: turret searchlight wiring harness assembly, searchlight control box (8724244) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-159	16
P-O-	5935-485-8954	SOCKET, CONNECTOR, ELECTRICAL: turret searchlight wiring harness assembly, control box (8), searchlight relay box (1) (7716520) (DA, DA Ser. No. 601w thru 726w)	EA	9	*	*	*	*	*	*	0	0	06-159	17

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(b) Item No.
		0620—TURRET SEARCHLIGHT WIRING HARNESS (10916918) (DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5935-771-8192	INSERT, CONNECTOR, ELECTRICAL: turret searchlight wiring harness assembly, control box (7723475) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-159	18
X1-O-		SHELL, CONNECTOR, ELECTRICAL: turret searchlight wiring harness assembly, control box (1), searchlight relay box (1) (8701309) (DA, DA Ser. No. 601w thru 726w)		2							0	0	06-159	19
P-O-	5935-772-3307	NUT, BUSHING RETAINER, CONNECTOR, ELECTRICAL: turret searchlight wiring harness assembly, searchlight relay box (7723307) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-159	20
P-O-	5325-077-1953	GROMMET, CONNECTOR, ELECTRICAL: turret searchlight wiring harness assembly, searchlight relay box (10884388) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-159	21
P-O-	5975-697-7769	NUT, COUPLING, CONNECTOR, ELECTRICAL: turret searchlight wiring harness assembly, searchlight relay box (7527645) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-159	22
P-O-	5935-686-9959	CONNECTOR, PLUG, ELECTRICAL: turret searchlight wiring harness assembly, searchlight relay box (8724234) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-159	23
X1-O-	5935-771-6524	CONTACT, CONNECTOR, ELECTRICAL: turret searchlight wiring harness assembly, searchlight relay box (7716524) (DA, DA Ser. No. 601w thru 726w)		1									06-159	24
P-O-	2590-983-6911	INSERT, CONNECTOR, ELECTRICAL: turret searchlight wiring harness assembly, searchlight relay box (8701339) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-159	25

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET SEARCHLIGHT WIRING HARNESS (10916918) (DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5935-462-2913	SHELL, CONNECTOR, ELECTRICAL: turret wiring harness assembly, searchlight relay box (8344527) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*			06-159	26
P-O-	5935-333-3088	NUT, BUSHING RETAINER, CONNECTOR, ELECTRICAL: turret wiring harness assembly, searchlight relay box (7723306) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-159	27
P-O-	5340-772-2343	BUSHING, RUBBER, CONNECTOR, ELECTRICAL: turret searchlight wiring harness assembly, searchlight relay box (7722343) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-159	28
P-O-	5975-697-6991	NUT, CONNECTOR, ELECTRICAL: turret searchlight wiring harness assembly, searchlight relay box (7527643) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-159	29
P-O-	5935-686-2610	CONNECTOR, PLUG, ELECTRICAL: turret searchlight wiring harness assembly, searchlight relay box (8724199) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-159	30
X1-		INSERT, CONNECTOR, ELECTRICAL: turret searchlight wiring harness assembly, searchlight relay box (8720680) (DA, DA Ser. No. 601w thru 726w)		1									06-159	31
P-O-	5935-789-6084	SHELL, CONNECTOR, ELECTRICAL: turret searchlight wiring harness assembly, searchlight relay box (8344522) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*			06-159	32
P-O-	5340-318-8184	BUSHING, RUBBER, CONNECTOR, ELECTRICAL: turret searchlight wiring harness assembly, searchlight relay box (8376776) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-159	33

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51 100			(a) Figure No.	(b) Item No.
		0620 - TURRET SEARCHLIGHT WIRING HARNESS (10916918) (DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5935-686-2607	CONNECTOR, PLUG, ELECTRICAL: turret searchlight wiring harness assembly, searchlight relay box (8724241) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-159	34
P-O-	5999-368-4852	CONTACT, ELECTRICAL, CONNECTOR: turret searchlight wiring harness assembly, searchlight relay box (7716522) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-159	35
P-O-	5935-044-1893	INSERT, CONNECTOR, ELECTRICAL: turret searchlight wiring harness assembly, searchlight relay box (7716668) DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*			06-159	36
P-O-	5970-221-5298	INSULATING SLEEVE: turret searchlight wiring harness assembly, searchlight roof outlet, (1 piece, 5 3/4 inches long) (81349-MIL-I-631, Type F, Form U, Grade 6, Class 1, Category 1, .680 I.D., .040 Wall) (DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	5	15	06-159	37
P-F-	2590-177-8328	WIRING HARNESS BRANCHED: turret searchlight (10916918) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	10	06-159	38
		0620 - TURRET POWER RELAY BOX TO SLIPRING AND SEARCHLIGHT RELAY BOX WIRING HARNESS (10916838) (DA, DA Ser. No. 601w thru 726w)												
P-O-	9905-898-3570	BAND, MARKER, BLANK: turret power relay box to slipring box and searchlight power relay box (96906-MS39020-3) (DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	*	*	*	*	6	80	06-160	1
P-O-	5935-333-9414	NUT, GROMMET, RETAINER, CONNECTOR, ELECTRICAL: turret power relay box (1), slipring box (1), searchlight power relay box (1) (7723308) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	60	06-160	2

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 TURRET POWER RELAY BOX TO SLIPRING AND SEARCHLIGHT RELAY BOX WIRING HARNESS (10916838) (DA, DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5340-318-8184	GROMMET, CONNECTOR, ELECTRICAL: turret power relay box (1), slipring box (1) (8376776) (DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	40	06-160	3
P-O-	5310-655-9860	NUT, COUPLING, CONNECTOR, ELECTRICAL: turret power relay box (1), slipring box (1), searchlight power relay box (1) (8701325) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	60	06-160	4
P-O-	5935-686-9374	CONNECTOR, ELECTRICAL: turret power relay box (1), slipring box (1), searchlight power relay box (1) (8724242) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	150	06-160	5
P-O-	5935-771-6523	CONTACT, SOCKET, CONNECTOR, ELECTRICAL: power relay box (1), slipring box (1), searchlight power relay box (1) (7716523) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	*	*	*	*	4	60	06-160	6
P-O-	·5935-089-7917	INSERT, CONNECTOR, ELECTRICAL: turret power relay box (1), slipring box (1), searchlight power relay box (1) (7716669) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	60	06-160	7
X1-		SHELL, CONNECTOR, ELECTRICAL: power relay box (1), slipring box (1), searchlight power relay box (1) (8701309) (DA, DA Ser. No. 601w thru 726w)		3									06-160	8
		CONNECTOR, TEE, ELECTRICAL: turret electrical power harness assembly (7992255) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	15	06-160	9
P-O-	6145-805-3354	WIRE, ELECTRICAL: turret searchlight power relay box to connector (approximately 10 inches long) (81349-M13486/1-12) (DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	6	15	06-160	10
P-O-	5340-598-5362	GROMMET, CONNECTOR, ELECTRICAL: turret searchlight power relay box (8376777) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	25	06-160	11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No.	(b) Item No.
		0620 - TURRET POWER RELAY BOX TO SLIPRING AND SEARCHLIGHT RELAY BOX WIRING HARNESS (10916838) (DA, DA Ser. No. 601w thru 726w) Cont'd												
P-O-	6145-705-6674	WIRE, ELECTRICAL: turret power relay box to slipring box (approximately 39 inches long) (81349-M13486 / 1-14) (DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	6	60	06-160	12
P-F-	2590-785-0642	CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL, BRANCHED: turret electrical; power relay box to slipring box and searchlight power relay box (10916838) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	15	06-160	13
		0620—TURRET BRANCHED WIRING HARNESS (10916855) (DA), (11616151) (DA Ser. No. 601w thru 726w)												
P-O-	5935-686-2600	CONNECTOR, ELECTRICAL: turret harness, gun quick disconnect (8724245) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-161	1
X1-		SHELL, CONNECTOR, ELECTRICAL: turret harness, gun quick disconnect (1), gunner's handle (1), firing relay box (1), gunner's **control box (1) (8701309) (DA, DA Ser. No. 601w** thru 726w)		4									06-161	2
P-O-	5935-771-6674	INSERT, CONNECTOR, ELECTRICAL: turret harness, gun quick disconnect (7716674) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*			06-161	3
P-O-	5935-485-8955	CONTACT, CONNECTOR, ELECTRICAL: turret harness, gun quick disconnect (7716521) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*			06-161	4
X1-		CONTACT, CONNECTOR, ELECTRICAL: turret harness, gun quick disconnect (7716659) (DA, DA Ser. No. 601w thru 726w)		1									06-161	5

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 Day GS Maintenance Allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION (a) Figure No	(b) Item No
		0620 - TURRET BRANCHED WIRING HARNESS (10916855) (DA), (11616151) (DA Ser. No. 601w thru 726w)												
P-O-	5310-655-9860	NUT, SLEEVE, CONNECTOR, ELECTRICAL: turret harness, gun quick disconnect (1), gunner's control box (1), firing relay box (1), gunner's handle (1) (8701325) (DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	8	80	06-161	6
P-O-	5340-772-2323	BUSHING, RUBBER, CONNECTOR ELECTRICAL: turret harness, gun quick disconnect (7722323) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-161	7
P-O-	5935-333-9414	NUT, BUSHING RETAINER, ELECTRICAL CONNECTOR: turret harness, gun quick disconnect (1), gunner's control box (1), firing relay box (1), gunner's handle (1) (7723308) (DA, DA Ser. No. 601w thru 726w)	EA	4	*	*	1	*	*	1	8	80	06-161	8
P-O-	9905-752-4649	BAND, MARKER: turret harness (96906-MS39020-1) (DA, DA Ser. No. 601w thru 726w)	EA	63	*	*	*	*	*	*	6	1890	06-161	9
P-O-	6145-772-0853	WIRE, ELECTRICAL: turret harness (approximately 1728 inches long) (81349-M13486 / 1-5) (DA, DA Ser. No. 601w thru 726w)	FT	≠	*	*	*	*	*	*	6	2880	06-161	10
P-O-	5935-772-5307	NUT, BUSHING RETAINER, ELECTRICAL CONNECTOR: turret harness, power unit (1), pressure switch (1) (7723307) (DA, DA Ser. No. 601w 726w)	EA	2	*	*	1	*	*	1	8	40	06-161	11
P-O-	5340-332-7682	GROMMET, CONNECTOR, ELECTRICAL: turret harness, power unit (7992132) (DA, DA Ser. No. 601w thru 321w)	EA	1	*	*	*	*	*	*	6	20	06-161	12
P-O-	5975-697-7769	NUT, CONNECTOR, ELECTRICAL: turret harness, power unit (1), pressure switch (1) (7527645) (DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	40	06-161	13
P-O-	5935-686-9962	CONNECTOR, PLUG, ELECTRICAL: turret harness power unit (8724233) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-161	14

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620—TURRET BRANCHED WIRING HARNESS (10916855) (DA), (11616151) (DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5935-485-8954	SOCKET, CONNECTOR, ELECTRICAL: turret harness: power unit (1), gunner's control box (1), firing relay box (1), gunner's handle (1), power relay box (1), pressure switch (1) (7716520) (DA, DA Ser. No. 601w thru 726w)	EA	6	*	*	*	*	*	*	0	0	06-161	15
X1-		INSERT, CONNECTOR, ELECTRICAL: turret harness, power unit (8701343) (DA, DA Ser. No. 601w thru 726w)		1									06-161	16
P-O-	5935-462-2913	SHELL, CONNECTOR, ELECTRICAL: turret harness, power unit (1), pressure switch (1) (8344527) (DA, DA Ser. No. 601w thru 726w)	EA	2									06-161	17
P-O-	5935-160-2752	SHELL, CONNECTOR, ELECTRICAL: turret harness infinity sight (1), (573010)	EA	1	*	*	1	*	*	1	8	20	06-161	18
P-O-	5935-833-8561	SHELL, CONNECTOR, ELECTRICAL: turret harness, infinity sight (1) (DA), deck clearance valve (1), interference switch, slipring (1) (DA, DA Ser. No. 601w thru 726w) (8338561)												
		(DA)	EA	3	*	*	1	*	*	1	8	60	06-161	19
		(DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	40	06-161	19
P-O-	5970-833-8562	INSULATOR, BUSHING, CONNECTOR, ELECTRICAL: turret harness, infinity sight (1) (DA), deck clearance valve (1), interference switch, slipring (1) (8338562) (DA, DA Ser. No. 601w thru 726w)												
		(DA)	EA	3	*	*	1	*	*	1	8	60	06-161	20
		(DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	40	06-161	20
P-O-	5940-399-6676	TERMINAL LUG: turret harness; infinity sight (1) (DA), deck clearance valve (1), interference switch, slipring (1) (DA, DA Ser. No. 601w thru 726w) (8338564)												
		(DA)	EA	3	*	*	1	*	*	1	8	60	06-161	21
		(DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	40	06-161	21

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET BRANCHED WIRING HARNESS (10916855) (DA), (11616151) (DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5340-772-2322	BUSHING, RUBBER, CONNECTOR, ELECTRICAL: turret harness, gunner's handle (1), firing relay box (1), gunner's control box (1) (7722322) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	60	06-161	22
P-O-	5935-686-2608	CONNECTOR, PLUG, ELECTRICAL: turret harness, gunner's handle (1), firing relay box (1), gunner's control box (1) (8724244) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	60	06-161	23
P-O-	5935-771-8192	INSERT, CONNECTOR, ELECTRICAL: turret harness, gunner's handle (1), firing relay box (1), gunner's control box (1) (7723475) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	*	*	*	*	0	0	06-161	24
P-O-	5940-705-6709	TERMINAL, LUG: turret harness; power unit ground (1) (DA), gun quick disconnect ground (2) (DA, DA Ser. No. 601w thru 726w) (7056709)												
		(DA)	EA	1	*	*	1	*	*	1	8	20	06-161	25
		(DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	40	06-161	25
P-O-	5935-686-2610	CONNECTOR, PLUG, ELECTRICAL: turret harness, power relay box (8724199) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-161	26
P-O-	5935-789-6084	SHELL, CONNECTOR, ELECTRICAL: turret harness, power relay box (8344522) (DA, DA Ser. No. 601w thru 726w)	EA	1	•	•	•	•	•	•			06-161	27
X1-		INSERT, CONNECTOR, ELECTRICAL: turret harness, power relay box (8720680) (DA, DA Ser. No. 601w thru 726w)		1									06-161	28
P-O-	5975-697-6991	NUT, COUPLING, ELECTRICAL CONDUIT: turret harness, power relay box (7527643) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-161	29
P-O-	5340-772-2343	BUSHING, RUBBER, CONNECTOR, ELECTRICAL: turret harness, power relay box (7722343) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-161	30

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET BRANCHED WIRING HARNESS (10916855) (DA), (11616151) (DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5935-333-3088	NUT, BUSHING, RETAINER, CONNECTOR, ELECTRICAL: turret harness, power relay box (7723306) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-161	31
P-O-	5940-057-2929	FERRULE, CONNECTOR, ELECTRICAL: turret harness, interference switch, slipring (96906-MS27148-2) (DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	20	06-161	32
P-O-	5310-833-8567	WASHER, SLOTTED, CONNECTOR, ELECTRICAL: turret harness, interference switch, slipring (8338567) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-161	33
P-O-	5935-572-9180	SHELL, CONNECTOR, ELECTRICAL: turret harness, interference switch, slipring (8338566) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-161	34
P-O-	5935-686-2605	CONNECTOR, PLUG, ELECTRICAL: turret harness, pressure switch (8724231) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-161	35
X1-		INSERT, CONNECTOR, ELECTRICAL: turret harness, pressure switch (8344324) (DA, DA Ser. No. 601w thru 726w)		1									06-161	36
P-O-	5340-559-0283	GROMMET, CONNECTOR, ELECTRICAL: turret harness, pressure switch (7722344) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-161	37
P-O-	9905-893-3570	BAND, MARKER: turret harness (96906-MS39020-3) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	30	06-161	38
P-F-	2590-875-0645	WIRING HARNESS, ELECTRICAL: turret (10916855) (DA)	EA	1	*	*	1	*	*	1	8	70	06-161	39
P-F-	2590-879-4613	(11616151) (DA, Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	3	70	06-161	39

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET BRANCHED WIRING HARNESS (10916855) (DA), (11616151) (DA Ser. No. 601w thru 726w)												
P-O-		WIRE ELECTRICAL: turret harness (See Figure 06-161, Item 10)											06-162	1
P-O-		BAND, MARKER, CABLE IDENTIFICATION: turret harness (See Figure 06-161, Item 9)											06-162	2
P-O-	5935-833-8561	SHELL, ELECTRICAL CONNECTOR: turret harness, dome light (2), radiation detector (1) ballistic drive interference switch (2), range finder computer switch (2), computer switch (2), commander's control power relay (2) (8338561) (DA, DA Ser. No. 601w thru 726w)	EA	9	*	*	1	*	*	1	10	180	06-162	3
P-O-	5970-833-8562	INSULATOR BUSHING: turret harness, dome light (1), radiation detector (2), ballistic drive interference switch (2), range finder computer switch (2), commander's control power relay (2) (8338562) (DA, DA Ser. No. 601w thru 726w)	EA	9	*	*	1	*	*	1	8	180	06-162	4
P-O-	5935-399-6676	TERMINAL LUG: turret harness, dome light (1), radiation detector (2), ballistic drive interference switch (2), range finder computer switch (2), commander's control power relay (2) (8338564) (DA, DA Ser. No. 601w thru 726w)	EA	9	*	*	1	*	*	1	8	180	06-162	5
P-O-	5935-772-3307	NUT, BUSHING RETAINER: turret harness, accessories box (1), range finder (1), ballistic computer (1) (7723307) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	60	06-162	6
P-O-	5940-559-0283	GROMMET, ELECTRICAL: turret harness, accessories box (1), range finder (1) ballistic computer (1) (7722344) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	10	60	06-162	7

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620—TURRET BRANCHED WIRING HARNESS (10916855) (DA), (11616151) (DA Ser. No. 601w thru 726w)—Cont'd												
P-O-	5975-697-7769	NUT, COUPLING: turret harness, accessories box (1), range finder (1), ballistic computer (1) (7527645) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	60	06-162	8
P-O-	5935-686-2605	CONNECTOR, PLUG, ELECTRICAL: turret harness range finder (1), ballistic computer (1) (8724231) (DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	40	06-162	9
P-O-	5935-485-8954	SOCKET: turret harness, ballistic commander's control handle (1), range finder (1) (7716520) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	*	*	*	*	0	0	06-162	10
X1-O-		INSERT: turret harness, range finder (1), ballistic computer (1) (8344324) (DA, DA Ser. No. 601w thru 726w)		2									06-162	11
P-O-	5935-462-2913	SHELL, turret harness, range finder (1), accessories box (1), ballistic computer (1) (8344527) (DA, DA Ser. No. 601w thru 726w)		3									06-162	12
P-O-	5935-333-9414	NUT, BUSHING RETAINER, ELECTRICAL CONNECTOR: turret harness, commander's control handle (7723308) (DA, DA Ser. No. 601w thru 726w	EA	1	*	*	1	*	*	1	8	20	06-162	13
P-O-	5310-772-2322	GROMMET, ELECTRICAL: turret harness, commander's control handle (7722322) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-162	14
P-O-	5810-655-9860	NUT, SLEEVE: turret harness, commander's control handle (8701325) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-162	15
P-O-	5935-686-2608	CONNECTOR, PLUG, ELECTRICAL: turret harness. commander's control handle (8724244) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-162	16

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET BRANCHED WIRING HARNESS (10916855) (DA), (11616151) (DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5935-771-8192	INSERT, ELECTRICAL: turret harness commander's control handle (7723475) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-162	17
X1-O-		SHELL, ELECTRICAL: turret harness, commander's control handle (8701309) (DA, DA Ser. No. 60lw thru 726w)		1									06-162	18
P-O-	5935-981-0365	SHELL ASSEMBLY: turret harness, magnetic brake (8724226) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-162	19
X1-O-		SHELL, ELECTRICAL: turret harness, magnetic brake (8701308) (DA, DA Ser. No. 601w thru 726w)		1									06-162	20
X1-O-		INSERT, CONNECTOR, ELECTRICAL: turret harness, magnetic brake (7973321) (DA, DA Ser. No. 601w thru 726w)		1									06-162	21
X1-O-		CONTACT, CONNECTOR, ELECTRICAL: turret harness, magnetic brake (8701323) (DA, DA Ser, No. 601w thru 726w)		1									06-162	22
P-O-	5975-752-7644	NUT, CONNECTOR, ELECTRICAL: turret harness, magnetic brake (7527644) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-162	23
P-O-	5340-772-2013	GROMMET, CONNECTOR, ELECTRICAL: turret harness, magnetic brake (7722013) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	*	*	*	*	6	20	06-162	24
P-O-	5935-772-8599	NUT, CONNECTOR, ELECTRICAL: turret harness. magnetic brake (7728599) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-162	25
P-O-	5940-660-3634	TERMINAL LUG: turret harness, ground MS25036-57) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-162	26
P-O-	5935-754-9081	CONNECTOR, PLUG, ELECTRICAL: turret harness, accessory control box (8724230) (DA, DA Ser. No. 601w thru 726w)	EA	1	*	*	1	*	*	1	8	20	06-162	27

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgcy	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		0620 - TURRET BRANCHED WIRING HARNESS (10916855) (DA), (11616151) (DA Ser. No. 601w thru 726w) - Cont'd												
P-O-	5935-485-8955	CONTACT, CONNECTOR, ELECTRICAL: turret harness, accessory control box (7716521) (DA, DA Ser, No. 601w thru 726w)	EA	1	*	*	*	*	*	*	0	0	06-162	28
X1-O		INSERT, CONNECTOR, ELECTRICAL: turret harness, accessory control box (7413821) (DA, DA Ser. No. 601w thru 726w)		1									06-162	29
		0620—TURRET FIRING CIRCUIT WIRING HARNESS (10916839) (DA, DA Ser. No. 601w thru 726w)												
P-F-	2590-875-0643	WIRING HARNESS, ELECTRICAL: firing circuit (10916839) (DA, DA Ser. No. 601w thru 726w) 10916839	EA	1	*	*	*	*	*	*	6	15	06-163	1
		0620—TURRET FIRING CIRCUIT WIRING HARNESS (10916839) (DA, DA Ser. No. 601w thru 726w)												
P-O-	5935-399-6676	TERMINAL, LUG: firing circuit harness, machine gun relay (1), main gun relay (1) (8338564) (DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	40	06-164	1
P-O-	5970-833-8562	INSULATOR BUSHING: firing circuit harness, machine gun relay (1), main gun relay (1) (8338562) (DA, DA Ser. No. 601w thru 726w)	EA	2	*	*	1	*	*	1	8	40	06-164	2
P-O-	5935-833-8561	SHELL, CONNECTOR, ELECTRICAL: firing circuit harness, machine gun relay (1), main gun relay (1), telescope power unit (1) (8338561) (DA, DA Ser. No. 601w thru 726w)	EA	3	*	*	1	*	*	1	8	60	06-164	3
P-O-	9905-752-4649	BAND, MARKER BLANK: firing circuit harness (96906-MS39020-1) (DA, DA Ser. No. 601w thru 726w)	EA	8	*	*	*	*	*	*	4	60	06-164	4

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (MIL-M-63001 B)

(1) SMR code	(2) Federal stock number	(3) Description	(4) Unit of meas	(5) Qty inc in unit	(6) 30 day DS maintenance allowance			(7) 30 day GS maintenance allowance			(8) 1 yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
		0620 - TURRET FIRING CIRCUIT WIRING HARNESS (10916839) (DA, DA Ser. No. 601W thru 726W) - Cont'd												
P-O-	5935-333-9414	NUT, CONNECTOR, ELECTRICAL: firing circuit harness, gun disconnect (7723308) (DA, DA Ser. No. 601W thru 726W)	EA	1	*	*	1	*	*	1	8	16	06-164	5
P-O-	5340-772-2323	GROMMET, CONNECTOR, ELECTRICAL: firing circuit harness, gun disconnect (7722323) (DA, DA Ser. No. 601W thru 726W)	EA	1	*	*	*	*	*	*	6	25	06-164	6
P-O-	5935-201-5997	CONNECTOR, RECEPTACLE, ELECTRICAL: firing circuit harness, gun disconnect (7716785) (DA, DA Ser. No. 601W thru 726W)	EA	1	*	*	1	*	*	1	8	16	06-164	7
P-O-	5935-485-8954	CONTACT, CONNECTOR, ELECTRICAL: firing circuit harness, gun disconnect (7716520) (DA, DA Ser. No. 601W thru 726W)	EA	5	*	*	*	*	*	*	5	15	06-164	8
P-O-	5930-113-2954	CONTACT, CONNECTOR, ELECTRICAL: firing circuit harness, gun disconnect (7716658) (DA, DA Ser. No. 601W thru 726W)	EA	1	*	*	*	*	*	*	3	18	06-164	9
X1-O-		INSERT, CONNECTOR, ELECTRICAL: firing circuit harness, gun disconnect (7716675) (DA, DA Ser. No. 601W thru 726W)		1									06-164	10
P-O-	5935-771-6781	SHELL, CONNECTOR, ELECTRICAL: firing circuit harness, gun disconnect (8701329) (DA, DA Ser. No. 601W thru 726W)	EA	1	*	*	*	*	*	*	0	0	06-164	11
P-O-	5940-660-3634	TERMINAL, LUG: firing circuit harness, gun mount ground (MS25036-57) (DA, DA Ser. No. 601W thru 726W)	EA	1	*	*	1	*	*	1	8	16	06-164	12
P-O-	6145-772-0853	WIRE, ELECTRICAL: firing circuit wiring circuit wiring harness (81349-M13486/1-5) (approximately 28 inches long) (DA, DA Ser. No. 601W thru 726W)	FT		*	*	*	*	*	*	6	40	06-164	13
P-O-	5935-214-0904	PLUG, DUMMY, CONNECTOR, ELECTRICAL: firing circuit wiring harness, telescope power unit (7982907) (DA, DA Ser. No. 601W thru 726W)	EA	1	*	*	1	*	*	1	8	16	06-164	14

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (MIL-M-63001 B)

(1) SMR code	(2) Federal stock number	(3) Description	(4) Unit of meas	(5) Qty inc in unit	(6) 30 day DS maintenance allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 day GS maintenance allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(10) (b) Item No
		0620 - TURRET FIRING CIRCUIT WIRING HARNESS (10916839) (DA, DA Ser. No. 601W thru 726W) - Cont'd												
P-O-	5940-057-2929	FERRULE, CONNECTOR, ELECTRICAL: firing circuit wiring harness, telescope power unit (96906-MS27148-2) (DA, DA Ser. No. 601W thru 726W)	EA	1	*	*	1	*	*	1	8	16	06-164	15
P-O-	5310-833-8567	WASHER, SLOTTED, CONNECTOR, ELECTRICAL: firing circuit wiring harness, telescope power unit (8338567) (DA, DA Ser. No. 601W thru 726W)	EA	1	*	*	1	*	*	1	8	25	06-164	16
P-O-	5935-572-9180	SHELL, CONNECTOR, ELECTRICAL: firing circuit wiring harness; telescope unit (8338566) (DA, DA Ser. No. 601W thru 726W)	EA	1	*	*	1	*	*	1	8	15	06-164	17
P-O-	9905-841-4445	BAND, MARKER: firing circuit wiring harness (96906-MS39020-2) (DA, DA Ser. No. 601W thru 726W)	EA	1	*	*	*	*	*	*	6	20	06-164	18
C		0620 - LEFT SMOKE GRENADE LAUNCHER CABLE ASSEMBLIES (12257603) (12257445) AND RELATED PARTS (CA)												
C PAOZZ	1040-01-044-2414	CABLE ASSEMBLY, SPEC: left discharger (19207-12257603) (CA) (Serial No. to 1291)	EA	1	*	*	*	*	*	*	*	*	06-165	1
N PAOZZ	1040-01-044-2415	CABLE ASSEMBLY, SPEC: left discharger (19207 - 12257445) (CA) (Serial No. 1291 and higher)	EA	1	*	*	*	*	*	*	*	*	06-165	1
C PAOZZ	1040-01-043-2042	GUARD: cable assembly retaining (19207 - 12257609) (CA)	EA	1	*	*	*	*	*	*	*	*	06-165	2
C PAOZZ	5310-00-582-5965	WASHER, LOCK: cable assembly retaining (96906-MS35338-44) (CA)	EA	6	*	*	*	*	*	*	*	*	06-165	3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE
(MIL-M-63001 B)

(1) SMR code	(2) Federal stock number	(3) Description	(4) Unit of meas	(5) Qty inc in unit	(6) 30 day DS maintenance allowance (a) 1-20	(6) (b) 21-50	(6) (c) 51-100	(7) 30 day GS maintenance allowance (a) 1-20	(7) (b) 21-50	(7) (c) 51-100	(8) 1 yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(10) (b) Item No
C PAOZZ	5305-00-068-0500	SCREW, CAP, HEXAGON HEAD: cable assembly retaining (96906-MS90725-4) (CA)	EA	6	•	•	•	•	•	•	•	•	06-165	4
C		0620 - RIGHT SMOKE GRENADE LAUNCHER CABLE ASSEMBLIES (12257447) (12257602) AND RELATED PARTS (CA)												
C PAOZZ	1040-01-043-8135	CABLE ASSEMBLY, SPEC: right discharger (19207-12257447) (CA) (Serial No. 1291 and higher)	EA	1	•	•	•	•	•	•	•	•	06-166	1
N PAOZZ	1040-01-043-7420	CABLE ASSEMBLY, SPEC: right discharger (19207-12257602) (CA) (Serial No. to 1291)	EA	1	•	•	•	•	•	•	•	•	06-166	1
C PAOZZ	1040-01-043-2048	GUARD: cable assembly retaining (19207-12257611) (CA)	EA	1	•	•	•	•	•	•	•	•	06-166	2
C PAOZZ	5310-00-582-5965	WASHER, LOCK: cable assembly retaining (96906-MS35338-44) (CA)	EA	14	•	•	•	•	•	•	•	•	06-166	3
C PAOZZ	5305-00-068-0500	SCREW, CAP, HEXAGON HEAD: cable assembly retaining (96906-MS90725-4) (CA)	EA	14	•	•	•	•	•	•	•	•	06-166	4
C PAOZZ	1040-01-043-2041	GUARD: right cable assembly retaining (19207-12257610) (CA)	EA	1	•	•	•	•	•	•	•	•	06-166	5

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL-M-63001 B)

(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	Unit of Meas	Qty Inc in Unit	30 Day DS Maintenance Allowance			30 Day GS Maintenance Allowance			1 yr Alw Per 100 Equip Cntgcy	Depot Maint Alw Per 100 Equip	ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No
		0620 - GRENADE LAUNCHER HOUSING ASSEMBLY (12257655) AND RELATED PARTS (CA)												
N PAOZZ	5306-00-225-8496	SCREW, CAP, HEXAGON HEAD: housing cover retaining (96906-MS90725-31) (CA)	EA	3	•	•	•	•	•	•	•	•	06-167	1
N PAOZZ	5310-00-407-9566	WASHER, LOCK: housing cover retaining (96906 - MS35338-45)(CA)	EA	3	•	•	•	•	•	•	•	•	06-167	2
N PAOZZ		COVER: housing assembly (19207 - 12257601) (CA)	EA	1	•	•	•	•	•	•	•	•	06-167	3
N PAOZZ	5305-00-725-2317	SCREW, CAP, HEXAGON HEAD: housing retaining (96906-MS90728-64) (CA)	EA	4	•	•	•	•	•	•	•	•	06-167	4
N PAOZZ	5310-00-004-5033	WASHER, LOCK: housing retaining (96906 - MS35338-46) (CA)	EA	4	•	•	•	•	•	•	•	•	06-167	5
N PAOFF	1040-01-043-7507	HOUSING ASSEMBLY: grenade launcher (19207 - 12257655) (CA)	EA	1	•	•	•	•	•	•	•	•	06-167	6
N PAOZZ	5305-00-068-0502	SCREW, CAP, HEXAGON HEAD: discharger power harness clamp retaining (96906 - MS90725-6) (CA)	EA	1	•	•	•	•	•	•	•	•	06-167	7
N PAOZZ	5310-00-543-2410	WASHER, LOCK: discharger power harness clamp retaining (96906 - MS35338-40) (CA)	EA	1	•	•	•	•	•	•	•	•	06-167	8
N PAOZZ		CLAMP: discharger power harness and ground (19207 - 7387071) (CA)	EA	1	•	•	•	•	•	•	•	•	06-167	9
N PAOZZ	5330-00-772-6600	GASKET: harness connector housing (19207- 7726600) (CA)	EA	1	•	•	•	•	•	•	•	•	06-167	10
N PAOZZ	5310-00-558-4887	SCREW, MACHINE: harness connectors retaining (96906-MS35265-14) (CA)	EA	8	•	•	•	•	•	•	•	•	06-167	11
N PAOZZ	5310-00-543-2410	WASHER, LOCK: harness connectors retaining (96906 - MS35338-40) (CA)	EA	8	•	•	•	•	•	•	•	•	06-167	12
N PAOZZ		CONNECTOR, RECEPTACLE, ELECTRICAL: housing assembly (96906 - MS3452L14S5B) (CA)	EA	2	•	•	•	•	•	•	•	•	06-167	13
N PAOZZ		SOCKET, ELECTRICAL CONNECTOR: housing assembly (96906 - MS3163-16S16) (CA)	EA	2	•	•	•	•	•	•	•	•	06-167	14
N PAOZZ	5330-00-079-7839	GASKET: electrical connector (96906 - MS51007-4) (CA)	EA	2	•	•	•	•	•	•	•	•	06-167	15
N XAOZZ	1040-01-043 9454	HOUSING: harness connectors (19207 - 12257608) (CA)	EA	1	•	•	•	•	•	•	•	•	06-167	16
N PAOFF		HARNESS ASSEMBLY: discharger power (1907-12257429) (CA)	EA	1	•	•	•	•	•	•	•	•	06-167	17
N PAFZZ		0620-GRENADE LAUNCHER HOUSING ASSEMBLY WIRING HARNESS (12257429) AND RELATED PARTS (CA)												
N PAFZZ		SOCKET CONNECTOR: housing wiring harness (96906- MS3163-16-16) (CA)	EA	8	•	•	•	•	•	•	•	•	06-168	1
N PAFZZ	5940-00-230-0515	TERMINAL, LUG: harness, ground, E2 & E3 (96906- MS25036-154) (CA)	EA	2	•	•	•	•	•	•	•	•	06-168	2
N PAFZZ		BOOT: harness connector P1 (96906-MS3117-144C) (CA)	EA	1	•	•	•	•	•	•	•	•	06-168	3
N PAFZZ		BACKSHELL: harness connector P1 (96906- MS3158-16C (CA)	EA	1	•	•	•	•	•	•	•	•	06-168	4
N PAFZZ	5935-00-891-3914	CONNECTOR: wiring harness P1 (96906- MS3456L16SIS) (CA)	EA	1	•	•	•	•	•	•	•	•	06-168	5
N PAFZZ	5935-00-691-5591	SHELL, ELECTRICAL CONNECTOR: harness contact P3(19207-8724495) (CA	EA	1	•	•	•	•	•	•	•	•	06-168	6
N PAFZZ	5310-00-656-0067	WASHER, SLOTTED: harness contact P3 (19207-8724497) (CA)	EA	1	•	•	•	•	•	•	•	•	06-168	7
N PAFZZ	5999-00-926-3144	CONTACT, ELECTRICAL: wiring harness P3 (96906- MS27148-3((CA)	EA	1	•	•	•	•	•	•	•	•	06-168	8
N PAFZZ	5940-00-114-1305	TERMINAL, LUG: wiring harness ground E1 (96906- MS25036-116) (CA)	EA	1	•	•	•	•	•	•	•	•	06-168	9
N PAFZZ	5975-00-660-5962	CABLE, NIPPLE, ELECTRICAL: harness terminal J3 (19207-8724494) (CA)	EA	1	•	•	•	•	•	•	•	•	06-168	10
N PAFZZ	5970-00-833-8562	INSULATOR, BUSHING: harness terminal J3 (19207-8338562) (CA)	EA	1	•	•	•	•	•	•	•	•	06-168	11
N PAFZZ	5940-00-399-6876	TERMINAL ASSEMBLY: wiring harness J3 (19207- 8338564) (CA)	EA	1	•	•	•	•	•	•	•	•	06-168	12
N PAFZZ	5935-00-166-6419	CONNECTOR: wiring harness P2 (96906- MS3456L14S2S) (CA)	EA	1	•	•	•	•	•	•	•	•	06-168	13
N PAFZZ		BACKSHELL: harness connector P2 (96906- MS3158-14C) (CA)	EA	1	•	•	•	•	•	•	•	•	06-168	14
N PAFZZ		BOOT: harness connector P2 (96906- MS3117-13AC) (CA)	EA	1	•	•	•	•	•	•	•	•	06-168	15

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(MIL M-63001 B)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30 Day DS Maintenance Allowance			(7) 30 Day GS Maintenance Allowance			(8) 1 yr Alw Per 100 Equip Cntgey	(9) Depot Maint Alw Per 100 Equip	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No.	(b) Item No.
		(All data on page 06-310 deleted) Figures 06-169 thru 06-199 deleted												


1 SEE FIGURE 06-2
2
2
M60 AND M48A3 ONLY
3
4
5
6
7
8
9 M60, M60A1 AND M728 ONLY
3
10 M60A1 AND M728 ONLY
21
20
19
18
17
12
11
13
14
15
16

(ALL PARTS ARE IN GROUP 0609)

AT 1471

Figure 06-1. Dome Light Assembly (96906-MS51073-1), Variable Resistor and Mounting Parts (M60-M60A1, M728, M48A3, M48A3 Ser No. 601W thru 726W).


49
31
48
46
47
45
44
43
42
41
40
39
38
37
36
35
34
33
30
32
31
30
3
1
2
8
7
5
4
6
9
2
10
11
13
14
12
15
16
6
8
17
18
19
20
24
21
22
23
25
26
27
28
29

(ALL PARTS ARE IN GROUP 0609)

AT 1472

Figure 06-2. **Dome Light Assembly (96906-MS51073-1) (M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W).**

Figure 06-3 deleted

Figure 06-4 deleted

(ALL PARTS ARE IN GROUP 0614)


1
SEE FIGURE 06-6
2
3
4
5
6
2
AT 1475

Figure 06-5. Turret Electrical Slipring Assembly (10951695) (M60), (10951664) (M60A1) and Attaching Parts


1
2
3
4
5
30
29
6
7
8
28
9
10
26
24
23
27
22
17
21
25
20
19
18
17
16
14
13
12
15
11
SEE FIGURE 06-7 THRU 06-11

(ALL PARTS ARE IN GROUP 0614)

AT 1906

Figure 06-6. Turret Electrical Slipring Assembly (10951695) (M60), (10951664) (M60A1).


20
19
1
2
18
M60,M60A1 ONLY
1
2
3
4
(ALL PARTS ARE IN GROUP 0614)
15
2
15
5
7
21
6
SEE FIGURE
06-14
10
8
11
12
13
8
9
14
8
11
12
SEE FIGURE 06-13 17
11
12
SEE FIGURE 06-15 16
8
2
15
7
SEE FIGURE 06-12
2
1
AT 39480

Figure 06-7. Turret Electrical Slipring (7389389) (M48A3, M48A3 Ser. No. 601w thru 726w) (10941083) (M60, M60A1) (Sheet 1 of 5).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
(ALL PARTS ARE IN GROUP 0614)
AT 1908

Figure 06-8. Turret Electrical Slipring (7389389) (M48A3, M48A3 Ser. No. 601w thru 726w) (10941083) (M60, M60A1) (Sheet 2 of 5).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29

(ALL PARTS ARE IN GROUP 0614)

AT 1909

Figure 06-9. Turret Electrical Slipring (7389389) (M48A3, M48A3 Ser. No. 601w thru 726w) (10941083) (M60, M60A1) (Sheet 3 of 5).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
3
2
23
24
25
26
27
28
29
7
5
22
30
M60 AND M60A1 SHOWN
31
32
33
34
35
36
AT 1910

(ALL PARTS ARE IN GROUP 0614)

Figure 06-10. Turret Electrical Slipring (7389389) (M48A3, M48A3 Ser. No. 601w thru 726w) (10941083) (M60, M60A1) (Sheet 4 of 5).


M60 AND M60A1 SHOWN
1
2
3
4
5
6
5
6
7
8
9
10
11
12
13
7
8
14
15
16
17
18
19
20
21
22
23
24
25

(ALL PARTS ARE IN GROUP 0614)

Figure 06-11. Turret Electrical Slipring (7389389) (M48A3, M48A3 Ser. No. 601w thru 726w) (10941083) (M60, M60A1) (Sheet 5 of 5).



(ALL PARTS ARE IN GROUP 0614)

AT 1912

Figure 06-12. Turret Electrical Slipring Receptacle Assembly (7716587) (M48A3, M48A3 Ser. No. 601W thru 726W) (10887359) (M60, M60A1).



(ALL PARTS ARE IN GROUP 0614)

AT 1913

Figure 06-13. Turret Electrical Slipring Receptacle Assembly (7389392) (M60, M60A1, M48A3, M48A3 Ser. No. 601W thru 726W).



(ALL PARTS ARE IN GROUP 0614)

AT 1914

Figure 06-14. Turret Electrical Slipring Receptacle Assembly (7389508) (M48A3, M48A3 Ser. No. 601W thru 726W), (10893697) (M60, M60A1).



(ALL PARTS ARE IN GROUP 0614)

AT 1915

Figure 06-15. Turret Electrical Slipring Receptacle Assembly (7716636) (M60, M60A1, M48A3, M48A3 Ser. No. 601W thru 726W).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
15
18
19
20
21
22
23
24
25
13
24
26
27
28
39
38
37
38
36
29
30
31
35
32
33
34

(ALL PARTS ARE IN GROUP 0614)

AT 1477

Figure 06-16. Turret Electrical Slipring Switch and Actuator Assembly (10940852), Cam (10940866), Bracket (10940851) and Ground Straps (7407956) (M728).


SEE FIGURE 20-13 FOR
1 HYDRAULIC COMPONENTS
2
3

(ALL PARTS ARE IN GROUP 0614)
AT 1916

Figure 06-17. Turret Electrical Slipring Assembly (10940555) (m728).


6
6A
5
4
3
1
2
7
1, 2, 3, 4,
8
5
SEE FIGURE 06-22
23
22
21
25
24
23
22
3
1
2
9
10
11
12
16
18
17
16
20
15
5
3
1
2
5
13
14
19 SEE FIGURE 06-21
2
1
3
1
2
3
5
15
16
17
18

(ALL PARTS ARE IN GROUP 0614)

TA011200

Figure 06-18. Turret Electrical Slipring Assembly (10941028) (M728).


4
1
2
5
6
3
7
10
8
9
10
9
8
11
18
20
13
17
12
14
21
19
16
22
15
23

(ALL PARTS ARE IN GROUP 0614)

TA011201

Figure 06-19. Turret Electrical Slipring Assembly (10941028) (M728).



(ALL PARTS ARE IN GROUP 0614)

AT 1919

Figure 06-20. Turret Electrical Slipring Assembly (10941026) (Sheet 3 of 3) (M728).



(ALL PARTS ARE IN GROUP 0614)

AT 1920

Figure 06-21. Turret Electrical Slipring Harness Assembly (10940952) (M728).



(ALL PARTS ARE IN GROUP 0614)

AT 1921

Figure 06-22. Turret Electrical Slipring Harness Assembly (10940847) (M728).


1 – SEE FIGURE 06-24
2
3
4
5
6
7

(ALL PARTS ARE IN GROUP 0614)

AT 1922

Figure 06-23. Turret Electrical Slipring Assembly (10926046) and Attaching Parts (M48A3).


24
25
10
20
23
22
21
20
19
18
17
9
10
11
12
1
2
3
4
5
6
7
8
SEE FIGURE 06-7 THRU 06-11
13
14
10
27
M48A3
SER. NO.
601W THRU
726W
15
M48A3
16
10
26

(ALL PARTS ARE IN GROUP 0614)

AT 1923

Figure 06-24. Turret Electrical Slipring Assembly (M48A3, M48A3 Ser. No. 601W thru 726W).

Figures 06-25 through 06-44. Deleted.


1
2
3
SEE FIGURE 06-48
6
5
11 SEE FIGURE 06-49
SEE FIGURE 06-49
10
SEE FIGURE 06-49 4
5
6
6
5
9
9
9
9
7
SEE FIGURE 06-50
SEE FIGURE 06-49
8

(ALL PARTS ARE IN GROUP 0616)

AT 1944

Figure 06-45. Turret Ventilating Blower Control Box (8335333) and Attaching Parts (Sheet 1 of 2) (M60, M48A3, M48A3 Ser. No. 601W thru 726W).


1
2
3
4
5
6
7
8
10
5
4
11
12
9
7
13
27
1
2
9
14
3
1
2
9
17
15
16
26
25
24
23
22
1
2
3
18
21
20
19

(ALL PARTS ARE IN GROUP 0616)

AT 1481

Figure 06-46. Turret Ventilating Blower Control Box (8335333) and Attaching Parts (Sheet 2 of 2) (M60, M48A3, M48A3 Ser. No. 601W thru 726W).


1
2
3
8
5
3
6
4
7
26
10
9
11
19
18
25
20
17
24
12
13
14
23
23
22
21
16
15

SEE FIGURE 06-51

SEE FIGURE 06-51

(ALL PARTS ARE IN GROUP 0616)

SEE FIGURE 06-51

AT 1945

Figure 06-47. Turret Ventilating Blower Control Box (10905697) and Attaching Parts (M60A1, M728).



(ALL PARTS ARE IN GROUP 0616)

AT 1483

Figure 06-48. Turret Ventilating Blower Control Box Harness Assembly (8133964) (M60, M48A3, M48A3 Ser. No. 601W thru 726W).


1
3
2
1
CABLE ASSEMBLY 7972931
4
5
6
7
8
2
CABLE ASSEMBLY 8733956
21
9
10
2
11
20
19
13
18
17
CABLE ASSEMBLY 8734051
1
3
11
16
12
13
14
15
CABLE ASSEMBLY 8733955

(ALL PARTS ARE IN GROUP 0616)

Figure 06-49. Turret Ventilating Blower Control Box Cable Assemblies (M60, M48A3, M48A3 Ser. No. 601W thru 726W).



(ALL PARTS ARE IN GROUP 0616)

AT 1485

Figure 06-50. Turret Ventilating Blower Control Box Cable Assembly (8335304) (M60, M48A3, M48A3 Ser. No. 601W thru 726W).


1
2
3
4
5
6
7
ELECTRICAL LEAD 10905683
8
12
13
14
15
16
17
ELECTRICAL LEAD 10905680
9
10
11
18
12
13
14
15
16
17
ELECTRICAL LEAD 10905681
19
20
11

(ALL PARTS ARE IN GROUP 0616)

AT 1486

Figure 06-51. Turret Ventilating Blower Control Box Cable Assemblies (M60A1, M728).


SEE FIGURE 06-53
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

(ALL PARTS ARE IN GROUP 0616)

AT 1946

Figure 06-52. Turret Ventilating Blower Assembly (7974293) and Related Parts (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W).


7
SEE FIGURE 06-54
8
9
5
2
1
3
4

(ALL PARTS ARE IN GROUP 0616 EXCEPT ITEM 6 WHICH IS IN GROUP 2210)

AT 1947

Figure 06-53. Turret Ventilating Blower Assembly (7974293) (All Vehicles).


5
6
1
2
3
4
7
10
8
9
11
12
13
14
15
16
17
18
15
19
12
13
20
32
31
30
29
25
26
27
28
27
26
25
24
23
22
8
21
AT 1948

(ALL PARTS ARE IN GROUP 0616)

Figure 06-54. Turret Ventilating Blower Motor Assembly (7727524) (M60, M60A1, M728, M60A1E2, M48A3, M48A3 Ser. No. 601W thru 726W).


1
2
3
4
2
6
2
5 SEE FIGURE 06-55.1

(ALL PARTS ARE IN GROUP 0618)

TA011202

Figure 06-55. Control Selector Assembly (11608361) and Mounting Parts (M60A1 W/Stab).

(ALL PARTS ARE IN GROUP 0618)


1
2
3
4
5
6
7
8
9
10
11
12
13
14
25
24
23
21
22
12
13
15
30
29
28
27
26
20
19
18
17
**
16
*
**
***
***

*PART OF ITEM 20
**PART OF ITEM 17
***PART OF ITEM 12

TA011203

Figure 06-55.1. Control Selector Assembly (11608361) (M60A1 W/Stab).


1
SEE FIGURES 06-55.3 AND 06-55.4
FOR DETAILS
5
4
3
3
4
5

(ALL PARTS ARE IN GROUP 0618)

TA011223

Figure 06-55.2. Controller Unit Assembly (11608300) (M60A1 W/Stab).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
***

*PART OF ITEM 29
**PART OF ITEM 17
***PART OF ITEM 15

(ALL PARTS ARE IN GROUP 0618)

TA011204

Figure 06-55.3. Controller Unit Assembly (11608300) (M60A1 W/Stab).


8
11
12
7
9
10
11
12
12
6
11
17
5
13
4
13
16
10
15
3
9
14
13
10
9
10
18
3
2
19
51
1
20
21
22
23
24
50
27
44
49
30
47
48
29
42
43
38
27
30
31
45
46
27
41
29
39
26
40
15
32
28
25
26
33
30
29
34
30
35
36
37

*PART OF ITEM 22

(ALL PARTS ARE IN GROUP 0618)

TA011205

Figure 06-55.4. Controller Unit Assembly (11608300) (M60A1 W/Stab).


1
2
3
4 SEE FIGURE 16-55.6 FOR DETAILS
5
6

(ALL PARTS ARE IN GROUP 0618)

TA011206

Figure 06-55.5, Rate Sensor Assembly (11608331) and Related Parts (M60A1 W/Stab).


1
2
3
4
5
27
6
7
26
8
9
25
24
10
25
11
24
10
11
8
12
8
13
12
14
15
16
17
18
19
14
20
23
22
21

(ALL PARTS ARE IN GROUP 0618)

TA011207

Figure 06-55.6. Rate Sensor Assembly (11608331) (M60A1 W/Stab).


19
7
8
2
3
1
4
5
6
9
18
20
*
10
11
12
13
14
15
16
18
17
STAB SHUT-OFF

*PART OF ITEM 13

(ALL PARTS ARE IN GROUP 0618)

TA011206

Figure 06-55.7. Stabilization Shut-Off Box (11655086) and Related Parts (M60A1 W/Stab).


1
2
3
4
5
3
4
6
7
6
6
7
6
8
15
12
13
14
16
2
17
6
10
6
14
9
13
12
11
6
10
6

(ALL PARTS ARE IN GROUP 0618)

TA011209

Figure 06-55.8. Power Pack Blower Assembly (11675940) and Related Parts (M60A1 W/Stab).


SEE FIGURE 06-58
1
2
3
4
5
6
7
8
9
10
MACHINE GUN
MAIN GUN
TURRET POWER
ON
OFF
3
11
12
13
14
18
MACHINE GUN
MAIN GUN
TURRET POWER
15
16
17

(ALL PARTS ARE IN GROUP 0618)

AT 39481

Figure 06-56. Gunner's Control Box Assembly (11645222) and Attaching Parts (M60, M48A3, M48A3 Ser. No. 610w thru 726w).



1
2
3 SEE FIGURE 06-59
4
5
28
6
7
*
*8
27
26
25
24
20
19
21
18
17
9
10
11
12
13
14
15
16
22
23
29A
29
30
32
34
31
M728
M60A1
33

* PART OF LIGHT 10922132-1 (ITEM 11)

(ALL PARTS ARE IN GROUP 0618)

AT 39482

Figure 06-57. Gunner's Control Box Assembly (11645185) and Attaching Parts (M60A1, M728).


18
17
16
15
14
1
1
2
3
4
5
6
2
7
2
8
13
2
2
11
10
9
12

(ALL PARTS ARE IN GROUP 0618)

AT 39429

Figure 06-58. Gunner's Control Box Wiring and Component Assembly (11645223) (M60, M48A3, M48A3 Ser. No. 601w thru 726w).


1
2
3
4
5
5
5
3
7
6
5
5

(ALL PARTS ARE IN GROUP 0618)

AT 1493

Figure 06-59. Gunner's Control Box Wiring Harness Assembly (10924086) (M60A1, M728).


SEE FIGURE 06-61 1
M60
M48A3 & M48A3
SER. NO. 601W THRU 726W
12
2
3
4
5
13
12
11
10
9
8
6
3
6
3
2
3
4
5
6
6
7
(ALL PARTS ARE IN GROUP 0618)
AT 1952

Figure 06-60. Turret Power and Searchlight Relay Assemblies (7972802) and Mounting Parts (M60, M48A3, M48A3 Ser. No. 601w thru 726w).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
(ALL PARTS ARE IN GROUP 0618)
AT 1953

Figure 06-61. Turret Power and Searchlight Relay Assembly (7972802) (M60, M48A3, M48A3 Ser. No. 601w thru 726w).



(ALL PARTS ARE IN GROUP 0618)

TA011210

Figure 06-61.1. Stabilization System Wiring Harness Assembly (11636867) (M60A1 W/Stab).



(ALL PARTS ARE IN GROUP 0618)

TA011211

Figure 06-61.2. Elevation Shut-Off Electrical Lead Assembly (11654868) (M60A1 W/Stab).


SEE FIGURE 06-63 AND 06-64 1
2
2
M60A1 ONLY
3
4
6
5
M60A1 ONLY

(ALL PARTS ARE IN GROUP 0618)

AT 1954

Figure 06-62. Turret Power and Searchlight Relay Assembly (10905722) (M728), (11590881) and Mounting Parts.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
SEE FIGURE 06-66

(ALL PARTS ARE IN GROUP 0618)

AT 1955

Figure 06-63. Turret Power and Searchlight Relay Assembly (10905722) (M728), (11590881) (M60A1) (Sheet 1 of 2).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
M60A1 ONLY
SEE FIGURE 06-65

(ALL PARTS ARE IN GROUP 0618)

AT 1956

Figure 06-64. Turret Power and Searchlight Relay Assembly (10905722) (M728), (11590881) (M60A1) (Sheet 2 of 2).


1
2
3
4
5
6
7
7
8
9

(ALL PARTS ARE IN GROUP 0618)

AT 1957

Figure 06-65. Turret Power and Searchlight Relay Lead Assembly (10924261) (M60A1, M728).


1
2
3
4
5
6
7
8
8
9
9
9
9
9
9
9
9
9
9
10

(ALL PARTS ARE IN GROUP 0618)

AT 1958

Figure 06-66. Turret Power and Searchlight Relay Harness Assembly (10924260) (M60A1, M728).


3
10
11
2
4
6
7
8
9
12
18
15
14
13
12
11
11
15
16
14
29
5
12
11
14
15
16
22
12
11
19
18
17
10
15
14
11
12
27
16
15
14
11
11
20
15
21
16
15
14
11
26
28
12
23
12
24
11
25
11
19
19
18
18
17
17
19
17
18

(ALL PARTS ARE IN GROUP 0618)

TA011213

Figure 06-66.1. Gun Firing Harness Assembly (11676327) (M60A1 W/Stab).

ITEMS NO. 8, 9 AND 13 ARE DELETED


9
16
15
14
8
20
17
10
19
18
1
2
3
7
6
4
5
13 A
10
11
11
12
12
12

M60, M60A1,
AND M728 ONLY

(ALL PARTS ARE IN GROUP 0618)

TA011214

Figure 06-67. Turret Electrical Searchlight Connector Assembly and Control Box Mounting Hardware (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601w thru 726w).


M60 ONLY
2
18
1
3
4
5
17
M60A1
AND
M728
ONLY
16
15
14
6
7
13
12
8
9
10
11

(ALL PARTS ARE IN GROUP 0618)

AT 1497

Figure 06-68. Blasting Machine (11599606) and Attaching Parts (M60, M60A1, M728).



(ALL PARTS ARE IN GROUP 0618)

AT 1498

Figure 06-69. Turret Gun Firing Relay Assembly (8338636) and Attaching Parts (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601w thru 726w).


1
3
4
2
5
6
7
7
8
9
10
11
12
13
14
15
16
17
18
19
20

(ALL PARTS ARE IN GROUP 0618)

AT 1499

Figure 06-70. Gun Elevation Interference Switch Assembly (10864130) and Related Parts (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601w thru 726w).


1
2
3
3
4
5
6
7
8
9
10
8
11
22
21
20
19
18
17
12
13
23
16
15
14

(ALL PARTS ARE IN GROUP 0618)

TA011215

Figure 06-70.1. Loader's Safety Switch Assembly (11676323) (M60A1 W/Stab).


M48A3 AND
M48A3 SER.
NO. 601W THRU
726W ONLY
M60A1 ONLY
M60
AND
M728
ONLY
1
2
3
4
5
6
14
15
14
15
14
15
2
11
10
12
13
9
8
7
4

(ALL PARTS ARE IN GROUP 0618)

AT 1500

Figure 06-71. Turret Electrical Mounting Brackets and Hardware (M60, M60A1, M728, M48A3, Ser. No. 601w thru 726w).


DETAIL A
DETAIL D
DETAIL C
DETAIL D
DETAIL B
DETAIL C
DETAIL F
DETAIL G
DETAIL E

TA011216

Figure 06-71.1. Stabilization System Electrical Harness Clamps and Mounting Hardware – Locator View (Sheet 1 of 2) (M60A1 W/Stab).


DETAIL I
DETAIL H
DETAIL J
DETAIL M
DETAIL K
DETAIL L

TA011217

Figure 06-71.2. Stabilization System Electrical Harness Clamps and Mounting Hardware – Locator View (Sheet 2 of 2) (M60A1 W/Stab).


1
DETAIL A
2
3
4
5
DETAIL B
6
7
4
DETAIL C
8
9
7
6
DETAIL D
10
11
7
6
DETAIL E
12
3
13
10
DETAIL F
6
7
14
DETAIL G
15
DETAIL H
6
3
19
DETAIL I
6
3
17
10
DETAIL J
6
3
18
DETAIL K
6
3
19
DETAIL L
20
DETAIL M

(ALL PARTS ARE IN GROUP 0618)

TA011218

Figure 06-71.3. Stabilization System Electrical Harness Clamps and Mounting Hardware (M60A1 W/Stab).

best copy available

(ALL PARTS ARE IN GROUP 0618)

SEE FIGURE 06-73
FOR DETAILS


DETAIL A
DETAIL L
DETAIL M
DETAIL T
DETAIL C
DETAIL C
DETAIL B
DETAIL N
DETAIL D
DETAIL E
DETAIL C
DETAIL E
DETAIL J
DETAIL O
DETAIL H
DETAIL F
DETAIL I
DETAIL Q
DETAIL J
DETAIL J
DETAIL K
DETAIL E
DETAIL I
DETAIL J
DETAIL C
DETAIL S
DETAIL R
DETAIL D
DETAIL Q
DETAIL E
DETAIL D
DETAIL P
DETAIL G

AT 1959

Figure 06-72. Turret Electrical System Harness Clamps Locator View (M60, M60A1, M728, M48A3, Ser. No. 601W thru 726W).


1
2
DETAIL A
1
3
2
DETAIL B
7
6
5
4
DETAIL C
8
3
DETAIL D
8
DETAIL E
4
8
3
DETAIL F
8
9
10
DETAIL G
8
10
DETAIL H
1
11
3
DETAIL I
10
9
8
DETAIL J
1
3
8
DETAIL K
12
1
DETAIL L
3
13
1
DETAIL M
14
1
DETAIL N
1
15
3
DETAIL O
16
1
DETAIL P
17
18
9
19
3
DETAIL Q
1
20
DETAIL R
21
1
DETAIL S

(ALL PARTS ARE IN GROUP 0618)

AT 1502

Figure 06-73. Turret Electrical System Harness Clamps (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W).

SEE FIGURE 06-75 FOR DETAILS


DETAIL AE
DETAIL V
DETAIL AG
DETAIL T
DETAIL AJ
DETAIL AD
DETAIL AI
DETAIL Y
DETAIL X
DETAIL AM
DETAIL U
DETAIL AK
DETAIL W
DETAIL AA
DETAIL Z
DETAIL AL
DETAIL AB
DETAIL AF
DETAIL AH
DETAIL AC

(ALL PARTS ARE IN GROUP 0618)

AT 1960

Figure 06-74. Turret Electrical System Harness Clamps—Locator View (M60, M60A1, M728, M48A3, (M48A3 Ser. No. 601W thru 726W).


1
2
DETAIL T
1
3
DETAIL U
1
4
DETAIL V
1
5
DETAIL W
1
6
DETAIL X
1
7
DETAIL Y
1
8
DETAIL Z
1
9
10
DETAIL AA
1
11
10
DETAIL AB
1
12
DETAIL AC
13
14
1
DETAIL AD
1
15
DETAIL AE
1
16
DETAIL AF
17
18
19
DETAIL AG
1
20
DETAIL AH
1
21
DETAIL AI
1
22
10
DETAIL AJ
1
23
DETAIL AK
1
24
10
DETAIL AL
1
25
DETAIL AM
(ALL PARTS ARE IN GROUP 0618)
AT 1504

Figure 06-75. Turret Electrical System Harness Clamps (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W).

(ALL PARTS ARE IN GROUP 0618)

SEE FIGURE 06-77 FOR DETAILS


DETAIL AT
DETAIL AS
DETAIL AQ
DETAIL AQ
DETAIL AR
DETAIL AO
DETAIL AU
DETAIL AN

AT 1961

Figure 06-76. Turret Electrical System Harness Clamps – Locator View (M60, M60A1, M48A3, M48A3 Ser. No. 601w thru 726w).


1
2
3
DETAIL AN
1
2
4
DETAIL AO
5
6
7
4
8
DETAIL AP
1
9
DETAIL AQ
1
10
DETAIL AR
1
11
DETAIL AS
12
13
14
DETAIL AT
1
15
DETAIL AU

(ALL PARTS ARE IN GROUP 0618)

AT 1506

Figure 06-77. Turret Electrical System Harness Clamps (M60, M60A1, M48A3, M48A3 Ser. No. 601w thru 726w).



(ALL PARTS ARE IN GROUP 0618)

TA011219

Figure 06-77.1. Gunner's Particulate Filter Jumper Lead Assembly (M60A1 W/Stab).



(ALL PARTS ARE IN GROUP 0618)

AR906266

Figure 06-78. Smoke Grenade Pushbutton Unit (FV861135) (M60A1).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
19
PART OF ITEM 7
PART OF ITEM 15
AR 920933

ALL PARTS ARE IN GROUP 0618

Figure 06-79 **Smoke Grenade Launcher Power Switch Box Assembly (12257456) (M60A1). Figure 06-80 thru 06-125 deleted.**



(ALL PARTS ARE IN GROUP 0620)
AT 1525

Figure 06-126. Turret Searchlight Ground Lead Assembly (10884268) (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W).


1
2
3
4
5
6
7
8
9
8
7
6
5
4
11
12
10
8
13

(ALL PARTS ARE IN GROUP 0620)

AT 1526

Figure 06-127. Turret Power Relay Box to Hydraulic Motor Lead Assembly (10864133) (M60, M60A1, M728, M48A3, M48A3 Ser. No. 601W thru 726W).


SEE FIGURE 06-129
1

(ALL PARTS ARE IN GROUP 0620)

AT 1997

Figure 06-128. Turret Searchlight Wiring Harness (10952232) (M60).


14
16
15
4
5
13
17
7
20
19
18
2
21
22
11
12
23
24
25
26
9
27
28
10
11
35
29
32
33
34
31
9
30
9
8
7
32
33
34
1
5
6
4
3
2
9
36
11
9
32
33
34
32
33
34
37
38
9
2

(ALL PARTS ARE IN GROUP 0620)

AT 1528

Figure 06-129. Turret Searchlight Wiring Harness (10952232) (M60).


1
SEE FIGURE 06-132 AND 06-133
2 SEE FIGURE 06-131
(ALL PARTS ARE IN GROUP 0620)
AT 1998

Figure 06-130. Turret Control Wiring Harness (10934299) and Turret Power Wiring Harness (10864091) (M60).


1
2
3
4
5
6
7
8
9
5
6
7
12
12
12
11
7
10
5
1
4
3
2
(ALL PARTS ARE IN GROUP 0620)
AT 1530

Figure 06-131. Turret Power Wiring Harness (10864091) (M60).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
AT 1531

(ALL PARTS ARE IN GROUP 0620)

Figure 06-132. Turret Control Wiring Harness (10934299) (Sheet 1 of 2) (M60).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
AT 1532

(ALL PARTS ARE IN GROUP 0620)

Figure 06-133. Turret Control Wiring Harness (10934299) (Sheet 2 of 2) (M60).



(ALL PARTS ARE IN GROUP 0620)
AT 1533

Figure 06-134. Turret Heater Cable Assembly (10923809) (M60).



(ALL PARTS ARE IN GROUP 0620)
AT 1534

Figure 06-135. Turret Power Pack Pump Motor Ground Strap (10915454) (M60, M60A1, M728).


SEE FIGURE 06-137
3
2
SEE FIGURE 06-139
1
SEE FIGURE 06-138

(ALL PARTS ARE IN GROUP 0620)

AT 1999

Figure 06-136. Turret Machine Gun Firing Harness (11599716) (M60, M60A1, M728), Control Box to Ventilating Motor Lead (10864134) and Interphone Slave Wiring Harness (10870485) (M60, M48A3, M48A3 Ser. No. 601W thru 726W).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
10
10
14
15, 13, 16
10
10
10
10
15
13
16
10
10
17
18
19
17, 18, 19
20
21
22
23
22
21
20
24
21
22
20
20
21
22
23
25
17, 18, 19
17, 18, 19
15, 13, 16
15
13
16
15
13
16
15
13
16

(ALL PARTS ARE IN GROUP 0620)

AT 1536

Figure 06-137. Turret Machine Gun Firing Harness (11599716) M60, M60A1, M728).


1
2
3
4
5
6
7
8
8
9
7
10
11
12
6
5
4

(ALL PARTS ARE IN GROUP 0620)

AT 1537

Figure 06-138. Turret Control Box to Ventilating Motor Lead (10864134) (M60, M48A3, M48A3 Ser. No. 601W thru 726W).


8
9
10
11
12
13
14
9
16
15
9
1
2
3
4
5
6
7
9
20
21
20
9
7
6
5
17
4
19
18

(ALL PARTS ARE IN GROUP 0620)

AT 1538

Figure 06-139. Turret Interphone Slave Wiring Harness (10870485) (M60, M48A3, M48A3 Ser. No. 601W thru 726W).


SEE FIGURE 06-141
1
(ALL PARTS ARE IN GROUP 0620)
AT 2000

Figure 06-140. Turret Slipring to Interphone Slave Cable Assembly (10870483) (M60, M48A3, M48A3 Ser. No. 601W thru 726W).


6
11
10
9
8
7
15
2
3
16
6
12
14
13
12
1
5
6
4
3
2
(ALL PARTS ARE IN GROUP 0620)
AT 1540

Figure 06-141. Turret Slipring to Interphone Slave Cable Assembly (10870483) (M60, M48A3, M48A3 Ser. No. 601W thru 726W).


SEE FIGURE 06-143
AND 06-144
1

(ALL PARTS ARE IN GROUP 0620)

AT 2001

Figure 06-142. Turret Control Wiring Harness (10941059) (M60A1).


17
19
16
18
20
21
22
8
13
14
15
10
11
12
8
8
13
14
15
9
20
21
22
16
1
2
3
4
5
6
7
8
8
23
10
11
12
13
14
15
8
33
32
31
30
29
17
28
8
22
27
20
19
26
25
24
13
14
15
13
14
15
8
10
11
12
20
21
22
16

(ALL PARTS ARE IN GROUP 0620)

AT 1542

Figure 06-143. Turret Control Wiring Harness (10941059) (Sheet 1 of 2) (M60A1).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36

(ALL PARTS ARE IN GROUP 0620)

AT 1543

Figure 06-144. Turret Control Wiring Harness (10941059) (Sheet 2 of 2) (M60A1).


SEE FIGURE 06-147
AND 06-148
2
SEE FIGURE
06-146
1
AT 2002

(ALL PARTS ARE IN GROUP 0620)

Figure 06-145. Turret Power Wiring Harness (10905864) and Turret Control Wiring Harness (10924467) (M60A1).


11
14
13
12
8
9
7
10
9
15
9
1
7
6
5
4
3
2
25
24
24
23
22
21
20
16
19
18
2
17
24
23
24
23

(ALL PARTS ARE IN GROUP 0620)

AT 1545

Figure 06-146. Turret Power Wiring Harness (10905864) (M60A1).


16
17
18
19
20
10
11
12
8
8
13
14
15
21
22
8
23
27
24
25
26
28
29
17
1
9
2
3
4
5
6
7
8
16
8
20
21
22
8
8
23
8
24
34
26
28
34
35
17
8
22
30
20
19
32
31
2
33
8
13
14
15
8
20
21
22
16

(ALL PARTS ARE IN GROUP 0620)

AT 1546

Figure 06-147. Turret Control Wiring Harness (10924467) (Sheet 1 of 2) (M60A1).


12
11
9
10
8
1
2
7
3
6
4
4
5
14
15
13
16
17
18
19
4
4
20
21
22
23
24
25
12
1
2
3
4
4
27
4
26
4
27
28
29
30
31
32
33
12
31
4
28
29
30
4
4
4
1
2
3
1
2
3
4
23
20
21
22
36
12
4
4
4
1
2
3
4
34
1
2
3
35
1
2
3

(ALL PARTS ARE IN GROUP 0620)

AT 1547

Figure 06-148. Turret Control Wiring Harness (10924467) (Sheet 2 of 2) (M60A1).


SEE FIGURE 06-151
1
2
SEE FIGURE 06-152

(ALL PARTS ARE IN GROUP 0620)

AT 2003

Figure 06-149. Turret Switch Box to Power Relay Box Lead (10924271) and Turret Blower Assembly to Blower Switch Box Lead (10924270) (M60A1, M728).


1
2
3
2
4
5
6
8
9
10
7
11

(ALL PARTS ARE IN GROUP 0620)

AT 1549

Figure 06-150. Turret Searchlight Relay Box to Searchlight Receptacle Lead (10911297) (M60A1, M728).


1
2
3
4
5
6
7
8
9
8
7
6
5
4
12
11
10

(ALL PARTS ARE IN GROUP 0620)

AT 1550

Figure 06-151. Turret Switch Box to Power Relay Box Lead (10924271) (M60A1, M728).


1
2
3
4
5
6
7
8
9
8
7
5
4
12
11
10

(ALL PARTS ARE IN GROUP 0620)

AT 1551

Figure 06-152. Turret Blower Assembly to Blower Switch Box Lead (10924270) (M60A1, M728).


1
SEE FIGURE 06-154

(ALL PARTS ARE IN GROUP 0620)

AT 2004

Figure 06-153. Turret Interphone Cable Assembly (10911298) (M60A1, M728).


12
13
6
5
1
4
3
2
15
2
3
16
6
14
6
11
9
10
8
7

(ALL PARTS ARE IN GROUP 0620)

AT 1553

Figure 06-154. Turret Interphone Cable Assembly (10911298) (M60A1, M728).


1
SEE FIGURE 06-156

(ALL PARTS ARE IN GROUP 0620)

AT 2005

Figure 06-155. Turret Power Feed Wiring Harness (10951575) (M728).


12
11
11
10
11
9
7
17
16
15
14
13
5
6
7
8
1
25
8
7
6
5
4
3
2
1
25
8
8
24
23
22
18
19
20
2
21

(ALL PARTS ARE IN GROUP 0620)

AT 1555

Figure 06-156. Turret Power Feed Wiring Harness (10951575) (M728).


1 SEE FIGURE 06-158
(ALL PARTS ARE IN GROUP 0620)
AT 2006

Figure 06-157. Turret Control Wiring Harness (10951615) (M728).



(ALL PARTS ARE IN GROUP 0620)

TA011220

Figure 06-157.1. Gun Firing Relay and Ground Switch and Mounting Parts (M60, M60A1, M728).


2
3
1
4
5
6
7
8
9
25
52
51
27
28
50
30
10
11
12
15
14
13
2
17
18
19
16
25
26
24
27
28
29
30
20
21
22
12
13
14
15
41
31
23
23
22
34
20
19
33
25
32
32
20
34
22
13
14
15
32
20
34
22
12
13
14
25
36
37
35
38
39
40
13
14
15
13
14
15
43
44
45
46
47
48
49
53
12
13
14
15
41
13
14
15
8
12
13
14
23
23
13
14
15
32
20
34
22
25
8
42
25
AT 1557

(ALL PARTS ARE IN GROUP 0620)

Figure 06-158. Turret Control Wiring Harness (10951615) (M728).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
(ALL PARTS ARE IN GROUP 0620)
AT 1558

Figure 06-159. Turret Searchlight Wiring Harness (10916918) (M48A3, M48A3 Ser. No. 601W thru 726W).


13
1
2
3
4
5
12
6
7
8
5
12
1
2
3
4
6
7
8
8
7
6
4
11
2
1
9
10
AT 1559

(ALL PARTS ARE IN GROUP 0620)

Figure 06-160. Turret Power Relay Box to Slipring and Searchlight Relay Box Wiring Harness (10916838) (M48A3, M48A3 Ser. No. 601W thru 726W).


M48A3 SER NO.
601W
THRU
726W
9
25
14
15
16
17
9
11
12
13
1
2
3
4
5
6
7
8
9
10
M48A3
9
18
19
20
21
9
8
22
6
15
24
23
2
9
9
8
22
6
25
15
24
23
2
6
22
8
9
2
24
15
23
38
21
20
19
9
39
26
9
31
30
29
15
28
27
9
11
37
13
15
46
17
35
9
34
33
32
9
19
20
21

(ALL PARTS ARE IN GROUP 0620)

AT 1560

Figure 06-161. Turret Branched Wiring Harness (10916855) (M48A3), (11616151) (M48A3 Ser. No. 601W thru 726W) (Sheet 1 of 2).


1
2
2
3
4
5
5
4
3
12
29
28
27
8
7
6
2
3
4
5
3
4
5
2
2
6
7
8
10
11
12
9
2
3
4
5
13
14
15
16
10
17
18
26
2
2
3
4
5
9
12
11
6
8
7
6
2
25
24
23
19
22
21
20
2

(ALL PARTS ARE IN GROUP 0620)

AT 1561

Figure 06-162. Turret Branched Wiring Harness (10916855) (M48A3), (11616151) (M48A3 Ser. No. 601W thru 726W) (Sheet 2 of 2).


SEE FIGURE 06-164
1

(ALL PARTS ARE IN GROUP 0620)

AT 2007

Figure 06-163. Turret Firing Circuit Wiring Harness (10916839) (M48A3, M48A3 Ser. No. 601W thru 726W).


1
2
3
4
5
6
7
11
10
9
8
18
12
13
4
3
2
1
4
17
16
15
14
3

(ALL PARTS ARE IN GROUP 0620)

AT 1563

Figure 06-164. Turret Firing Circuit Wiring Harness (10916839) (M48A3 M48A3 Ser. No. 601W thru 726W).



ALL PARTS ARE IN GROUP 0620

AR906268

Figure 06-165. **Left Smoke Grenade Launcher Cable Assembly (12257603) (12257445) And Related Parts (M60A1).**


4
3
5
2
1
ALL PARTS ARE IN GROUP 0620
AR906269

Figure 06-166. Right Smoke Grenade Launcher Cable Assembly (12257447) (12257602) And Related Parts (M60A1).


1
2
3
4
5
16
15
14
11
12
13
6
17
SEE FIGURE 06-168
L PARTS ARE IN GROUP 0620
10
7
8
9
AR906270

Figure 06-167. Smoke Grenade Launcher Housing Assembly (12257655) And Related Parts (M60A1).


1
2
15
14
13
3
4
5
12
11
10
6
7
8
9

AR906275

Figure 06-168. Right Smoke Grenade Launcher Cable Assembly (12257429) And Related Parts (M60A1).

Figures 06-169 through 06-199 deleted.

By Order of the Secretary of the Army:

W. C. WESTMORELAND
General, United States Army
Chief of Staff.

Official:

KENNETH G. WICKHAM,
Major General, United States Army,
The Adjutant General

Distribution:

To be distributed in accordance with DA Form 12-37, direct and general support maintenance requirements for Tank, Combat, 105-MM, M60 and M60A1, Tank, Combat, 90-MM, M48A3, Vehicle, Combat Engineer, M728 and Tank, Combat, 152-MM Gun Launcher M60A1E2.

☆U.S. GOVERNMENT PRINTING OFFICE: 1969 - 243-[illegible]